

# PHARMACOPOEIA BATEANA.

Quâ Nongenta

791

Circiter Pharmaca, plerâq; omnia è Praxi  
GEORGII BATEI Regi CAROLO  
Secundo Medici Primarii excerpta, or-  
dine alphabetico concisè exhibentur.

Quorum *Nonnulla* in Laboratorio Publico  
Pharmacopœano *Lond.* fideliter parantur  
*Venalia*: Atq; in usu sunt hodierno apud  
*Medicos Londinenses.*

---

EDITIO ALTERA Priori Locupletior :  
Cum viribus ac dosibus annexis.

---

Huic accesserunt

ARCANA GODDARDIANA

Ex Autographo Authoris desumpta.

Item ad Calcem

Orthotonia Medicorum Observata :

Insuper &

TABULA POSOLOGICA

Dosibus Pharmacorum accommodata.

---

Curâ J. S. Pharmacopœi *Lond.*

---

*Londini* : Impensis *Sam. Smith*, apud quem pro-  
strant Venales ad Insignia Principis *Wallie*  
in Cœmeterio *D. Pauli.* 1691.

*Bate (G.)*  
*K.*

*Pharmacopœiam hanc Bateanam*  
haud indignam Censemus quæ  
Typis Mandetur.

*Gualt. Charleton, Præs. Coll. Reg.*  
*Med. Lond.*

<i>Tho. Burwell,</i>	}	<i>Censores.</i>
<i>J. Gordon, Eq. Aur.</i>		
<i>Will. Dawes,</i>		
<i>Tho. Gill,</i>		

*Datum 5<sup>o</sup> die Sept. A. D. 1690.*

*In Comitiiis Cenforiis ex ædibus*  
*Collegii Nostri.*

*Lon*  
*f*



# PHARMACOPOEIA BATEANA.

Quâ Nongenta

791

Circiter Pharmaca, plerâq; omnia è Praxi  
GEORGII BATEI Regi CAROLO  
Secundo Medici Primarii excerpta, or-  
dine alphabetico concisè exhibentur.

Quorum *Nonnulla* in Laboratorio Publico  
Pharmacopœano *Lond.* fideliter parantur  
*Venalia*: Atq; in usu sunt hodierno apud  
*Medicos Londinenses.*

---

EDITIO ALTERA Priori Locupletior :  
Cum viribus ac dosibus annexis.

---

Huic accesserunt

ARCANA GODDARDIANA

Ex Autographo Authoris desumpta.

Item ad Calcem

Orthotonia Medicorum Observata :

Insuper &

TABULA POSOLOGICA

Dosibus Pharmacorum accommodata.

---

Curâ J. S. Pharmacopœi *Lond.*

---

*Londini* : Impensis *Sam. Smith*, apud quem pro-  
frant Venales ad Insignia Principis *Walliæ*  
in Cœmeterio *D. Pauli.* 1691.



4.1313 9

ILLUSTRISSIMO

Medicorum Londinensium

COLLEGIO REGALI,

Et potissimum

VIRO SPECTATISSIMO

ERUDITISSIMOQUE

Gualt. Charleton M. D.

Præsidi Insignissimo :

Nec-non

CENSORIBUS INTEGERIMIS,

Cæterisque Omnibus,

Splendidissimæ hujus Societatis,

COLLEGIS,

*Pharmacopœiam hanc Bateanam, &c.*

Obsequii & Honoris ergo,

Quàm humillimè D. D. D. Q.

*Ja. Shipton.*

ILLUSTRATION

COMMISSION

PROTESTANT

CHURCH

OF THE

UNITED STATES

OF AMERICA

AND

THE

WEST INDIES

AND

THE

WEST COAST OF AFRICA

AND

---

## L E C T O R I.

**E**N tibi (*Lector Optime*) *Georgii Batei* M. D. Collegii Regalis *Londinensis* quondam Socii *Pharmacopœiam* damus: Cujus fuit dixisse satis: nemini enim qui *Medicinam* ad *Limina* salutavit, ignotum est *Nomen*. **CAROLI** Secundi *Magnæ Britanniae* Clementissimi *Principis* fuit *Archiatrus*, & ob *Elenchi Motuum Nuperorum in Angliâ* *Tractatum* elegantissimum, apud *exteros* etiam *Clarus*.

Hic dum vixerit *Medicinam* ornare  
semper studens, & ejusdem *Amœnio-*  
*a Prata* peragrans, *Hanc* (inter *Cæ-*  
*ra*) concinnavit *Opellam* *Felicissimus*  
*medicus*, quam tibi non *Invidimus*.

Vale *Lector* & *Fruere*.

*J. S.*



# Characteres,

Qui in hoc

## LIBELLO

### Occurrunt.

Acetum	⚥	Aqua Ros.	∇ Ros
Acet. destillatum	⚥	Arena	⋯
Aër	Δ	Argentum	☾
Æs	♀	Argent. vivum	♀
Æs Viride	⊕	Arlenicum	∞
Alembicus	XX	Audix. Sal. Arm.	✱
Alumen	O	Auripigmentum	⊙
Amalgama	āāā	Aurum	⊙
Antimonium	⚭	Balneum	B.
Aqua	▽	Baln. Mariæ	MB
Aqua fontis	∇ Font.	Bolus Armena	℞
Aqua fortis	∇	Calx viva	ψ
Aqua Regia	∇ R	Cancer	♋

Caput

Caput mort. ☉  
 Chalcant. vitriol ☿  
 Chalybs ♂  
 Chalybis limatura ♂  
 Cineres ♀  
 Cinnabaris ☿  
 Crucibul. ♂  
 Cuprum ☿  
 Destillare ☿  
 Dies ☿  
 Ferrum ☿  
 Hermes. Merc. ☿  
 Hora ☿  
 Hydrargyrum. ☿  
 Ignis ☿  
 Jupiter ♃  
 Luna ☾  
 Mars ♂  
 Massa ☿  
 Mercurius ☿  
 Merc. præcipiatus ☿  
 Merc. sublimatus ☿  
 Nitrum ☿  
 Nox ☿

Oleum ☿  
 Plumbum ♄  
 Præcipitare ☿  
 Pulvis. Pulverare. ☿  
 Retorta ☿  
 Sal Armoniacum ☿  
 Sal Commune ☿  
 Sal Gemmæ ☿  
 Sal Petræ ☿  
 Sol ☼  
 Spiritus ☿  
 Strannum ☿  
 Stimmi. Antim. ☿  
 Strat. sup. Strat. S.S.S. ☿  
 Sublimare ☿  
 Sulphur ☿  
 Tartarum ☿  
 Terra ☿  
 Venus ♀  
 Vinum ☿  
 Viride æris ☿  
 Vitriolum ☿  
 Urina ☿



A R.

---

Notandum, *Medicamenta singula*,  
*quibus præponitur Asteriscus* \*, in usu  
fuisse frequentiori apud Autorem,  
cujus *Praxin ac Præscripta in re Me-*  
*dicâ* non potui non animadvertere,  
quippe qui sub *Illo* ἐν ταῖς φαρμακοποιεῖν  
assiduè solebam versari viginti circi-  
ter annorum spatio.

---

# PHARMACOPOEIA BATEANA.

A.

\* **A** *Cetarium Scorbuticum* R Fol. cochlear. mar. selectis. ℥iij. sacchar. albis. ℥vj. ⊖ cochlear ℥i. contusis opt. adde succ. aurant. ℥vj. m. *In isto intingatur omnis cibus Scorbuticorum.*

*Acetum Lithargyrites.* R ℥ Litharg. ⊙ ℥iv, ✚ opt. ℥viii. digere ⊙ 3, sæpe agitando, & filtra. *Pro faciei Rubore, pustulis, &c. curandis.*

*Acetum Mellis.* R Mel. lbj. ✚ opt. lbij. ex ∴. Qa ac rectifica. *Præter alios usus solvere, & lapides sine ulla præcedente calcinatione, dicitur.*

*Acet. Pestilentielle.* R Rad. Angel. zed. ā ℥j. bacc. junip. ℥ij. rutæ miiij. ✚ opt lbij. macer. ac cola. *Pro suffitu, & oris collutione, grassante peste.*

B

\* Æ.

\* *Æthiops Mineralis.* R<sup>x</sup> Fl.  $\triangle$  p. ij.  $\text{♀}$   
 crud. p. i. exactis. mixta incende, ut f.  $\text{♀}$   
 nigerrimus s. a. *Usus in Lue*  $\text{♀}$ , *Hydrope,*  
*&c. Ptyalismum non movet.*

\* *Alkekengi Conditum.* R<sup>x</sup> Bac. Halicacab,  
 rec.  $\text{℥}$ vj. contus. affunde Aq. Lactis thifs. ex-  
 prime succum, & clarifica cum album.ovor.  
 Adde bacc.rec. Halicac. integras, & leniter  
 coq. cum n. m.  $\text{℥}$ ij, Troch. Gord.  $\text{℥}$ ij, rad.  
 Eryng. Candefact.  $\text{℥}$ ij, ad teneritudinem.  
 Baccis coctis & exemptis, liquor cum a Sac-  
 chari coq. in Syr.consist. in quo Baccæ con-  
 dianur. *Nephriticum, diureticum ac li-*  
*thontripticum.*

\* *Allium Conditum.* R<sup>x</sup> Rad. allii mund.  
 $\text{℔}$ j. coq. parum in Aq. font. quæ abjiciatur.  
 Tum coq. in Aq. Hyslop. ad mollitiem per-  
 fectam. Liquor cum  $\text{℔}$ j. sacch. opt. coq. in  
 Syr. circa finem addendo Allium, cum Ambr.  
 gris. gr. 24, Mosch. gr. 4, in nodulo ligatis,  
 Sp. Hormin.  $\text{℥}$ ij. *Usus in Colica flatulenta,*  
*Tussi, Asthmate, Calculo, Arthritide, &c.*

*Alumen Dulce.* Solve  $\bigcirc$  in  $\nabla$ , & coa-  
 gula. Repete opus ter, ut  $\bigcirc$  dulcescat. Vo-  
 catur & Sacchar. Aluminis. Commendatur in  
 pectoris morbis, præsertim ex minerarum ha-  
 litu contractis. Odontalgiam sedat, gingiva  
 impositum. Dos.  $\text{℥}$ ss. *Alumen*

R. Mercurius 3ij dissolved in 3ij of water  
that must be 3 times repeated. In a short time  
with a short need, and a gradual fire. Sweeten it with  
it with water. Then River-borne in in a Crucible, until  
becomes as red as Coral. & in Arcana Cyathum.

The most Absolute specif. ag. the Power  
of in violent Honor and all its ill Temp. it washes all  
Corruption. It purges more the Colic, but if given  
often alone without purging Med. it salicates as well as  
that.

It cures all Ven. Ulcers, Blisters, Boils, &c.  
Scabs, Pocky pustles. Tetters, Ringworms, Cancri, Sore  
Itch, Leprosie Inwardly in a purging Med.

outwardly mixing it with Pomatum.  
But Annot not the belly or Stomach with it for then  
it Siles. It cures all Corruptions of the Liver.

R. 3ij 3ij or 3ij finely levigated Pomatum

Annot mixt with Scorpis Malag. when or mixt  
with Saffron, and apply it as an Emplastr.

3ij 4. Ag. Staburn Invebrate A. Evil, Gout  
dropsies, Leprosie, Rebellious Agues, Catarrhs, Blisters  
worms on the Bowels &c. &c. Safe from gr.

8. R. 12. Mixt with some proper purg.

Give it. Once. every 8 or 9 day. 3. 1. 6

See Lemury 192

Arcanum Coral is red precip. the least red soft  
& best Inwardly excepted with 3ij of wine  
see him.

Modus Congruendi

Coque Lent igne. Terib. in aq. Plantag.  
Lent. Chem.

In hac base liquefact. Cera. deinde

Mixtaur. Terib. edulcorant. Simul.

Hinc addas gl. blivier agitando et struam.  
ignis dum liquefactus rursus parum.

Sub fine addendo. Le Laur. Jure. Petre.  
Despumant.

ally boy's

R. bujus aliq. clari fructi et misce. Qu.  
Cannam agitando donec liquefacti et  
statum additur coctis.

Post levem ebullitionem D. et Hypoc. In  
corporebus et coqueretur per horam integrum.

Tunc move ab igne et calore remanens  
remisso addas. Lang. Diac. Bala. Cam.  
nibr. Semper Agitando et misce. d.  
Cargoph. et Clam. Agitationem con-  
tinuando donec frigidum.

In cald. Bals. p. p. p.  
Antony.

For outward and inward uses. Intern.  
in vtro. Sicut Ambusta. Conspicue.

In Cephal. ag. the Colic. Anodyne milt.  
warm. Intern. ag. Poison. d. 3.

ag. Harmonag.

& Nepht.

to in. D. Chant.

*Alumen Febrifugum.* Solve  $\bigcirc$   $\text{℥iij}$ , in  $\nabla$  cardui b. sanguine draconis probè tinctæ ac filtratæ t̄b̄is, & exhala ad siccitatem s. a. *Dos.*  $\text{℥i}$ . ante paronyssum febrilem, sudorem movet, &c. v. *Mynsicht.*

\* *Aluminatum.* R̄ Succ. limon. t̄bi.  $\bigcirc$   $\text{℥ss}$ . coq. ac despuma s. a. *Optimè valet in rubore faciei, pustulis, &c. interim bibendo Cerevisiam Catapsoras.*

*Amuleta Pestilentialia.* R̄  $\bigcirc\bigcirc$   $\text{℥iss}$ . rad. angel.  $\text{ʒvj}$ . mucil. tragac. q. s. ut f. Pasta : exinde f. Amuleta n° 12 globosa, serico obvolvenda, *Ad cordis regionem gestanda.*

*Anima Hepatis, v. Vitriol. Martis.*

*Antifebrile Concharum.* Testis concharum oblongarum (vulgò *Muscles*) affunde  $\text{†}$ , & macera  $\text{℥} 24$ . Abrade mucorem extern. exicca ac  $\text{℥} a$ , instillato sæpe inter  $\text{℥} andum$   $\nabla$  cardui coch. i. quo  $\text{℥} volatilis retineatur. exicca ad usum. Dos.$   $\text{℥i}$ . *Febrifugum est mobile. Ciet sudorem sat largiter.*

\* *Antihæcticum Poterii.* fit ex Regul.  $\text{†ij}$   $\text{†}iati$  &  $\text{℥} is$  Anglic.ā, colliquatis, cum trillo  $\bigcirc$  i detonatis, &  $\nabla a$  edulcatis, s. a. *Dos.*  $\text{℥} vj$ , ad  $\text{xx}$ . *In Lue. ♀, Hydrope, Scorbuto, Tabo, &c.*

\* *Antimon. Diaphoret.* f. ex ☿ p. i, ☉ p. iiij, detonatis ac ▽â edulcatis. f. a. *Dof.* ʒj. bis in die per plures dies, augendo quant. gradatim quotidie usq; ad ʒj pro dosi. usus est ad sanguinem mundificandum, in Cachexia, Hydrope, Scorbuto, Lue ♀, &c.

*Antim. Diaphor. fixum.* R ☿ & ☉ ā : Detona, abluē & exicca. Tum misc. cum ā ☉i; detona, abluē, sicca : dein misce iterum cum ā ☉i ac detona. ☿m hanc in ▽ coctam filtra, & ☿a cum ✱. Tum abluē & sicca. *Vires easdem obtinet cum priori in eadem dosi.*

*Antim. Medicamentosum.* R ☿ p. v. ☉ com. p. iiij. ☉☐ p. i. funde in Regulum ac edulcora. *Parū differt à priori in viribus.*

*Antim. Resuscitatum.* ☿a ☿ & ✱ ā. cum tribus cohobiis : Digere ☿atum cum ✱, exhalā & abluē f. a. *Diaphoreticum habetur ; leniter vomitum ciet.*

*Apozema potenter expectorans.* R Decoct. Pectoral. ʒij. Syr. Scabios. comp. & Oxym. squillit, ā ʒij. Aq. Jugland. comp. ʒiss. Infus. croc. metall. ʒj. m. *Dentur Cochlear. iiij, ad vij omni manē, itā ut provocentur tres circiter Vomitiones.*



\* *Aqua Aluminosa.* O & ⊕ alb. ā com-  
mixt.coq.in vase ▽ reo △ lento, donec in-  
durescant Lapidis instar. Injice ☿ ris hujus  
coch.i.in ▽ æ bullientis ℥ij, donec solvitur,  
ac filtra. *Ad Ulcera, vulnera fistulas, &c.*  
*lavanda.*

\* *Aqua Animalis.* R<sup>x</sup> △ ris equi non defa-  
tigati rec. globulos n° xij. misc.cum Leucoen.  
℥viii. Adde Sem. scenic.d. petrosel. ā ℥ij.  
Theriac. Januens. ℥j. polypod. qu. Rusci,  
Fol. hepat. ā m. ij. zz. ℥iiij. ℞ a l. △ s. a.  
*Dos. ad 34, super sudando, in Pleurisi, Dolori-*  
*bis, Rheumatismo, &c.*

\* *Aq. Antiphthifica.* R<sup>x</sup> Sang vitul. rec.a-  
gitatione à fibris separati, ℥iiij. Terebinth.  
Ven. 3x. glyc. rec. ℥j. uv. pals.exacin. ℥xij.  
ficus ping. n° 100. Limac.hort. n° 70. Rad.  
irid. rec. 3vj. Fol. Tabaci Hispan. incis. ℥ij.  
micar. panis alb. ℥i. ℞ a s. a. *Dos. ℥ij cum*  
*debita olei quantitate supernatante, omni manè*  
*cum Syr. Pectoral. per dies 15.*

\* *Aq. Antiscorbutica.* R<sup>x</sup> Fol. fumar. na-  
sturt, aq. cochl. utriusque, becabung. ā m.  
xii. ling. cerv. cichor. pini, chamædr. prafs.  
agrimon. Centaur. min. ā mx. absinth.  
Rom. Hepatic. ā m. iiij. Rad. bryon. 3viii.  
℥lic, fæm. lapath. cort. dulcamar. fraxin.  
B 3 intern.

intern. ā ʒvj. Sem. fraxini ʒiss. angel. ʒss. contusis omnibus rec. adde V. Rhen. ʒvj. in quibus ♂ ʒij vigecies extincta fuerit. expreme prelo & ʒa in MB. (addendo Troch. de Cappar. ʒator. ʒvj. luti ♂ ʒiss.) ad mellaginem; quæ postea exhaletur ad consist. *Extracti*; quod servetur pro *Extracto Antiscorbutico. Bat.*

*Aq. Antiscorbutica.* R Fol. Ari. cochlear. hort. nasturt. aquat. absinth. vulg. ā m. vj. cort. aurant. rec. ʒiiij. n. m. ʒij. infunde per noct. in Cerevis. Brunsvicens. ʒviiij. & ʒa s. a. *Miclethw.*

*Aq. Arthritica.* v. *Aq. omnium Florum.*

*Aq. Asthmatica.* v. *Aq. Pectoralis.*

*Aq. Bechica.* R Fol. heder. ter. tussilag. botryos, ā ʒiiij. hyssop. rorism. puleg. mar. rub. ā ʒiss. Rad. enul. glyc. ā ʒiss. irid. Fl. ʒxij. ficuum incis. ʒiiij. croc. opt. sem. anis. sænic. d. ā ʒss. Sp. V. ʒix. Font. ʒ48. macer. ac ʒa per vesicam ʒ24, vel 30, pro *Syr. Tolutano magistrali conficienda.*

\* *Aq. Benedicta.* R Ψ sonantis ʒij. cui affunde Hydropeg. bullientis ʒviiij. Post complet. ebullit. & debitam residentiam, filtra ad usum. *Dos. ʒiiij, vel iv. ter in die, vel pro potu com. per mensem. Multum facit in pluri-*

*mis Casibus epota ; sc. in Faciei Rubore, Pus-  
tulis, &c. In strumis, Asthmate, Phthisi, Em-  
pyemate, Dysenteria maligna, Tumoribus Scro-  
ti æquosis, Profluvio albo, Arthritide vagâ,  
Ephelidibus, Herpete, Gangræna, œdemate,  
Tumoribus genuum & tibiarum, ulceribus om-  
nibus cum affluxu humorum, &c. In Diabete  
curandâ opt. Remed.*

*\* Aq. Benedicta comp. R Glyc. rec. ʒi. cort.  
sassafr. ʒss. uv. pass. exacin. ʒvj. n. m. ʒvj.  
Aq. Bened. ℥vj. infund. in frig. Oij. & f.  
colat. Idem præstat cum priori, efficacius  
autem in aliquot Casibus.*

*\* Aq. Camphorata. R ☉ Rom. ℞, ā  
ʒ4. Camphor. ʒj. m. f. ☿ : de quo projice  
ʒj. in ∇æ bullientis ℥iv. amove ab igne,  
& subsidant fæces. Istâ aquâ tepidâ fove quæ-  
vis ulcera : fluxiones omnes tollit : mundifi-  
cat, siccatur, roboratur, dentes firmit, putredi-  
nem arcet, Ignem sacrum, & manus scabio-  
sas curat. In Ophthalmia, Epiphora, &c. mira  
præstat.*

*\* Aq. Caryophyllorum. R Fl. Caryoph.  
hort. rec. ℥ij. dactyl. ℥j. anis. glyc. ā ʒi.  
macer. in sæcum Vini ℥24, & ☞ per  
XX ℥4. quibus adde sacch. cand ʒiiij :  
& suspende in nodulo caryoph. aromat.*

n° 3, vel 4, cum Mosch. & Ambr. gris. ā gr. v.

\* *Aq. Cephalica.* R Rad. pæon. mar. ʒiv. angel. Valerian. ā ʒiss. caryophyllat. ʒj. Fol. salviæ rorism. beton. majoran. melis. Fl. lavend. beton. pæon. calend. salv. rorism. lil. conval. tiliæ ā, mi. stæch. ʒiss. ros. r. paralys. ā m. ij. Lign. rhod. sant. citr. ā ʒvj. n. m. ʒiss. galang. ʒss. cardamom. cubeb. ā ʒiij. Infund. in vin. alb. opt. ʒxiv. ☉ 10. deinde adde cinam. opt. ʒbj. macer. per ☉ 2. & *℞a s. a. In capitis Intemperie, Cephalalgia, &c. Dos. coch. ij. Attrahe inter nares, fricentur optimè Tempora, loca pone aures, ore teneatur & auribus : Linteolum eā intinctum nuchæ adhibeatur. Plurimis levamen conciliavit, aliis incassum exhibitis.*

\* *Aq. Cerasor. comp.* R Ceras. n. cum nucleis opt. contus. ʒbx. lactis rec. vaccæ rubræ cong. ij. Fol. violar. rubi, prunell. caprifol. ā m. iv. *℞a s. a. Dos. ʒss. bis in die. In Tympanite curando Præstantiss. Remedium.*

\* *Aq. Chalybeata.* R ♂ mund. ʒiv. V. alb. ʒb4. Insolentur ac agitentur quotidie ad nigredinem Vini, & ♂ discolorationem : dein. adde fragor. recent. leniter expres. ʒbiv. Sperm. ceti, rhab. mumix, ā ʒss. *℞a ad sæcum*

fæcum ficit. *Dos* ℥iij, vel iv. *bis in die, ad fistulas, præsertim urin. partium, Apostemata, hæmorrhoid. dolorem, mictionem purulentam, Contusiones, sanguinem coagulatum, &c.*

\* *Aq. Chamæmeli comp.* R. Fl. Chamæm. rec. dupl. flore m. xxx. incid. contund. & infund. in Aq. stil. è fol. chamæm. ℥x, vin. Hispan, ℥xvi. ℥ 24. exprime & infund. 2da vice Flor. rec. m. xx. In 3tia expressione infund. Flor. rec. m. xij; addendo flaved. cort. aurant. rec. ℥ij. Fol. abs. pont. centaur. puleg. orig. ā m. iiss. Sem. aneth. ℥ij. anis. sænic. carui, cumin. cardui ben. card. Mariæ, ā ℥iss. Bac. laur. junip. ā ℥ss. n. m. ℥iij. post macerationem debitam ℞a s. a. *In flatu, Colica, Calculo, Mensibus obstructis, &c.*

\* *Aq. Cinamomi Cardiaca.* R. Succ. borrag. residentiā depurat. ℥24, Fl. caryoph. simp. flore (sc. *Winkes*) m. ix. croc. ℥ij. cinam. opt. ℥iss. Fl. borrag. m. iv. ℞a s. a. in MB. *In Syncope, Animi deliquio, &c. Insignis.*

\* *Aq. Cinamomi Hordeata.* R. Aq. Hordei depurat. ℥viiij. Cinam. opt. ℥xij. macera ac. ℞a s. a. in MB. *Cum ā Oxym. Scillit. co- chleatim sumpta mirificè prodesse solet in Asthmate.*

*Aq. Cordium comp.* R. Corda viruli valdè recentia per frustra sect. n° vi. micæ panis à lacte vaccino inebriatæ ℥j. Ros. Dam. ▽ fl. aurant. ā ℥j. mala citria incisa n° 3. cinam. ℥iv. macis ℥j. Gelat. c. c. cum V. alb. fact. ℥iv. sanguin. Agni, Vituli, à fibris purgat. ā ℥ij. V. Hispan. ℥iij. *℞a s. a. In virium dejectione mira præstat.*

*Aq. Cosmetica.* R. Pedes Vitulin. confractos n° vi. Leptopityri ℥vj. Tris myrrh. ℥iv. s. œnogala. ℥vj. *℞a s. a. Cum ista facies abluatur, perfricando aluminis frusto lævigato.*

\* *Aq. Crinalis.* R. Muscar. vivent. ℥iv. mel. ℥j. lactis ℥ij. *℞a. s. a. Præterquam quod in Alopecia mirè prodest, in surditate etiam valet auribus instillata.*

\* *Aq. Cucumerum comp.* R. Succ. cucumer. hort. ℥iv. vin. alb. ℥vj. Thecar. fabar. ℥iiss. Fol. cum radic. ononid. ℥j. Bac. junip. ℥vj. n. m. n° xxi. Sem. petrosel. ℥iv. Saxifrag. alb. ℥iiss. Fl. genist. m. viij. sambuc. lamii. alb. ā m. vj. *℞a s. a. ad siccitatem. Dos. ℥ij omni mane, præmissis pil. ex terebinth. Cypr. in calculo & arenulis expellendis.*

*Aq. Cynosbati comp.* R. Fruct. Cynorrh. cum sem. contus. ℥vj. Sem. raphan. ℥iss. petrosel.

trosel. ℥j. saxifrag. ℥ij. Rad. saxifrag. alb. ℥j. glyc. ℥ij. alth. ℥vj. feri lactis ℥xx. ℞a s. a. Dos. ℥iv. bis in die cum Syr. de Alth. & de portulac. præmiss. conf. cynosbati.

Aq. Digitalis. R Fol. Digitalis rec. ℥xij. glyc. ℥iv. anis. ℥ij. cerevis. fort. ℥xii. fermenta O 19. ac ℞a s. a. *Antasthmatica insignis est: & optimè valet ad promovendam expectorationem.* Dos. Coch. aliquot sæpe.

\* Aq. Embryonum. R Rad. eryng. rec. ℥ij. daetyl. ℥ss. amygd. dulc. non decort. ℥iv. contus. in pulp. adde n. m. ℥ij. mac. ℥ss. Aq. cinam. hordeat. ℥ss. vin. Hispan. Aq. Melis. ā ℥ij. ℞a s. a. Dos. ℥ij. ter in die cum sacch perlat, præmis. elect. ex conf. ros. r. garyoph. n. m. condit. pul. ebor. margarit. &c.

\* Aq. Epidemica. R Fol. chelidon. rorism. rutæ, salv. artemis. abs. anagal. dracon. sca. bios. agrim. melis. scord. centaur. min. card. b. beton. roris sol. ā m. ij. Rad. angel. torment. gentian. zed. glyc. ā ℥j. macer. in Vin. alb. ℥viiij. O 2: dein ℞a s. a.

\* Aq. Febrifuga. R Summit. centaur. min. m. viij. abs. vulg. parthen. pentaphyll. calend. tormentil. nicotian. virid. acetos. card. f.



b. dracont. chamæm. chamædr. ā m. vj. taraxac. m. xij, contus. adde Leuccœn. ℥iij, & ℞a, & ∇æ ℞atæ novis affusis herbis macer. ac ℞a ad siccit. In ∇ ℞at. infund. Rad. fraxinel. tormentil. ā ʒiss. Sem. citri, cardui ben. card. Mariæ, acetos. ā ʒij. Fol. scord. galeg. ā m. iv. ℞a s. a.

*Aq. Formicarum.* R Formicar. major. (Majo vel Jun. collect.) ℥ij mellis ℥ij. hydropeg. ℥ij. ℞a s. a. *Dos. coch. i. vomitum ciet & curat febres Tertianas.*

*Aq. Fortis Duplex.* Fit ex ☉ & ☿ ā, per ☊ ℞atis s. a, *Solvit ☽ & ♀.*

*Aq. Fortis Aluminata.* R ☉ calcin. ☉, ā ℥ij, ☿ ℥ss. ℞a s. a.

*Aq. Herpetica.* R ☉ ʒj. ☿ alb. ʒij. ✚ opt. ℥ij. Rad. Enul. rec. ʒij. Fol. virid. Nicotian. m. i. coq. ad. cons. ʒtiæ part. colat. adde ☿ ust. ʒss. *Cum istius q. s. pannis madefactis herpetem permitte siccescere, quater sc. dum Eschara adnata nova cuticula adnascitur.*

\* *Aq. Hirundinum.* R Hirundin. vivent. n° 40. castor. ʒj. Vin. alb. ℥ij, ℞a. *Ad Epilepsiam curandam optime valet.*

\* *Aq. Hormini comp.* R Fol. Hormin. rec. contul. m. xij. Sp. V. ℥ij. ℞a ad siccitat.

∇æ



▽æ Quatae affund. rec. fol. horm. m. x. Fl. Lamii m. vj, & Quata 2da vice. repet. affusio & Quatio 3tia vice cum rec. flor. & herbis, addendo n. m. 3j, Liqueor Quans ultima vice excipiat suprà sacch. albis. 3vj, ambr. gris. in petia suspens. gr. iij. intra phialam. *In abortu præcavendo (apud Mulierculas) multum facit. Profluvio albo subvenit.*

\* *Aq. Hungarica.* R Fl. roris. m. rec. lbij. Alcoh. V. lbij. macer. ac. Quata s. a. *Confert ad Arthritidem vagam, & Ischiadem. Detur Coch. j. bis in septimana. Facies & pars affecta quotidie lavetur. Attrabe in nares, &c. v. usus Aquæ Cephalicæ.*

\* *Aq. Lactis Alexiteria.* R Fol. ulmar. card. b. galeg. ā m. vj. menth. abs. com. ā m. v. rutæ m. iij. angel. m. ij. contus. adde lact. rec. cong. iij. Quata com. organis.

\* *Aq. Lactis Cardiaca.* R Pomor. redolent. cum cort. & sem. lbxij. Fol. melis. Scord. ā m. x. Rad. zed. Tormentil. ā 3vij. lactis rec. lbx, Quata s. a.

\* *Aq. Lactis Nephritica.* R Fol. alth. parietar. aparin. ā m. 4. Rad. alth. 3xij. glyc. 3iij. Saxifrag. alb. 3iv. lact. rec. lbxij. Quata s. a. *Aliter.* R Albumina ovorum cum testis

stis suis (demptis vitellis) n° 24. contusis optimè & agitatis adde lact. rec. ℥viiij. *℞a* lentis. igne s. a. *Dos.* ℥ss *omni manè per dies 15 vel 20* : *℞* præterea semel vel bis in mense per ☉ 2 vel 3 continuos circa plenilunium & novilunium.

\* *Aq. Lactis Pectoralis.* R Limac. hort. contus. ℥ij. sang. porcin ℥ij. cap. ♀, heder. terr. ā m. iij. ling. cervin. m. ij. glyc. anis. ā ℥iij. jujub. uv. pass. ā ℥iv. lact. rec. ℥xij. *℞a* s. a. *Pulmonica, Phthifica, ad Tabem, &c.*

\* *Aq. Lactis Scorbutica.* R cochlear. mar. sedi major. ā m. xij. becabung. gramin. nasturt. aquat. ā m. vj. chærefol. m. 4. lact. rec. ℥xij. *℞a* s. a.

\* *Aq. Lamii comp.* R Fl. Lamii alb. m. x. consolid. maj. m. viij. hormin. m. 4. daetyl. n° 24. n. m. ℥iij. cas. lign. ℥j. œnogalact. ℥xij. *℞a* ad ficit. *Usus in Profluvio albo, &c.* *Dos.* ℥iv. pro vice.

\* *Aq. Melluminata.* R Fol. querc. lanceol. rubi, fragar. pentaphyll. bugul. millefol. periclymen. salv. rorism. ros. r. ā m. ii. Scob. guajac. ℥iv Rhodii ℥j. Radic. bistort. ℥i.  $\triangle$  viv. ℥iss.  $\oplus$  ℥i.  $\bigcirc$  ℥iv. mell. ℥ss. coq. in  $\nabla$  fluent. ℥viiij. ad consump. dimid. f.

colat. sæce depositâ servabitur per annum totum. *Cum Ol.  $\Delta$ ris, ad ulcera oris, & gingivarum: Cum Flor.  $\odot$ i, ad Pustulas, optimum Remedium.*

*Aq. Mercurialis. R: Rad. lilior. alb.  $\text{ziii}$ . coq. in Hydropeg. q. s. ad tbi. colat adde amygd. amar. excort.  $\text{zij}$ . f. emulsio. In ista solve in Mortar. vitreo  $\text{z}$ ij. f. Aqua Albissima f. a. *Ad faciei ruborem, pustulas, &c. Curand. certissima Aqua. Tange loca sæpe cum gutta minutissima, statim exiccando cum linteolo.**

*Aq. Odorifera. R Poma limon. & aurant. rec.  $\bar{a}$  n° vi. Rad. irid. Florent. santal. alb. cinnam.  $\bar{a}$   $\text{zij}$ . macis, Caryoph.  $\bar{a}$   $\text{zvi}$ . Fl. lavendul. m. iv. Chamæmel. Rom. anthûs,  $\bar{a}$  mij. Fol. Majoran. mii. Ocim. miii. Styrac. calam.  $\text{ziii}$ . benzoin.  $\text{z v}$ . Fl. Ros. Dam.  $\text{mxv}$ . Cyperi. rot.  $\text{zss}$ . Font.  $\text{txxx}$ .  $\text{Qa}$  in  $\text{XX}$  f. a. Reserventur aquæ primò  $\text{Qatæ txxv}$ . cujus singulis libris adde (in nodulo ligat.) Mosch. opt. gr. ij.*

\* *Aq. Omnium Florum, fit ex stercore Vaccino Maio collect. cum Lucceni  $\text{z}$ tia parte  $\text{Qato}$ . vel, ex sterc. vaccin. rec. & limac. cum testis contusis,  $\bar{a}$ , com. organis  $\text{Qatis}$ . Dicitur hæc Aqua Arthritica. Arthritidi va-  
ge,*

stis suis (demptis vitellis) n° 24. contusis optimè & agitatis adde lact. rec. ℥viiij. *℞a* lentis. igne s. a. *Dos.* ℥ss *omni manè per dies 15 vel 20 :* *℞* præterea semel vel bis in mense per ☉ 2 vel 3 continuos circa plenilunium & novilunium.

\* *Aq. Lactis Pectoralis.* R Limac. hort. contus. ℥ij. sang. porcin ℥ij. cap. ♀, heder. terr. ā m. iij. ling. cervin. m. ij. glyc. anis. ā ℥iij. jujub. uv. pass. ā ℥iv. lact. rec. ℥xij. *℞a* s. a. *Pulmonica, Phthifica, ad Tabem, &c.*

\* *Aq. Lactis Scorbutica.* R cochlear. mar. fedi major. ā m. xij. becabung. gramin. nasturt. aquat. ā m. vj. chærefol. m. 4. lact. rec. ℥xij. *℞a* s. a.

\* *Aq. Lamii comp.* R Fl. Lamii alb. m. x. consolid. maj. m. viij. hormin. m. 4. daetyl. n° 24. n. m. ℥iij. cas. lign. ℥j. œnogalact. ℥xij. *℞a* ad siccit. *Usus in Profluvio albo, &c.* *Dos.* ℥iv. *pro vice.*

\* *Aq. Melluminata.* R Fol. querc. lanceol. rubi, fragar. pentaphyll. bugul. millefol. periclymen. salv. rorism. ros. r. ā m. ii. Scob. guajac. ℥iv Rhodii ℥j. Radic. bistort. ℥i,  $\triangle$  viv. ℥iss.  $\oplus$  ℥i.  $\bigcirc$  ℥iv. mell. ℥ss. coq. in  $\nabla$  fluent. ℥viiij. ad consump. dimid. f.

colat. sæce depositâ servabitur per annum totum. *Cum Ol.  $\Delta$ ris, ad ulcera oris, & gingivarum: Cum Flor.  $\odot$ i, ad Pustulas, optimum Remedium.*

*Aq. Mercurialis. R: Rad. lilior. alb.  $\text{z}$ ii. coq. in Hydropeg. q. s. ad tbi. colat adde amygd. amar. excort.  $\text{z}$ ij. f. emulsio. In ista solve in Mortar. vitreo  $\text{q}$   $\text{z}$ ij. f. Aqua Albissima f. a. *Ad faciei ruborem, pustulas, &c. Curand. certissima Aqua. Tange loca sæpe cum gutta minutissima, statim exiccando cum linteolo.**

*Aq. Odorifera. R: Poma limon. & aurant. rec.  $\bar{a}$  n<sup>o</sup> vi. Rad. irid. Florent. santal. alb. cinnam.  $\bar{a}$   $\text{z}$ ij. macis, Caryoph.  $\bar{a}$   $\text{z}$ vi. Fl. lavendul. m. iv. Chamæmel. Rom. anthûs,  $\bar{a}$  mij. Fol. Majoran. mii. Ocim. miii. Styrac. calam.  $\text{z}$ iiij. benzoin.  $\text{z}$  v. Fl. Ros. Dam. mxv. Cyperi. rot.  $\text{z}$ ss. Font. t̄bxxx.  $\mathcal{Q}$ a in  $\times\times$  f. a. Reserventur aquæ primò  $\mathcal{Q}$ atæ t̄bxxv. cujus singulis libris adde (in nodulo ligat.) Mosch. opt. gr. ij.*

\* *Aq. Omnium Florum, fit ex stercore Vaccino Maio collect. cum Luccæni 3tia parte  $\mathcal{Q}$ ato. vel, ex sterco. vaccin. rec. & limac. cum testis contusis,  $\bar{a}$ , com. organis  $\mathcal{Q}$ atis. Dicitur hæc Aqua Athritica. Arthritidi va-  
ge,*

*gæ, Rheumatismo, Calculo, urinæ suppressæ, Sc. maximè proficua. Dos. ℥iv pro vice.*

*Aq.Ophthalmica, fit ex Aq. è gum. Guajaci (quæ fit per  $\bigcirc$   $\triangle$  e moderato Ferum cum Tere laterum, separando  $\bigcirc$  m & rectificando  $\nabla$  m:) cum Ros. alb. mixtâ s. a. In morbis oculorum optimum Remedium.*

\* *Aq.Ophthalm. Sapphirina, fit ex  $\nabla$   $\Psi$  tbi, \* ℥iii, solutis invicem, in pelvi ænea maceratis, donec colorem sapphirinum acquirant, filtra ad usum. Morbis oculorum variis subvenit; guttis 3 vel 4 pro vice in oculos instillatis, Omnibus ulceribus, fluxionibus, pustulis, suffusionibus, Sc. Medetur.*

\* *Aq. Pectoralis. R Rad. Helen. aristol. rot. ā ℥iii. irid. nr. ℥iiss. irid. Florent. Petroselin. fœnic. glyc. ā ℥i. Fol. Nicotian. virid. m. iv. scabios. Veron. tussilag. Hyssop. marub. cap. ♀, card. ben. ā m. i. jujub. sebest. ā n° 30. caric. dactyl. ā n° 16. Sem. nicotian. ℥iij. nigell. ℥i. lini. urtic. nasturt. sinap. ā ℥ij. bacc. lauri, 3vj. guajac. pul. 3vij. Tereb. ven. (in Vitellis ovor. solut.) ℥iiss. Leucoen. t̄bxvj. macer.  $\bigcirc$  3, &  $\mathcal{A}$  s. a. inter  $\mathcal{A}$ andum milleped. contus. n° 60 in petia ligat. suspendendo in Receptaculo. Egregii;*

*gregii est usus in Asthmate, Dyspnœa, Tussi, in tartaro pulmonum & renum, &c. Dos. ℥ij. bis vel ter in die extra paroxysmum.*

\* *Aq. Persicaræ comp.* R̄ Persicar. maculos. rec. ℥iij. pariet. portulac. thecar. fabar. ā tbi. contus. adde lact. rec. ℥viiij. ℞ a. s. a. *Arcanum magnum habetur in calculo renum ac vesicæ. Dos. ℥iv. bis in dies cum melle per*  
 O 20 continuos.

\* *Aq. Picarum comp.* R̄ Pullos picar. n° vi. Sterc. albis. de Pavon. mar. ℥ss. Visci querc. veri, Rad. pæon. mar. ā ℥iv. Flor. primulæ veris rec. tbi. Vin. alb. & Hispan. ā ℥v. Infund. ac ℞ a. s. a. *Dos. ℥iv. manè & vesperi ultimis diebus ante plenilunium & novilunium. Insigne Remedium in Epilepsia.*

\* *Aq. Pneumonica.* R̄ Fol. Peti opt. nonconvolut. cort. extern. aurant. ā ℥iv. cort. Winter. 3vj. anis. 3iss. V. Hispan. ℥vj. Sp. V. tbi. macera, ac ℞ a organis vitreis. *In dolore Colico, Stomachi cruciatibus, inappetentia, &c. Medela probatissima. Dos. coch. i. ante cibum.*

*Aq. Prolifica.* R̄ Sem. Angelic. decort. ℥iss. scenic. d. glyc. ā ℥iv. uvar. pass. exacinat. tbi. Fol. artemis. meliss. ā m. iv. cardui, puleg. ā m. ii. Sem. amomi ℥iv.

œno-



*gæ, Rheumatismo, Calculo, urinæ suppressæ, &c. maximè proficua. Dos. ℥iv pro vice.*

*Aq. Ophthalmica, fit ex Aq. è gum. Guajaci (quæ fit per  $\bigcirc$   $\triangle$  e moderato Ferum cum Tere laterum, separando  $\bigcirc$ m & rectificando  $\nabla$ m :) cum Ros. alb. mixtâ s. a. In morbis oculorum optimum Remedium.*


\* *Aq. Ophthalm. Sapphirina, fit ex  $\nabla$   $\Psi$  tbi, \* ℥iii, solutis invicem, in pelvi ænea maceratis, donec colorem sapphirinum acquirant. filtra ad usum. Morbis oculorum variis subvenit; guttis 3 vel 4 pro vice in oculos instillatis. Omnibus ulceribus, fluxionibus, pustulis, suffusionibus, &c. Medetur.*

\* *Aq. Pectoralis. R Rad. Helen. aristol. rot. ā ℥iii. irid. nr. ℥iiss. irid. Florent. Petroselin. fœnic. glyc. ā ℥i. Fol. Nicotian. virid. m. iv. scabios. Veron. tussilag. Hyssop. marub. cap. ♀, card. ben. ā m. i. jujub. sebest. ā n° 30. caric. dactyl. ā n° 16. Sem. nicotian. ℥iij. nigell. ℥i. lini. urtic. nasturt. sinap. ā ℥ij. bacc. lauri, 3vj. guajac. pul. 3vij. Tereb. ven. (in Vitellis ovar. solut.) ℥iiss. Leuccœn. tbxvj. macer.  $\bigcirc$  3, &  $\mathcal{Q}$ a s. a. inter  $\mathcal{Q}$ andum milleped. contus. n° 60 in petia ligat. suspendendo in Receptaculo. E-*

*gregii*



*gregii est usus in Asthmate, Dyspnœa, Tussi, in tartaro pulmonum & renum, &c. Dos. ℥ij. bis vel ter in die extra paroxysmum.*

\* *Aq. Persicariæ comp.* R̄ Persicar. maculos. rec. ℥iij. pariet. portulac. thecar. fabar. ā ℥i. contus. adde lact. rec. ℥viiij. *℞a s. a. Arcanum magnum habetur in calculo renum ac vesicæ. Dos. ℥iv. bis in dies cum melle per*  *20 continuos.*

\* *Aq. Picarum comp.* R̄ Pullos picar. n° vi. Sterc. albis. de Pavon. mar. ℥ss. Visci querc. veri, Rad. pæon. mar. ā ℥iv. Flor. primulæ veris rec. ℥i. Vin. alb. & Hispan. ā ℥v. Infund. ac *℞a s. a. Dos. ℥iv. manè & vesperi ultimis diebus ante plenilunium & novilunium. Insigne Remedium in Epilepsia.*

\* *Aq. Pneumonica.* R̄ Fol. Peti opt. non-convolut. cort. extern. aurant. ā ℥iv. cort. Winter. 3vj. anis. ℥iss. V. Hispan. ℥vj. Sp. V. ℥i. macera, ac *℞a organis vitreis. In dolore Colico, Stomachi cruciatibus, inappetentia, &c. Medela probatissima. Dos. coch. i. ante cibum.*

*Aq. Prolifica.* R̄ Sem. Angelic. decort. ℥iss. scenic. d. glyc. ā ℥iv. uvar. pass. ex-acinat. ℥i. Fol. artemis. meliss. ā m. iv. cardui, puleg. ā m. ii. Sem. amomi ℥iv.

ceno-

œnogalact. ℥xii. ℞a f. a. Dos. ℥iv. (præmissis præmittendis) cum Tinctur. Juniper 3i, & Syr. è succo Salv. Coch. 2, manè & hora somni, præmissis Sem. sesel. pulv. ℥ii. cum Rbodofaccharo.

*Aq. Regia*, fit ex ① & \*, ā, ex ☉ vitrea satis ampla in ∴ posita, per 2dum Δ is gradum ℞atis f. a. *Soluit* ☉.

*Aq. Salivalis*. R ☿, Theriac. Androm. zed. Cinnam. ā 3ij. croc. 3ss. Font. ℥iiss. Infund. per aliquot dies.

*Aq. Sarsæ comp.* R Sarsapar. chinæ nodos. ā 3xij. lign. guajac. ℥ij. cort. ejusdem, Sassafr. ā 3iv. santal. alb. sem. coriandr. ā 3iss. glyc. 3vi. V. alb. ℥24. Aq. Hord. ℥xvi. ℞a post macerat. debit. per vesicam ℥xxiv, servando ▽am f. colat. quæ exhalatur in MB ad consist. *Extracti* f. a.

\* *Aq. Senelorum comp.* R Senelor. matur. à stipit. liberat. cong. ij. contusis opr. adde Rad. alth. glyc. ā 3viij. ononid. 3iij. Fol. parietar. Bacc. halicacab. ā 3xij. menth. m. ij. Sem. dauci com. 3iv. coriand. 3ij. Neogalact. ℥xij. ℞a f. a. Dos. ℥iv. cum Syr. de Alth. &c. *In calculo multis auxilio fuit.*

*Aq.*

*Aq. Siphylica.* R Scob. guajac. ℥iiss. cerevis. meracæ rec. ℥ij. macer. ad ☿ 3, & ☿ ad siccitatem. Dos. ℥i. in liquor. conven. ad Luem ♀.

*Aq. Stimmios Sulphurata,* fit ex ☿, ☉, △, ā ☿atis in liquorem, filtrandum & rectificandum s. a. Dos. q. s. ut liquor conveniens acidus reddatur. obstructions reserat. Diureticum, & Diaphoreticum habetur nobile.

*Aq. Styptica.* R Colcothar. - Ois ust. sacch. Cand. alb. ā ℥i. ☐æ juvenis, ☿os. rub. ā ℥i. ▽ Plantag. ℥4. Digere ac filtra ad usum.

\* *Aq. Tussilaginis comp.* R Herb. Gerrard. hyssop. ā ℥viij. Fl. tussilag. ℥xxiv. glyc. ℥iv. anis. ℥iii. uv. passar. ℥bi. cerevis. fortis. ℥xii. ☿a s. a. In Pleuritide, Emphyemate, &c. Valet.

\* *Aq. Venustatis.* R ▽ menth. ℥bi. ☉ puriss. ℥iiss. coq. & despuma. Pro facie abluenda post variolas. Tollit furfuracea & pruritus.

*Aq. Vermifuga.* R ♀ crud. rectè purgat. ℥i. ▽ gramin. portulac. ā ℥iv. macer. ☿ 2, sæpe ac fortiter agitando : postea decanta ▽am & cola, relicto in vase ♀io. Dentur coch. iij. ter in die.

*Aq.*

*Aq. Vulneraria.* R  $\oplus$  opt.  $\text{zss}$ .  $\odot$  puris.  $\text{zij}$ . Impone  $\nabla$  ont. cong. vi. per se maneant hor. 48. Syphone sine subsidentis materiae agitatione extrahe. *Dof.*  $\text{tss}$ , vel  $\text{tbi}$ , *bis vel ter in die.* *Citissimam efficit curam vulneram aut Ulcerum.* K. Digby Eq. Aurat.

*Arcanum Aluminis*, fit ex  $\odot$  dulc.  $\text{zij}$ ,  $\ominus$  fusi,  $\text{zvi}$ . mixtis, reverberatis, &  $\nabla$  ablutis, s. a. *Vires easdem habet cum, Alum. Dulc.*

\* *Arcan. Corallinum*, f. ex  $\text{Q}$  crud.  $\text{tbi}$ . Sp.  $\odot$   $\text{tbiij}$ ,  $\text{Latis}$  cum 3 cohobiis, Arcanum in fundo manens edulcando per calcinationem, vel ablutionem, s. a. *Dof.* gr. iv, ad vi, vel ultra. purgat præcipuè per inferiora. *Secretum est magnum in Lue*  $\text{Q}$ , *Hydrope, Podagra, Ulceribus, Scabie, Cancro, &c.*

*Arcan. Corallin. Paracelsi.* R  $\text{Q}$  crud.  $\oplus$  calcin.  $\odot$ ,  $\bar{a}$   $\text{tbiij}$ . m. &  $\text{ma}$  :  $\text{matum}$  misc. cum  $\odot$ , &  $\ominus$  is parum calcin.  $\bar{a}$   $\text{tbi}$ .  $\text{q}$ . s. ut f. pasta, quæ rursus  $\text{metur}$ , separando rubrum à flavo, & abluendo utrumq; seorsim, & Sptu V. accendendo s. a. *Dof.* gr. 4, ad 8, *Vires æmulatur*  $\text{Q}$  dul. *Secretum est in Lue*  $\text{Q}$ , *Hydrope, Scabie, &c.*

*Arcan. Cosmeticum.* R Talchi Ven. subt. pulv. s. a. p. i.  $\odot$  camph. p. ij. Digere in MB ad summam albedinem. s. a.

Ar.

*Arcan. Duplex.* elicetur ex ☉o ♀ duplicis in ▽ calidâ soluto filtr. & exhalato, s.a. *Egregii usus in Melancholicis affectibus, febribus omnibus, Calculo, Scorbuto, &c. Dos.* ℥i, ad ℥ij.

*Arcan. Joviale,* fit ex  $\overline{a a a}$  (ex p. æ. ♀ mundat. & ♀ Anglic.) ☿ato, in Sp. ☿i rectif. digesto, & per ☿ ad siccit. ☿ato, ☿am in fundo tritam edulcando accensione crebrâ Sp. V. f. a. *Dos.* ā gr. iij ad viij. *Sudorificum magnum.*

*Arcan. Scriptorium,* fit ex ☿ ℥ni ℥i, in ▽ æ ℥i soluta, pro liquore Scriptorio, ex ☿ ☉o, ♀, ā ℥ss in ▽ æ ℥iv. digest. pro liquore oblineatorio.

*Aurum Fulminans,* f. ex ☉ in ☿ solut. & cum ☉ ☐ri ☿ato, edulcando siccandq; f. a. *Sunt qui gr. iij, vel iv ad sudores ciendos exhibent.*

*Aurum Mosaicum,* f. ex ♀, ♀, \*, & ☿, mixtis ac ☐atis f. a. *Sudorificum est nobile. Dos. ad. gr. x, vel xij.*

*Aurum Potabile.* Purgetur ☉ bis per ☿, quod calcina, primò cum ♀ & ☿; 2dâ vice cum ☿ marino fuso, ac 3tiâ cum ☿ ☐ri. dein extrahe cum ☿re ℥ni f. a. *Remedium censetur universale adversus omnes quoscunq; morbos.*

*morbos. Sudorificum est & alexipharmacum insignissimum. Dos. gt. viij, vel viij, in Vino generoso.*

*Aurum Vitæ, fit ex ☉ ʒij, ♀ purific. ʒij, seorsim propriis menstruis solutis, mixtis, & in ☉ Qatis ad siccitatem, calcem residuam calcinando, & edulcando ablutione cum ∇â, & accensione Spts V. f. a. Omnibus aliis Cataracticorum speciebus antecellere dicitur: Estq; domitor Vermium, Luis ♀, Petechiarum, Pestis, Quartanæ, &c. Dosis ā gr. 3, ad 6, vel 8, cum Sacch. Rosato, & in ovo, vel brodio, vel in pilulis, imprimis si conjungatur cum Scammonio, & humectetur ∇ vitæ, quæ desuper comburatur.*

## B.

*Balsamum Anodynum. R̄ Sapon. Castil. ʒi. opii ʒss. Camphor. ʒvi. croc. ʒi. Pyrceni ʒxviiij. Digere in ∴ (☉ ♀ 10) & f. colat. Linteola in isto intincta dolentibus locis adhibeantur, renovando q̄ta quaq; hora donec cessent omnes cruciatus: Arthriticos enim dolores mirificè sopit. Dentur internè gt. 30, 40, 50, in VINO.*

*\* Bals.*

\* *Bals. Apoplecticum.* R $\circ$   $\odot$  stil. cinnam. caryoph. lavend. limon. majoran. menth. rutæ, rorism. salv. rhod. absinth. ā gt. xij. succin. gt. vi. Bitum. Judaïc.  $\mathcal{L}$ at. ʒij.  $\odot$  nuc. m. expres. ʒi. Bals. Peruan. q. s. m. *Con-  
ortat caput, frigidosq; humores discutit, a-  
deoque in Apoplexia, Syncope, Paralyfi, convenit,  
naribus inditum, vel quoquo modo applicatum.  
Internè etiam exhiberi potest à gr. iij, ad vi,  
Ec. cum Electuar. aliquo cephalico.*

*Balsam. Embryonum.* v. *Sp. Embryonum.*

*Balsam. Fæminarum.* R $\circ$  Flor. minimorum Geranii moschati ʒiv.  $\odot$  Amygd. dulc. re- centis. ʒbiss. insolentur  $\bigcirc$  40 : f. expres. adde Fl. nenuphar. lilior. alb. rec. ā ʒiv. Insol.  $\bigcirc$  20, & f. expres. cui adde  $\odot$  Jasmin. ʒiv. zibet ʒi. m. s. a. ut f. Bals. pro perinæo, inguinibus,  $\mathcal{E}$  lumbis,  $\mathcal{E}$  τῇ δυσοχίᾳ inun- gendis.

\* *Balsam. Lucatelli.* R $\circ$   $\odot$  olivar. opt. ʒbiiij. V. Hispan. ʒbi. Tereb. Venet. in  $\mathcal{R}$ os. lotæ, ʒviiij. ceræ ʒbi. coq. s. a. addendo san- tal. rub.  $\mathcal{L}$ at. ʒij. Bals. Peruan. ʒi. m. *Ex-  
trinsæcus valet ad ambusta, Inflammationes,  
ulcera, vulnera, Ec. Intrinsæcus detur ad ʒi,  
vel ʒij in vino, ad Contusiones internas, ulcera  
renum, calculos renum ac vesicæ cum difficul-  
tate urinæ.*

\* *Balsam.*



\* *Balsam. Magistrale.* R̄ Tereb. Ven. ℥viii. Styraç. liquid. ℥iv. ☉ olivar. opt. ℥iiss. ☉ Hyperic. ℥iiss. Laurin. spicæ, Petræ, ā ℥i. carann. ☿ sant. rub. ā ℥i. Benz. sang. dracon. ā ℥iss. ceræ ℥ivss. Bulliant per horam, dein addendo ☉ stik. Bacc. junip. ℥i. ☉ cinnam. ℥iss. caryoph. ℥i. m. s. a. *Ad vulnera interna & externa recentia sananda efficacissimum; nec-non ad omnes combustiones & contusiones. Dolores in ossibus nervisq; mitigat. Naribus & Temporibus illitum succurrit cephalalgia. Calidis cum pannis lateri adhibitum confert ad flatum ejusdem & dolores. Colicis, & calculo laborantibus auxiliatur in vino tepido sumptum ad ℥iij. Tubercula tollit pedum callosa, rescata prius ad vivum ferè, calidè inunctum. Narium sistit Hæmorrhagiam, & aliarum partium. Coctionem juvat ventriculo inunctum horâ decubitûs. Vermes necat internè aut externè adhibitum.*

*Balsam. Martiale.* R̄ ☿ mundat. ℥iv. affund. ☉ terebinth. ℥v. post guttatim immitte Sp. ☿ i ℥iij. Digere leni calore ☉ a liqt. deinde decanta purum s. a. *Summum est vulnerarium.*

*Balsam.*



*Balsam. Momordicæ*, f. ex fructu ejus ☉◉ insolato per long. tempus. *Valet optimè in vulneribus, ulceribus, maximè hæmorrhoidibus, matricis ulceribus, rupturis, &c.*

*Balsam. Nucistæ*. R Nuc. m. contus. ℥i. V. Hispan. ℥ss. Butyr. opt. insuls. ℥ij. Insolentur (Vase opt. clauso) ad ☉ 5. Tum coq. leniter ad Vini consumpt. & f. colat. *Usus est tam internè quàm externè. Expellit fætum mortuum, secundinas, &c. Exhibitum in vino ad ʒss, confert etiam ad dolorem splenis, capitis, &c. Inunctum valet ad omnes dolores frigidos.*

*Balsam. Paralyticum*. R Tereb. Ven. ℥iv. olib. aloës, castor. myrrh. xyloal. Fl. hyperic. ā ʒi. gum. elem. labdan. ā ʒiij. styrac. liq. ʒij. Balsam. Peruvian. ʒiv. calam. arom. caryoph. galang. ā ʒvi. cinam. ʒiss. Fl. ro- rism. salv. ā ʒx. omnia ritè præp. misc. cum terebinthina, addendo Sp. V. ℥iv. Digere tepidè per ☉ vi. dein Aqua per ☉ capacem: primò lentis. Δe E rum per hor. 48, ut sal- tem tepescat ☉: deinde fortiori aliquan- tum, tandem fortissimo. excipiatur prima A- qua per se quamdiu effluit instar ▽æ: 2da per se instar olei flaviusculi tenuis substantiæ: 3tia est crassa. Vocetur 1, *Mater Balsami*:

2, Balsam. Paralyticum : 3, Oleum Balsami. Confortat mirabiliter nervos : Paralyfin & contracturam sanat, extrinsecus illitum, & intrinsecus exhibitum.

Balsam. Podagricum, v. Balf. Anodynum.

Balsam. Saturninum, f. ex  $\ominus$   $\text{Hni}$   $\text{ziv}$ , Sp. Tereb.  $\text{zxiij}$ , digestis f. a. Egregii usus in Chirurgia : Convenit ulceribus inveteratis, nec-non tumoribus. Curat vulnera, eademq; ab accidenti præservat, præcipue si addatur camphora : Succurrit etiam Fistulis, Cancro, Morphæis, &c.

Balsam. Sclopetarium. R  $\odot$  lini, terebinth.  $\bar{a}$   $\text{tbi}$ .  $\oplus$   $\text{zfs}$ . coq. parùm f. a. Pro ulceribus veteribus & vulneribus sclopetariis nulli secundum.

Balsam. Spinale. R Axung. human.  $\text{ziv}$ . Ax. anser. Taxi,  $\bar{a}$   $\text{ziii}$ .  $\odot$  laurin.  $\text{zij}$ . Fol. salv. majoran. ebul. sambuc. calaminth. organ. lavend.  $\bar{a}$   $\text{mi}$ . coq. ad succor. consumpt. f. expres. adde Balsam. Succini  $\text{zi}$ . Butyr. Macis,  $\text{zfs}$ . Petrol.  $\odot$  spicæ,  $\bar{a}$   $\text{zij}$ . m. f. a. pro Spina dorsi inungenda, in Rachitide. Utater manè, & paulò ante ingressum lecti, supposita lana succida linteo duplici assuta.

\* Balsam. Succini. R Succin. alb. subt.  $\text{at}$ .  $\text{zij}$ .  $\odot$  tereb.  $\text{zvi}$ . Tamdiu insolentur,

tur, donec perfectè solvatur Succinum. *Cerebrum* & sensus roborat. *Omni*bus nervorum affectibus, convulsibus, *Epilepsia*, passioni hystericae, &c. auxiliatur. Diureticum est insigne.

*Balsam. Spleneticum.* R̄ Fol. Rutæ, hederæ, Chamæmel. thymi, ā mi. contus. adde Fel bovinum, & Ol. ex pedibus bovinis tbi. ▽ vitæ ʒi. coq. per horam. f. colat. *Mira præstat in Splenis doloribus, omnibusq; frigidis doloribus.*

*Bals. Sulph. Antimonii.* R̄ △ris ☿ij combustibilis, Salis □ri ā ʒi. Sp. tereb. ʒiv. Digere simul s.a. *Ad ulcera sordida, fistulas, &c.* Dos. ad gut. x.

\* *Bals. Sulph. Anisatum.* R̄ Fl. △ p. i. ☉ Anisi p. 4. Digere donec solvatur △, ut f. Balsam. rubicundum. *In Catarrhis pectoralibus, Tussi, Asthmate, Phthisi, Pleuritide, Colica, Peste, Epilepsia, Apostematibus omnibus, putrefactionibus corporis, &c. valde proficuum.* Dos. ad ʒi.

\* *Bals. Sulph. Bateanum.* R̄ Fl. △ ʒi. ☉ olivar. opt. ʒv. coq. l. △ (continuò agitando) ad consist. Balsami. *Ad ulcera omnia tum interna, tum externa, efficacissimum.* Dos. ad gut. 20, & ultra.

*Bals. Sulph. Benzoïnatum*, f. ex Fl.  $\triangle$ , &  $\odot$  Benz. ut *Anisatum. Pulmonicum*, ac *Asthmaticum* insigne est: & ad Catarrhos exiccandos maxime valet.

*Bals. Sulph. Knæphelii*, f. ex Hepat.  $\triangle$  Cat. p. 4;  $\odot$  lini rec. p. 3, ad crassitiem coctis, & cautè ex  $\oslash$  *Qatis*; miscendo oleum (ab  $\nabla$  prius separatum) cum dimid. quantit. colcothar.  $\oplus$  li supra  $\triangle$  em, & post refrigerationem  $\oslash$  ando ex  $\oslash$  vitrea. Oleum quod extillat misc. cum quant. dimid.  $\odot$  Anisi, & Digere f. a. ut f. Balsam. Balsamum est pulmonum præstantissimum consumens & exiccans. Catarrhis, Asthmati, Tussi, Phthisi, Colicæ, &c. subvenit. Promovet expectorationem, intercipit defluxiones ad articulos, ventositates præcavet ac discutit. Dos. à gr. 4, ad 12.

\* *Bals. Sulph. Minerale*. R  $\odot$  Lini  $\text{℥}x$ .  $\triangle$  Cat.  $\text{℥}ij$ . coq. leniter, continuò agitandò, donec in mellis consist. devenerint. Applicetur locis dolentibus & debilibus Podagræ super alutam vel linteum, renovando tertio vel quarto quoq; die.

*Bals. Sulph. Rulandi*. R Fl.  $\triangle$   $\text{℥}i$ .  $\odot$  nucum vel rapar.  $\text{℥}vi$ . V. generos.  $\text{℥}ij$ . macer.  $\oslash$  8, aliquoties agitando, & coq. leniter ad Vini

Vini consumpt. *Anodynum est insigne, maturativum ac digestivum in vulneribus partium nervosarum. Auribus inditum dolores earundem tollit.*

\* *Bals. Sulph. Succinatum*, f. ex Fl.  $\triangle$  cum  $\odot$  Succini, ut *Anisatum*. *Valet in colica, &c.*

\* *Bals. Sulph. Terebinthinatum*, f. ut supra, cum  $\odot$  Tereb. v. *Vires Bals.  $\triangle$  Anisati.*

*Bals. Tartari.* R  $\odot$   $\square$  p.d.  $\text{℥}$ ix. crem.  $\square$   $\text{℥}$ at.  $\text{℥}$ viiij. Digere ac evapora ad siccit. affunde Sp. V. vel  $\clubsuit$ , extrahe inde Tincturam, filtra, & ad mellis consist. abstrahere s.a. *Præstantissimum est adversus Arthritidem & Calculum, laxatq; alvum. Dos. ad  $\text{℥}$ ss. externe inungantur partes dolentes. Confert præterea in omnibus morbis chronicis ac obstinatis.*

*Bals. Veneris*, f. ex Lamin.  $\circ$  cum Sp. Tereb. digestis s.a. ut f. Balsam. Viride. *Ad ulcera, vulnera, fistulas, &c. mundificanda apprimè conducit mixtum cum convenientibus.*

*Bals. Verum*, f. ex Limacibus cum testis diu multumque contusis cum a sacchari candi, ut f. Balsam. *Ad foveas Variolarum.*

*Bals. Virilitatis.* v. *Ung. Virilitatis.*

*Bezoar Animale.* R. C. C. ad summam albed. calcinat. & Tat. ℥iv. læviga in pollicem supra marmor, affundendo guttatim Sp. Oli q. s. usque pasta fiat. exinde fiant Globuli, qui statim exiccentur. *Alexipharmacum, Sudorificum, & Vermifugum est. Fluxus alvi sedat, Sitim extinguit, &c. Medicina est pro infantulis nulli secunda.*

\* *Bezoarticum Joviale.* R. Reguli ♂ in ♀bulo fusi ℥iij. quibus adde ♀ Anglican. similiter fusi ℥ij, ut f. de novo Regulus: postea læviga & admisce ♀ ti ℥vi. Quæ ex ♂: Butyr. umque inde Quatum cum Sp. Di ternis Quationibus fige: postea calcina, & ignitum in Sp. V. extingue, & exicca: fit ♂ griseus. *Diaphoreticum est stupendum. Valet in omnibus matricis ægritudinibus, alijsq; mulierum morbis quàm plurimis. In Febribus, Peste, Scorbuto, &c. Dos. ā gr. iij, ad vi, &c.*

*Bezoart. Lunare,* f. ex ♀ in Sp. Di solut. & Butyr. ♂ij. procedendo ut supra cum Bez. Jovial. *Specificum est in Epilepsia, Convulsibus, Hemicrania, Apoplexia, &c. Anodynum est & sudorificum. optime valet in curando Erysipelate. Dos. ā gr. vi, ad xij.*

*Bezoart.*

*Bezoart. Martiale*, f. ex croco ♂ cum Butyro ♂ij soluto : deinde figendo ut supra. vel fit, solvendo ♂ 3i in ℞ q. s. affundendo paulatim Butyr. ♂ 3viij, & procedendo cum Sp. ①i. *Fluxus hepaticos, & alios potenter sistit, viscera roborat, &c. Dos. ad ʒss.*

\* *Bezoart. Minerale*, f. ex Butyr. ♂ ʒbi. & Sp. ① ʒbiij, vel q. s. mixtis & ternis cohobiis ℞atis, ut in Bez. Jovial. vel, fieri pr ex ☉o Spts ①i Bezoartici. *Magnum est Alexiterium saluberrimumq; Remedium, quod sudores promovendo magnos effectus monstrat in omnibus pestilentialibus & venenatis affectionibus. Dos. ā gr. vi. ad xij, & ultra.*

*Bezoart. Mercuriale*, f. eliciendo Tincturam ex Vitro ♀ij vitæ cum Butyro ♂ij, & figendo cum Sp. ①i f. a. *Insignis usus in Lue ♀.*

*Bezoart. Saturni*, f. Tincturam extrahendo ex Vitro ℞ni (quod fieri. pt ex minio & silicibus) cum Butyro ♂ij. non rectific. & cum Sp. ①i figendo f. a. *Hystericum est. Conducit lienis affectibus. Dos. ad gr. vi.*

\* *Bezoart. Solare*, f. ex Laminis ☉ in Sp. ①i Bezoartico solutis, paulatim affundendo hanc solutionem Butyro ♂ij, & procedendo



dendo ut suprà. *Sudorificum est egregium. Usus est in Lue ♀, Peste, Podagra, Hydrope, Febribus, obstructionibus lienis, &c. Dos. ā gr. iij ad viij.*

*Bezoart. Veneris, f. Tincturam eliciendo ex squammis ♀ is cum Butyro ☿ij rectificato, & figendo per Sp. ☉i f. a. Exhibetur ab aliquibus in Lepra, morbisq; capitis & cerebri. Dos. ad gr. vi. Externè valet ad ulcera antiqua, fistulas, impetigines, &c. mixtum cum Unguento appropriato.*

\* *Bolus Alexiteria, seu Cardiaca. R. Fol. angelic. melis. scord. pimpinel. scabios. ā mij. dracont. mi. Fl. calend. caryoph. hort. ā miiij. xyloal. ʒss. Bac. Kerm. ʒiss. coccinel. ʒij. V. alb. tbiij, vel q. s. macer. tepidè ☒ 24. f. express. m. cum B opt. Cat. ʒviij. ut fiat instar pulmenti, ☉e exiccand. Reper. opus 5 vicibus cum infus. dictâ : ultimò f. Troch. f. a. Dos. ā ʒi, ad ʒi in morbis malignis.*

*Butyrum Amygdalinum. R. Amygd. dulc. largis. in ▽ frig. macerat. & decorticat. tbi. contund. opt. in mortar. marmor. irrigando inter contundendum cum Font. pauxillo. Tum adde Font. q.s. ut crassescat instar cremoris, coletur strenuè, & l. Δi im-*



imponatur sæpe agitando, donec bullire incipiat. Tum adde (coagulandi gratiâ) succimon. ʒi, & suspende in panno satis spisso, ut separetur Butyrum in panno relictum ab omni parte ferosâ; quod condiatur cum saccharo & Ros. ad gratum gustum. *Anodynum est Elegans. lenit, & maturat. ad tormina ventris infantulorum valde commendatur.*

*Butyrum Cerae*, fit ex cerâ citr. in Sp. V. solutâ, & filtratâ, ut remaneat in charta instar Butyri. *Edulcatum atq; ad ʒi propinatum eximie valet in Dysenteria curanda.*

*Butyrum Succini. v. Bals. Succini.*

## C.

*Calx Auri. (i. e.) Aurum Fulminans.*

*Calx Jovis*, f. ex ♃ liquefacto, & rudiculâ ferreâ agitato, donec planè in Calcem abierit. Vel fieri potest ex ♃ in ♁ soluto, filtrato, & edulcato f. a. *In utero strangulato specifica.* Dof. ad ʒß.

*Calx Lunæ*, f. solvendo ☽ in ♁, & Mandando per ▽. balsam. Vel f. *āāā* mando cum ā ☿ij, adjectâ ☉is 4tâ parte. Vel, cementando per ☐ ☉atum, per ☿, per ♀. &c.

Vel. reverberando per  $\odot$  8 cum  $\ominus$ ,  $\triangle$ ,  $\ast$ ,  
 &c. s. a. *Hysterica, Epileptica, apoplectica, &c.*  
*habetur. Dos. ad ℥ss.*

*Calx Saturni. (i. e.) Plumbum ustum.*

\* *Cardiacum Cæleste.* R Sacch. albis. ℥xvi.  
 $\nabla$  Borrag. ℥iv. coq. penè ad consist. dein  
 bullientibus injice Fl. Borrag. recentis. ā ni-  
 gris puncturis liberat. ℥vi, coquendo perge  
 usque Flores torrescant. ab  $\triangle$  e remotis ad-  
 misc. Fol. Auri n°xvi. Amb. gris. gr. 24.  
*Cardiacum est Elegantissimum, Spiritus*  
*Vitales ac animales recreans, omnibus affe-*  
*ctibus ex atra bile ortis eximiè conducit. In*  
*Melancholia hypochondriaca nulli secun-*  
*dum.*

*Cardiacum Magnum. v. Flos Cordiali-*  
*um.*

\* *Caryophylli Odorati.* R Styrag. Calam.  
 labdan. ā ℥ij. Benz. ℥i. caryophyl. aromat.  
 ℥ss.  $\alpha\theta\epsilon\gamma\acute{\iota}\kappa\omicron\nu$ , ℥iij. f.  $\mathfrak{C}$  subt. adde  $\nabla$  gum-  
 mosæ q. s. ut f.  $\phi$ , ex qua fiant Caryo-  
 phylli s. a. *Ad cubiculum ægrotorum fumi-*  
*gandum.*

\* *Cashew, seu Catechu.* R  $\nabla$  æ Japponic.  
 $\mathfrak{C}$  at. ℥iv. sacch. cand. alb. ℥ss. Stypter.  
 glacialis gr. i. ambræ gris. gr. iv. mucilag.  
 gum. tragac. in Ros. extract. q. s. ut f.  
 pasta :

pastā : ex qua formentur Pilulæ oblongæ minutæ instar Muscerdæ. *Ad exiccandos catarrhos, & caput roborandum insigniter conducit, in ore sæpe retentum.*

\* *Cataplasma Apoplecticum.* R Rad. bryon. rec. ℥iij. Sem. sinap. sapon. nigr. ā ℥i. cantharid. ʒvi contus. opt. adde ✚ opt. q. s. f. catapl. pro capite raso.

*Catapl. Cephalicum.* R Tris caryoph. nuc. m. ā ℥ij. Piper. Indic. ʒss. Diasinap. ʒvi. Ferment. acris ℥iij. Spts Lavend. comp. ʒiss, vel q. s. ut f. catapl. pro capite raso.

\* *Catapl. Cynanchicum.* R Tr albi canis ℥i. pulp. conf. ros. r. ℥ij. Syr. de Mecon, q. s. m. f. Catapl. *Sub mento adhibendum ab aure ad aurem, post Phlebot.*

*Catapl. ad Paronychiam.* R Vitell. ovi unius rec. adde resin. com. tenuissimè Trat. q. s. Bals. Peruv. gt. vi, vel viij. optimè misc. donec reducantur ad formam cataplasmat. *applica loco affecto. Egregium est Medicamentum.*

\* *Catapl. Pestilentielle.* R Stercor. columb. Trat. ʒiv. croc. ʒss. Mithridat. Theriac. Lond. Sem. sinap. ā ℥i. Tereb. q. s. ut f. catapl. *Pro Bubonibus rumpendis. Post ruptos Bubones Empl. adhibe ex Empl. de Mucilag. Diach.*

Diach. cum gum. & Stictic. ā ʒiſs. galb. ʒſs.

\* *Catapl. Podagricum.* R Melanosmegmat. ʒiv. Vitell. ovor. n° 2. croc. ʒi. ☉ spicæ ʒi. m. f. Catapl. f. a.

\* *Catapl. Soleare.* R Fol. Rutæ rec. ʒij. Rad. bryon. rec. ʒiv. ferment. acerr. Salis nigr. sapon. n. ā ʒiſs. Mustardæ ʒiij. contuſ. adde ✠ q. s. *Pro plantis pedum, in febribus.*

*Catharticum Cæſareum.* R Pulp. zz. condit. ʒij. Resin. Scammon. ʒi. conſect. Alkerm. ʒſs. roſ. r. Cat. crem. ☐ri, ā ʒij. ☉ſt. cinnam. gt. xx. Sp. ☉li gt. xvi. Syr. de zz. condit. q. s. f. Electuar. *In omnibus affectibus frigidis utile eſt & jucundum Catharticum. Corpus ſine moleſtia purgat. animum recreat. appetitum excitat. fætorem oris & naſi emendat. Sanguinem rectificat. flatuſ diſſipat, & cruciatibus colicis mirè confert. Doſ. ā ʒi, ad ʒij.*

\* *Caudela Amygdalina.* R Cereviſ. opt. il-lupulat. ʒbij. Aq. font. ʒbi. cinnam. acut. ʒi. coq. ad conſumpt. ʒtiæ partis. f. colat. cui adde Amygd. d. largiſ. mundat. ſed non-de-cort. contuſ. n° 60. coq. parùm, & cola per cribrum exprimendo, adde ſacch. albiſ. duri ʒij.

ʒij. f. *Caudela. Pro puerperis Diarrhæa laborantibus.*

\* *Caudela Nenupharina.* R Rad nymph. ʒi. ichthyocol. c.c. ras. ebor. sant. alb. ā ʒij. Rad. bistort. ʒss. dactyl. n° 4. orizæ coch. 2. coq. in cervis. illupul. ʒss. Aq. font. ʒbi. ad consumpt. ʒtiæ part. f. colat. adde Vitellum cum album. ovi unius & sacch. q.s. *Pro duabus dosibus. In abortu præcavendo, dorsi infirmitatibus, Gonorrhæa, Profluvio, albo, &c. Eximii est usus. Detur bis in die.*

*Cauterium Lunare.* Solve D p. i. in V p. iij. & evapora ad ficcitatem. auge postea Δem ad colorem fusorium, donec cessant fumi, & statim materiam funde in vascula ænea aut ferrea magnitud. convenientis. *Cauticum est perpetuum, si ab aëre servetur. Tollit verrucas tangendo eas.*

\* *Ceratum Album.* R Ceræ albis. ʒiv. ☉ amygd. amar. ʒv. Sperm. ceti purif. ʒi. ceruss. in Ros. lot. ʒiss. camph. ʒss. m. f. a. *Lenit, resolvit, anodynum est. Cicatrices Exanthematum illitum, eas replet. Cosmeticum etiam est Elegans.*

*Cerevisia Butleri.* R Beton. salv. agrimon. cochl. hort. absinth. Rom. ā miiij. Rad. enul. raphan. rustic. ā ʒiv. m. f. Sacculus in cerevis.

vis. non-lupulat. cong. iv suspendendus, cum lapide in fundo sacculi. *Cephalica, Stomachica, Hepatica, Splenetica, Pulmonica, diuretica, &c.* Sanguinem rectificat. fixos ac crudos humores reddit volatiles. Tartarum pulmonum renūmq; attenuat ac educit, Cachexiæ, Hydropi, Scorbuto, Melanch. hypochondriacæ, Scabiei, &c. subvenit. Sit pro potu communi, aut saltem ter in die bibatur.

\* *Cerevisia Catapsoras.* R. Fol. Senæ, ʒvi. mechoac. ʒiij. glyc. ʒiss. sem. carui ʒi. Rad. oxylapath. ʒbiss. polypod. rubiæ tinctor. ā ʒbiss. Fol. Scabios. agrimon. ā miiij. ☿ crud. crass. pul. ʒbi. m. f. Sacculus pro cong. 5 vel 6 cerevis. Sanguinem purgat. Optimè valet in Pruritu, Scabie, aliisq; cutis sceditatibus curandis. Detur ʒbi (plūs minūs) bis in die per dies aliquot.

\* *Cerevisia Embryonum.* R. Ras. ligni coto-nei ʒbi. sant. alb. ebor. ā ʒiv. musci roboris ʒij. Rad. tormentil. ʒiss. bistort. ʒi. nuc. m. Sem. coriand. ā ʒvi. uvar. passar. ʒbiss. m. & suspende in sacculo in cerevis. rec. cong. vi. pro potu ordinario. Abortum præcavet, infirmum fætum roborat, uteri ligamenta fir-mat.

\* Ce-

\* *Cerevisia Hydropica.* R Fol. prassii. ling. cervin. Hepatic. absinth. vulg. acetos. ā mi plenum. Incide, & postea in farina hordeacea obvolvantur: dein coq. in clibano. Tum pastæ cum herbis in frustra fractæ adde  $\ominus$  abs. ʒij. suspend. in sacculo in cerevis. rec. cong. iv. *pro potu commi. Multos curavit hydropicos.*

\* *Cerevisia Jovialis.* R Limat.  $\mathcal{V}$  tbi. sant. alb. ras. ebor. ā ʒiii. uv. pass. tbi. Fol. abs. Rom. ling. cervin. veron. agrim. ā mij. cort. aurant. ʒij. m. f. Sacculus, pro cong. iv cerevis. rec. *pro potu ordinari. Uteri morbis peculiariter curandis inservit. Hepatica etiam est, & splenetica.*

*Cerevisia Oxydorcica.* R Fol. rutæ, salv. verben. Euphrag. ā mi. millepedas vivas n<sup>o</sup> 400. Sem. scenic. d. ʒi. uv. pass. exacinar. tbs. Indantur sacculo pro cong. iv cerevis. rec. *pro potu ordinario. ad visus hebitudinem. Tern.*

\* *Cerevisia Scorbutica.* R Fol. cochl. marin. parūm siccat. tbi. salsapar. ʒiv. sassafr. ʒi. nasturt. aquat. becabung. ā miiij. salv. rubr. mij. caryoph. ʒiiij. nuc. m. ʒvi. contund. & impone cong. v cerevis. rec. cum frustulis  $\oslash$  is ʒvi in fundo sacculi. *pro potu communi.*

\* Ce-



\* *Cerevisia Scrophularia*. R. Sarsapar. ℥vi. lign. sanct. ℥viij. cort. arbor. jugland. Rad. Scrophular. sassafr. ā ℥ij. Herb. Roberti m. iij. uv. pass. exacin. milleped. vivent. ā tbi. m. f. Sacculus pro cong. iv. cerevis. rec. *Usus præcipuus in Strumis Scrophulosis, fisis & mariscis ani, cancris ac similibus serpentibus ulceribus, maligna scabie, &c. bibendo hanc cerevisiam pro potu communi, & purgando semel in septimana cum appropriatis.*

\* *Cerevisia Vernalis*. R. Fol. Senæ ℥v. Rad. polypod. qu. ℥vi. Rhab. Monach. oxylapath. ā ℥x. uv. corinth. tbi. glyc. Sem. fœnic. d. ā ℥iss. ras. sassafr. ℥ij. Fol. salv. rub. agrimon. nasturt. aquat. cochl. marin. ā mii. m. f. Sacculus pro cerevis. cong. v. *Easdem vires obtinet, quas Cerevisia Catapsoras.*

\* *Cerussa Antimonii*, fit ex Regulo vice ℥ij crud. comburendo, &c. f. a. v. *Vires Antimon. Diaphoret.*

*Cerussa Martis*, f. ex Regulo ℥is, omnino ut Cerussa ℥ij. Paratur etiam cum nonuplo ①o. *Diaphoreticum est instar Ceruss. Antim.*

*Chalcanthum Rubefactum*, f. calcinando ① ad rubed. *Maximè adstringit, & desicc.*



*cat. Valet in Dysenteriis, Hæmorrhagiis, &c. In evulsione dentis (si fluxus sanguinis accidit) utiliter applicari potest cum aceto & lintheo.*

\* *Chalybs sine Acido*, paratur humectando. ♂ decies ☉ absinthii in ∇ cichor. soluto, & siccando in aëre sicco ac tepido. Postea f. ☿ sub. Potenter aperit obstructions. Dos. ℥i, ad 3℥.

\* *Chalybs Tartarizatus*. R. ♂ mund. ☐ alb. ☿ at. ā 3vi. ∇ fumar. q. s. f. ☉ instar electuar. coq. in vase fictili in clibano (calore lento) ad siccit. f. ☿ sub. cui adde ∇ fumar. q. s. & coq. iterum ad siccit. Repet. opuster. dein f. ☿ sub. f. a. ex hoc fit Mars Potabilis.

\* *Cicera Tartari*. R. Tereb. Chienf. opt. 3ij. Acidi ☐ ri 3i. Spec. Diaireos simp. ☉ præp. ā 3ij. m. f. ☉ Pilularis. Ad Podagræ præcautionem detur 3ss bis in die per menses aliquot. v. Mynsicht.

*Cinnabaris Antimonii*, fit ☿ ando ☉ post Rationem Butyri ♂ij relictum, & rectificando f. a. Sudores movet copiosos. Valet in Podagra, Lue ♀, Epilepsia, Paralyfi, &c. Dos. 3ss. ad 3i.

\* *Clissus*

\* *Cliffus Portulacæ.* R Succ. portulac. depurat. ℥viij. sacch. alb. ℥bi. clarifica, & coq. ad mellis consistentiam. Eodem modo fieri pt. *Cliffus Argentinae, Beton. Farfaræ, Heder. ter. Prunell. Agrimoniae, &c.*

*Cliffus Vitrioli.* R  $\oplus$  li  $\odot$  li viridis ternâ solutione & crySTALLISATIONE purificati, & ad flaved. calcinati q. v. Solve in  $\ddagger$ , filtra & crySTALLISA, repetendo opus ad 3 tiam vicem. calcina iterum ad flaved. &  $\mathcal{A}$  ex  $\bigcirc$  cum cohobatione ad ficit. Tum  $\mathcal{A}$   $\triangle$  e aperto donec Spts omnes extillantur. ex  $\odot$  in aëre exposito eliciatur Sal, quod crebrò solvendo, filtrando & crySTALLIFANDO depuretur. R  $\ominus$  is hujus p. i, Sp. predict. part. 4, extrahe Tincturam digerendo per mensem. Deinde filtra ad usum. *Noxios humores expellit per insensibilem transpirationem, Venerem stimulat, uterum roborat, ejus motus inordinatos sistit, & in utroq; sexu vim seminis ad generationem operatur. Dos. gt. 2, ad 4.*

*Colcothar Vitrioli,* Nihil aliud est quàm  $\oplus$  ad rubedinem calcinatum. Vel,  $\odot$  m post  $\mathcal{A}$  tionem  $\odot$  i  $\oplus$  li relictum. v. *Chalcanth, rubefactum.*

\* *Cons. Aurantiorum.* R Flaved. cortic. Aurant. recentis. minuti s. incis. ℥ss. contund. opr. cum

cum sacch. alb. ℥i. in mortar. marmor. ut f.  
 Conf. f. a. *Usus in Colica, torminibus ven-*  
*tris, &c.*

\* *Conf. Hepatica Corallitana.* R. Fruct. cy-  
 nosbati matur. à sem. & capillamentis exactè  
 liberat. q.v. custodiantur simul in loco clau-  
 so per ☉ vi: deinde adjectâ V. Rubelli q. s.  
 coq. ad mollitiem, & per setac. trajic. Pulpæ  
 adde sacch. opt. ā, & ad unamquamque li-  
 bram Ros. rub. ℥iſs. coq. in MB. ad mivæ  
 consist. *Confert ad urinam cruentam, calcu-*  
*lum, &c. Diuretica habetur. Potenter he-*  
*par refrigerat, & scorbutica est.*

*Conf. Nicotianæ.* R. Fol. Nicot. rec. ℥ij. sty-  
 rac. cal. ℥ij. cinam. ℥i. sacch. ℥vi. mann. opt.  
 ℥iſs. contund. & insolentur ☉ 48. *Mira*  
*præstat in Asthmate & Catarrho suffocativo.*  
*Dos. ℥ſs. quarta quoq; hora.*

*Corpus sine Anima.* R. Rad. irid. Florent.  
 ℥iſs. mosch. gr. iij. sacch. ℥vi. m. f. ☿. *Usus*  
*in tartaro pulmonum, Tussi, Asthmate, &c.*  
*oris fætorem tollit.*

*Corvus Epilepticus.* R. Corvum majorem  
 deplumatum & evisceratum, abjectis pedibus  
 & rostro, immitte in ventrem cor, jecur,  
 pulmones, vesicam fellis, cum galang. &  
 Sem. anis. ā ℥iv. coq. in vase terreo novo  
 benè

benè occluso & lutato cum pane domesti-  
co in clibano. post frigefactionem à lateri-  
bus separetur, & 2da vel 3tia vice fiat, ca-  
vendo tamen nè aduratur: dein f.  $\mathcal{R}$  f. a  
*Dof. 3i quotidie in morbo comitali. Insigne Re-  
medium.*

\* *Cremor Hordei.*  $\mathcal{R}$  Hord. perlat. mundat.  
3iv. coq. (primâ  $\nabla$  â abjectâ) in  $\nabla$  Font. q. s.  
ad mollitiem. contunde opt. Hord. cum a-  
mygd. d. decort. n° 20, addendo  $\nabla$  hord.  
thiis. f. express. fort. f. a. adde sacch. opt. 3ij.  
 $\nabla$  Ros. Dam. 3iss. ut f. cremor. *Diureticum  
est & Nutritivum, sitim in febris extin-  
guit.*

*Crocus Jovis.* Fiat  $\mathcal{A}\mathcal{A}\mathcal{A}$  ex  $\mathcal{V}$  3ss, &  $\mathcal{Q}$  ij  
3iss: à quo (evaporato  $\mathcal{Q}$  io) relinquitur  
crocus Jovis. *Sudorificum est magnum. Dof.*  
à gr. iv, ad x: *In Lue  $\mathcal{Q}$ , Podagra, Peste,  
Utero strangulato, &c. mixè valet. Usus ex-  
ternus ad ulcera inveterata, cancrios, fistu-  
las, &c.*

*Crocus Veneris,* fit reverberando  $\oplus$  lum  
 $\mathcal{Q}$  is f. a. *Diureticus est, colicus, uterinus,  
Febrifugus. Dof. 3ss.*

*Crystallum Lunæ. v. Vitriol Lunæ.*

\* *Crystallum Minerale.* Solve  $\ominus$  prunel-  
læ in  $\nabla$  filtra & crystallisa f. a. Si addas  
Sac-

Sacchari ā, ante crySTALLISANDUM, vocatur  
*Saccharatum. Putredini resistit, sitim ac  
 æstum in febribus compescit, tartaream sa-  
 burram incidit, coagulatum sanguinem resolvit,  
 dolores mitigat, &c.*

## D.

\* *Decoctum Album. c.c.c. Tat. ʒij. Font.  
 lb̄4. coq. ad dimid. f. colat. citò per lineum ra-  
 rum cum levi expressione. Liquori lactescen-  
 ti adde Syr. de succo Aurant. ʒij, vel q. s.  
 m. Ad sitim extinguendam in febribus, &c  
 usus est egregii.*

\* *Decoct. Amarum. R̄ Summit. Centaur.  
 min. Fl. chamæm. Fol. agrimon. ā mss. Sem.  
 cardui ben. citri, ā ʒiss. Fl. calend. p. ij. Rad.  
 gentian. ʒij. Fol. Senæ, ʒvi. Rhab. ʒi. V. alb.  
 Font. ā lb̄i. coq. ad dimid. f. colat. pro 3 vel  
 4 dosibus.*

\* *Decoct. Amarum alterans, fit omitendo  
 purgantia.*

\* *Decoct. Ambrosianum. R̄ Sem. milii pa-  
 nici contus. ʒviij. Font. lb̄vi. coq. ad 3 tix  
 part. consumpt. addendo sub finem V. alb.  
 ʒxij. post refrigerationem, f. colat. trajicien-  
 do sæpe per manic. Hipp. ad limpiditatem.*

Dicitur

Dicitur & Syr. Ambrosianus. Detur inter sudandum sæpe t̄b̄s pro vice tepidè. Diaphoreticum est nobile. utatur in Hydrope, Arthritide vaga, Podagra, Febre maligna, &c.

*Decoët. Analepticum.* R̄ Cancros fluviat. contus. n° vij. coq. in Vin. alb. & aq. f. ā ʒxij. ad med. colat. adde sacch. cand. q. s. Dentur coch. 3 sæpius in die, in febribus hecticis.

*Decoët. Antimoniale.* R̄ Lign. lentiscin. Visc. quercin. ā ʒvi. Fol. beton. mi. ras. saf. safr. ʒi. ☿ crud. crass. Cat. in petia ligat. ʒij. coq. in Font. q. s. ad t̄bij. f. colat. Dof. ʒvi manè calidè ad sanguinem mundificandum, &c. Ad Catarrhos, Scabiem, omnesq; impuritates confert. Liberat corpus ab omnibus humoribus noxiis.

*Decoët. Antiphthisicum.* R̄ Cancros fluviat. n° xij. Rad. Enul. ʒij. ireos Florent. consolid. major. ā ʒi. glyc. ʒss. Fol. alchimil. heder. ter. millefol. plantag. min. veronic. pulmonar. macul. semperviv. maj. a mij. conf. ros. r. ʒvi. coq. in Font. q. s. ad t̄bvi. colat. clarif. cum album. ovor. adde Sp.  $\triangle$  q. s.

\* *Decoët. Astacorum.* R̄ Astac. fluv. n° 20. Rad. aristoloch. rot. ʒss. symphyt. maj. ʒi. Fol. sanicul. alchimil. bugul. agrim. heder.

ter.

ter. beton. ā mi. coq. in Font. ℥vi. V. alb. ℥ij. ad consumpt. 3tiæ part. adde Syr. Limon. & Sp.  $\Delta$  q. s. m. *Pro vulneribus pectoris, &c. Dos. ℥vi bis in die 4 horis ante pastum: & plagulis isto instinctis tege bis in die. Mirum in deploratis.*

\* *Decoctum Digitalis.* R & Fol. rec. Digitalis 34, vel mij. uv. corinth. mundat. 3ij. contus. adde cerevis. non-lupulat. ℥ij. coq. ad dimid. f. express. fortis. *Pro vomitorio in Epilepsia, &c.*

*Decoct. Diureticum Augenii.* R & Rad. apii, petroselin. ā mi. rubiæ tinctor. 3ss. spicæ, adianth. cuscute. agrim. cicer. rub. ā mss. Rad. Asari 3i. calam. arom. 3ss. sem. anis. apii, petroselin. fœnugræc. dauci, carui, ā 3ij. melon. cucumer. ā 3iij. coq. in Font. ℥vi. ad consumpt. ℥ij. f. colat. adde sacch. q. s. *datur in urinæ difficultate, Dos. ℥vi. pro vice.*

*Decoct. Dysentericum.* R & Trium panum corticem interiorem. coq. in aq. font. ℥vi ad ℥bi, in qua infunde per duas horas caryoph. contus. 3ij. colat. adde vin. claret. ℥bi. sacch. albis. q. s.

\* *Decoct. Ictericum.* R & sterc. anser. ras. ebor. ā 3i. chelidon. cum toto, ling. cervin. Fl.



Fl. hyperic. ā mij. croc. ʒss. V. alb. ∇ont.  
a tbij. coq. ad dimid. f. colat. adde sacch.  
alb. q. s. & clarifica cum album. ovor. D.  
ʒv *bis in die, præmissis præmittendis.*

\* *Decoct. Limacum.* R Limac. hort. è te-  
stis suis exempt. mundat. n° xij. Neogalact.  
vaccæ rubræ tbij. coq. ad dimid. colat. adde  
Ros. ʒi. sacch. cand. ʒss. m. f. haustus, *omni  
manè sumendus per totum mensem Maii.*

\* *Decoct. ad Morsum Canis rabidi.* R Fol.  
rutæ ʒvi. Rad. allii, Theriac. Lond. ā ʒ4.  
Limat. ʒ ʒ4. cerevis. illupulat. veter. tbiv.  
coq. ad consumpt. dimid. & macera. *Su-  
mat Ager morsus de colatura coch. vi bis in  
die per ☉ ix contin. ☿ applic. magma loco  
affecto.*

\* *Decoct. Pacificum.* R ⊖ ☐ri cum ⊕  
fact. ʒviij. Fl. pap. rhœd. rec. Bacc. junip. Rad.  
Helleb. nig. ā ʒviij. ∇æ Bened. simp. tbviij.  
coq. l. △. (vasc. opt. clauso) per ☒ 24. post  
refrigerationem f. colat. per manic. Hipp.  
*Dentur coch. 3 hora somni, ☿ coch. 5 manè  
quotidie cum Leucæno saccharato.*

\* *Decoctio Polychresta.* R Rad. polypod.  
qu. ʒiij. cichor. ʒij. rhab. Monach. ʒvi. Fol.  
fenæ ʒij. sem. sænic. d. glyc. ā ʒi. uv. pass.  
exacin. ʒ4. coq. & infund. f. a. in ∇ont.  
per



per hor. 4. colat. ꝑiſſs, adde ſucc. cochlear. marin. depurat. ꝓviij. Sacch. rub. mann. ā ꝓiij. clarif. cum album. ovor. D. ꝓ4 ad 8 ſing. auroris, ad ſanguinem purgandum, &c.

*Decoſt. Præſervatorium.* R̄ V. Malvat. ꝑiij. rutæ mi. zz. macropiper. incif. ā ꝓij. nuc. m. ꝓi. coq. ad conſumpt. 3tiæ part. f. colat, adde Theriac. Androm. ꝓij. Mithridat. ꝓi. ∇æ Angelic. fort. ꝓ4. m. Doſ. coch. 1. ad præſerv. à Peſte, & coch. 3 pro vice in cura.

*Decoſt. ad Rachitidem.* R̄ Rad. polypod. qu. apii, fœnic. ā ꝓi, glyc. anif. ā ꝓſs. Fol. linguæ cerv. capil. ven. cuſcut. beton. chelidon. tamarifc. ā mi. uvar. corinthiac. cærul. ꝓiv. coq. in Hydrocrith. ꝑiv, ad dimid. f. colat. Dentur coch. 2, 3, vel 4 pro vice, bis vel ter in die : interim purgando ſemel in ſeptimana cum Syr. de Cichor. cum Rhab.

*Decoſt. Rubiæ Tinctorum.* R̄ Rad. rubiæ tinctor. ꝓij. anif. glyc. ā ꝓſs. coq. in hydropeg. ꝑiv. ad dimid. f. colat. Doſ. ꝓiv bis in die per ☉ 20. In faciei Rubore, Puſtulis, &c. curandis præſtantif. remedium.

*Decoſt. Rubicundum.* R̄ C. c. c. ꝓi. cocci-  
nell. integr. ꝓſs. coq. in Font. q. s. ad ꝑiſſs.  
D colat.

colat. adde Aq. cinnam. hord. ꝑiss. sacch. albis. q. s. *Detur haustus frequenter in Variolis, Morbillis, &c.*

\* *Decoct. Reguli*, fit coquendo Regul. vel Pocul. ꝑij tbs. (plus minus) in V. alb. tbs ad consumpt. 3<sup>tiæ</sup> partis. *Pro vomitorio.*

\* *Decoct. Rhabarbari*. R Rhab. ꝑii. uv. corinth. contus. ꝑ4. Rad. acetos. ꝑij. Sem. fœnic. d. 3i. coq. in Font. tbiij ad tbiij. colat. adde sacch. alb. 3i. clarif. f. a. *Dof. ꝑ4 ter in die in Rheumatismo, &c.*

\* *Decoct. Scorbuticum*. R conos abietis n°4. incide unumquemque in part. 4. adde Fol. tritici virescent, 3ij. liquor. posset. cum vino albo fact. tbiij. coq. ad tbiij. colat. frigidæ adde Sp. cochlear. ꝑss. Syr. de aurant. de pomis alter. ā ꝑiss. m. *D. ꝑ4 bis vel ter in dies.*

\* *Decoct. ad Sitim*. R Fol. acetos. mij. coq. in Font. q. f. ad tbi. colat. adde succum 12 limonum, V. Rhen. tbiij. sacch. alb. 3iv, vel q. s. ut f. gratissimum. *Bibatur ad libitum. Empiricus quidam hujus gratiâ mirè celebris evasit.*

*Decoct. ad Strumas*. R Geran. Robertiani, becabung. ā miiij. urticæ mort. mvi. glyc. anisā 3i. uv. pass. 3iv. fenæ 3ij. cartham.

tham. ℥ij. agaric. ʒvi. Hydropeg. ℥viij. infund. & coq. ad ℥iv. D. ℥iij vel 4 ter in die, & præterea bibat (omissis purgantibus) pro potu com. interim adhibendo locis affectis unguent. Digitalis.

*Decoct. Traumaticam.* R Summit. hyperic. veronic. utriusq; vincæ pervincæ, agrimon. ā mij. Rad. chinæ, symphyt. santal. alb. lign. nephritic. ā ʒi. dactyl. incif. n° xxx. glyc. ʒiss. Infund. per hor. xij in Aq. Calcis q. s. colat. ℥iv adde Syr. de Pilosell. è succo Elatin. ā ʒij. servetur loco frigido. Dos. ʒiv. horis medicis.

\* *Decoct. ad Tussim.* R Fol. cynoglos. m 4. hyssop. cap. ven. tussilag. ā mi. anif. glyc. ā ʒvi. coq. in ▽ hord. ℥vi ad ℥4. colat. adde sacch. cand. q. s. D. ʒ4 ter vel 4ter in die.

\* *Decoct. Ulmi.* R cort. interior. ulmi rec. ʒ4. coq. in ▽ Font. ℥iij, ad dimid. colaturæ rubicundæ (instar V. Rubelli) adde Syr. de Rubo Idæo, & de moris ā ʒiss. m. f. gargaris. Elegantiss. Optimè valet in linguæ asperitate, aphthis, omnibus oris calidis affectibus & ulceribus cujuscunq; generis. Pro potu communi cum paucō leucæni liberavit ab Elephantiasi, & Lepra Græcorum. Graveolentissimos movet sudores.

\* *Dentifricium Dominarum.* R̄ cryſtall. præp. ʒiſs. Tris laterum, Lap. pumic. ā ʒſs. ofs. ſepiæ, corall. utriuſque ā ʒij. margarit. caryophyll. ā ʒi moſch. gr. 4. m. f. Tr̄ ſub̄t. cui adde Rhodomel. q. s. ut f. paſta mollis. *Aliter.* R̄ Tris laterum ʒi. Sp. Tr̄is q. ſ. ut fiat paſta: cui exiccatae adde Tr̄is □ri ʒvi. panis cremat. ʒſs. m. *Pro dentibus fricandis, colluendo os cum vino.*

\* *Dentifricium Infantum.* R̄ Butyr. rec. ʒi. Anaphromelit. ʒvi. corall. rub. præp. ʒſs. f. mixtura ſ. a. *Quâ fricentur gingivæ bis vel ter in die, ad Dentitionem facilitandam.*

\* *Dentifricium Scorbuticum.* R̄ Θis cochlear. macis, ā ʒi. Salv. Div. Onis uſt. ʒij. Θ decrep. Div. f. Tr̄ ſub̄t. cui adde Rhodomel. q. s. f. mixtura: *Pro dentibus fricandis ante uſum Lotionis ſeq.*

\* *Dentilavium Scorbuticum.* R̄ Rad. biſtort. Sem cochlear. ā ʒij. O ʒi. maſtich. ʒiij. coq. in Font. q. ſ. ad t̄bi. colat. adde Rhodomel. ʒij. m. f. lotio.

\* *Diachylon Odoratum.* R̄ Emp. Diachyl. ſimp. t̄biij. Tr̄is Rad. irid. Florent. ʒiij. ☉ ſtil. Rhod ʒſs. moſch. gr. iij. m. ſ. a.

*Diacreta.*

*Diacreta.* R̄ Cretæ albif. ▽â Viol quater lotæ, ʒi. glyc. Sem. cydon. ocul. 69 ā ʒss. nuc. m. Lap. carpion. ā ʒij. margarit. coral. r. ā ʒss. croci, macis parūm torrif. ā ʒss. m. f. ☒ subtilif. *In Ardore stomachi mirè valet. dolorem sistit, & causam hujus mali tollit.* Dos. ʒi.

\* *Diapalma Odorata.* R̄ Emp. Diapalm. (cum Ung. Oleoq; Rosato, loco Axungia & ol. olivar. fact.) liquat. ℥iij. ☉ stil. Rhodii ʒij. m. f. a.

*Diatartarum.* R̄ Res. Scammon. ☐ ☉ lat. ā ʒi. turpet. hermodact. ā ʒss. ☉ cinnam. & caryoph. ā gt. xij. m. f. ☒. Dos. ʒi, ad ʒiv.

\* *Diateffaron Potabile.* R̄ Sp. V. Gallici ʒiv. Succ. limon. ʒij. Syr. Viol. ʒv. Hydropeg. ʒxij. m. f. Julap. gratum, *ante paroxysmos febriles bibendum.*

\* *Diatrachia.* R̄ Arter. asper. (Windpipes) ovium mundat. & in clibano siccat. ʒiv. Arter. asper. Capon. similiter præp. ʒiij. ras. ebor. priap. Tauri, cervi. & Hippopotami ā ʒij. Dent. Hippopot. ʒiss. m. f. ☒ subt. adde Rhodosacch. ʒviiij. m. D. ʒi ter in die cum Syr. de Symphyto. *Ad urinæ incontinentiam maximè valet.*

## E.

\* *Elæosaccharum Cardiacum.* R  $\odot$  chym. nuc. m.  $\text{℥}$ ij.  $\odot$  cinnam.  $\text{℥}$ i. sacch. opt.  $\text{℥}$ xviiij. m. fiat.  $\mathfrak{X}$  s. a. *Ad edulcoranda Julapia, &c.*

\* *Elæosacch. Carminativum,* f. ex  $\odot$  chym. chamæm. gt. xxiv, sacch. albif.  $\text{℥}$ xij. m.

\* *Elæosacch. Fæniculi,* f. ex  $\odot$  stil. Sem. fœnic. d. gt. 40. Sacch. albif.  $\text{℥}$ xij. m.

\* *Elæosacch. Nucistæ,* f. ex  $\odot$  st. nuc. m.  $\text{℥}$ i. sacch. albif.  $\text{℥}$ xij. m. *Detur 3i sæpe urgente ventris inflatione.*

\* *Elæosacch. Sassafras,* f. ex  $\odot$  st. Sassafr.  $\text{℥}$ ij, sacch. albif.  $\text{℥}$ vi. m.

\* *Electuarium Album.* R cerus.  $\text{℥}$ ij.  $\text{℥}$ iv. sacch. albif.  $\text{℥}$ xij. m. f.  $\mathfrak{X}$  : cui adde Syr. de Radic. Eryngii  $\text{℥}$ iv, vel q. s. ut f. Elect. albissimum. *Dos*  $\text{℥}$ j, *vel*  $\text{℥}$ ij *bis in die,* augendo quantitatem quotidie gradatim ad  $\text{℥}$ vi *pro vice: Sanguinem purificat. Datur in Cachexia, Hydrope, Ictero, Scorbuto, Lue ♀, &c.*

\* *Elect. Asthmaticum.* R Flo.  $\triangle$   $\text{℥}$ iiij. cinnam.  $\text{℥}$ i. zz.  $\text{℥}$ iv. croc.  $\text{℥}$ ij. mosch. gr. vi. mell. despumat.  $\text{℥}$ vi, vel q. s. m. f. Elect. *D.*  $\text{℥}$ iiij. *bis in die.*

\* *Elect.*

\* *Elect. Caryophyllatum.* R Conf. caryoph. hort. ℥iv. Conf. ros. r. ℥vi. Syr. de cort. citri ℥ij. contus. opt. trajic. per setac. & adde Arom. Rosat. ℥iij. caryoph. Indic. incif. ℥iij. Ambr. gris. ℥ss. m. f. *Elect.* *Usus est egregii in Anorexia, ventriculi dolore, &c. Dos. ℥i, ad ij, &c.*

\* *Elect. Castitatis.* R Sem. vitic. hyoscyam. ā ℥i. camph. ℥ij. glyc. ℥iv. m. f. *℥.* adde Conf. Fl. nymph. ℥iij. Syr. de Nymph. q.s.f. *Elect.* *D. ℥ij. vel iij bis indies, superbibendo Serum chalybeat. & inungendo interim Renes, ac testes oleo Sem. Hyosc. express.*

*Elect. Chalybeatum.* R ♂ præp. ℥i. ♂ mundat. ℥ss. Pulp. passular. minor. ℥xij. ol. cinnam. vel caryoyh. gr. 40. m. f. a. *Datur utiliter in Chlorosi, Hydrope, &c.*

\* *Elect. Diarrhodi.* R Spec. Diarrhod. Abbat. ℥iv. Mivæ Berber. ℥iij. sacchar. alb. in ▽ Fragor. solut. ℥iij. m. f. *Elect.* *Dos. ℥iij bis in die, superbibendo haustum seri de sedo.*

*Elect. Ducis Sabaudiaë.* R Sarsaparil. ℥iii. Sem. ebuli ℥vi. Sem. hyperic. Fol. chamædr. chamæpit. ā ℥iij. Rad. angelic. ℥iij. aristol. rot. ℥vi. cinnam. ℥iiss. caryoph. ℥iv. croci ℥ij. m. f. *℥* subtr. & cum mell. despumar.



triplo f. Elect. D. ʒiij per annum totum, quotidie. Ad Arthritidem curandam optimum remedium.

\* *Elect. Epilepticum.* R Sterc. albiss. Pavon. siccat. Rad. pæon. mar. ā ʒij. Rad. Valerian. ʒi. sem. pæon. excort. ʒiij. carui ʒss. m f. ☿ : cui adde Mel. Anthosat. q s. m. Dos. ʒij, &c.

\* *Elect. Juniperinum.* R Bacc. junip. succulent. contus. tbi. infund. in Font. tbiij per ☿ 3. f. colat, adde sacch. opt. tbi. coq. ad Syr. crassior consistentiam. Tum adde Elect. è Sassafr. ʒiv. calam. arom. ☿ ar. ʒiss. macis ʒi. croc. ʒij. m. f. a. *Diureticum, Stomachicum, &c.*

\* *Elect. Lithontripticum.* R Tereb. Ven. ʒij. vitell. ovor. n° 2. exactis. mixtis adde ☿ ris sem. bardan. milii ☉ is ā ʒi. Alkekeng. ʒiij. lap. Judaic. ʒvi. Syr. de Alth. q. s. m. Dos. ʒij bis in die (præmissis præmittendis) superbibendo Aq. Senel. comp. ʒiv cum Syr. de Altb. ʒi.

*Elect. Macis.* R Macis in Oxyrrhodino per 24 hor. infus. & exiccat. ʒi. Sem. citri, cardui, lign. vitæ, ā ʒiss. fiat omnium ☿ subtilis. cui adde Spec. Liberant. ʒi. cort. citri condit. ʒi. Theriac. Androm. ʒiij. Conf. Borag.



Borag. & Lujul. ā ʒij. Syr. Lujul. q. s. f. f. Elect. *Uſus eſt in Peſte, ac morbis malignis.*

*Elect. Oxydorcicum.* R Succ. Rutæ & chelidon. depurat. ā ʒ4. mell. opt. tbi. coq. deſpumando ad debit. conſiſt. deinde adde Tris ſummit. euphrag. (nigris ſurculis) ʒij. ſem. ſœnic. d. ʒvi. cinnam. cubeb. caryoph. macis, macropiper. ā ʒi. m. f. Elect. f. a. *Ad uſum acuendum inſigne eſt Remedium. Doſ. ʒiij bis in die.*

\* *Elect. Paralyticum.* R Sem. ſinap. ſiccat. & pul. ʒv. ſem naſturt. ʒij. Syr. de ſucco ſalviæ tbi, vel q. s. f. Elect. *D. ʒſs quotidie per meſes aliqt. Optimum remedium.*

\* *Elect. Pectorale.* R Pulp. uv. paſſar. exacin. Pulp. conſ. roſ. r. Syr. Capill. ven. ā ʒ4. ſacchar. cand. Cat. ʒiij. Spec. Diatrag. frig. ʒſs. Sp.  $\Delta$  gt. 25. m. f. Elect.

\* *Elect. Piperinum.* R Piper. l. minutif. inciſ. ʒiſs. Cat. ſol. rutæ ʒſs.  $\gamma$  ʒv. Ther. Januens. ʒxij. m. *In colica, ventriculi dolore, &c. (poſt varia incaſſum uſurpata) ad miraculum hoc præſtitit.*

*Elect. Vermifugum.* R Fol. helleboræ ſtri Cat ʒij. Anaphromel. ʒvi. m. f. a. *Ad lum-*

*bricos necandos & educendos certissimum est remedium. Dos. ā ʒiv, ad ʒij.*

*Elixir Camphoratum, f. solvendo camph. ʒss, in Pyrœni croco tincti ʒvi, f. a. Utilissimum est in peste, tum præservando, tum curando. item, in passione hysterica. Dos. ʒi.*

*\* Elixir Propriet. Dulce, fit ex myrrh. aloës, croc. ā ʒi, Alcoh. v. ʒviiij, maceratis filtratisq; f. a. Usus est proficui in morbis malignis, hypochondriacis, uterinis; stomachi cruditate, & inde appetitu imminuto. Extrinsecus ulceribus sordidis mundificandis inservit.*

*Elix. Prop. Pestilentielle, f. ex myrrh. aloës, croc. ā ʒss, Sp. c. c. ʒij, unitis cum Alcoh. v. ʒiv. digestis & filtratis f. a.*

*Elix. Prop. Tartarifatum, f. ex myrrh. aloës, croc. ā ʒi, Tinctur. ʒis ☐ri ʒxij, digerendo filtrandoq; f. a.*

*Elix. Salutis. R̄ Fol. Senæ ʒiv. Lign. sanct. Rad. Enul. sicc. sem. anis. carui, coriand. glyc. ā ʒij. uv. pass. exacin. ʒviiij. ▽ Vitæ t̄vi. macer. in frig. per ☉ 4, dein. f. colat. per manic. Hipp. Sunt qui addunt Sal. ☐ri, Rhab. Scammon. &c. Dos. c. i, 2. b. jomni & 3, 4. manè.*

*Elix.*

*Elix. Vitæ.* R Nuc. m. macis, cinnam, opt. ā ʒi. caryoph. ʒss. Flaved. cort.aurant. & citri, ā ʒiij. croc. opt. ʒij. Pyrceni tbiij. Digere ac filtra s. a.

*Elix. Vitrioli.* R Cinnam. zz. caryoph. ā ʒiij. calam. arom. ʒi. galang. ʒiss. Fol. salv. menth. crisp. ā ʒss. cubeb. nuc. m. ā ʒij. xyloal. cort, citri, ā ʒi. f. ☿ adde sacch. cand. alb. ʒiij. Sp. V. tbijs. ☉ ☽ li tbi. extrahe Tincturam digerendo per ☉ 20. s.a. deinde filtra ad usum. *Stomachum ac intestina maxime confortat, & appetitum excitat. ab Epilepsia & Apoplexia præservat. Cerebrum purgat. Caput, totumq; corpus multis phlegmaticis catarrhis repletum exiccat, illudq; a dolore mirè tuetur. Dos. ʒss, ad ʒi.*

\* *Elleborus albus præp.* fit affundendo Rad. ☿ at. ▽ am Sptu ☽ li imprægnatam dissolutionis coralliorum : macerando per ☿ 24, & exiccando. Repet. opus ter. *Dos. ā ʒss, ad ʒss.*

\* *Emplast. Adhæsivum.* R Diachyl. limp. Diapalm. ā tbi. pic. Burgund. & Sarcocoll. ā ʒiv. tereb. ʒvi. vel q. s. m. s. a. *Pro Fontanellis apertis servandis, & tutandis ab inflammatione.*

\* *Empl.*

\* *Empl. Burgundicum.* R Pic. Burgund. ℥bi.  $\mathcal{C}$  caryoph. 3x.  $\odot$  stil. piper. 3iij. m. f. a. In Cephalalgia, Ophthalmia, Catarrhis, Vaporibus, &c. humeris & nuchæ applicatum usus est insignis.

*Empl. Camphoratum.* R Camphor. ʒiss. Bals. de Tolu, ʒi. galb. colat. ʒvi. m. Usus est in uteri suffocatione, vertigine, &c. umbilico adhibitum. vires & habet Emp. Diagalb.

*Empl. Catarrhale.* R Taccamah. carann. ā ʒiss. Emp. de Beton. ʒiij.  $\mathcal{C}$  succin. ʒi. caryoph. ʒss. cort. sassaf. & Winter. ā ʒij. Bals. Peruv. q. s. m. f.  $\Phi$ . Pro capite raso.

\* *Empl. Diagalbani.* R Galb.  $\mathbf{+}$  præp. ʒxij. ceræ ʒviiij. tereb. ʒv. m. f. a. Tophos, nodos, scrophulas, ac tumores duros, digerit, emollit, resolvit, eorumq; dolores sedat. Verrucas & clavos pedum tollit. Nervos ac uterum roborat.

*Empl. Diasulphuris Rulandi.* R Bals.  $\triangle$  ʒiij. ceræ ʒss. colophon. ʒiij. liquatis adde myrrh. opt.  $\mathcal{C}$  at. ʒiiiss. coq. f. a. Curat omnis generis ulcera, & vulnera quæcunq; infallibiliter.

*Empl.*

*Empl. Epispasticum.* R Pic. Burgund. ℥xviij. ol. olivar. ℥ss. liquatis adde cantharid. subt. pul. ℥iv. sem. Ammeos pul. ℥ij. f. massa admodum adhæsivum.

\* *Empl. Febrifugum.* R ℥ gum Lentisc. ℥vi. aloës ℥ij. Ꝟ ℥iij. Euphorb. staphisagr. Bacc. lauri, foenugræc. hyali Venet. ā ℥ij. fuligin. ex ligno contract. Ois nigr. ā ℥iss. tereb. ℥iij. vel q. s. m. f. *Empl. ☉ s. a. Carpis adhibitum horis 3 vel 4 ante accessionem paroxysmi, sæpe curat Tertianas, aliquando etiam Quartanas.*

*Empl. Hæmorrhoidale.* R Litharg. Dæ tbi. Axung. ℥i. vel q. s. contund. opt. ut f. ☉ convenienter dura, pro *Empl.* Fieri etiam potest *Suppositoria* ex eadem ☉ s. a.

\* *Empl. Laterale.* R Fl. ☐ ℥v. Rad irid. Flor. ℥ij. caryoph. ℥ss, cumin. ℥iss. ℥atis adde Picis naval. & Burgund. ā ℥iv. tereb. ℥iij. ☉ st. carui, Rhodii, ā ℥iv. m. s. a. *In doloribus pleuriticis multum facit, præmissâ phlebotomiâ.*

\* *Empl. Mammillare.* R Sperm. ceti ℥i. ceræ alb. ℥ij. galb. ✠ præp. ℥ss. ol. Samb. q. s. *In omnibus mammarum tumoribus, imò scrophulosis, lacte concreto, ædemate, &c. nil huic æquale.*

*Empl.*

\* *Empl. Nuchale.* R Gum Elem. tereb. ā  
 ʒss. olib. mastich. gum. tragac. ā ʒiij. Ꝟ  
 ʒiss. sem. psyll. myrti, balauft. ā ʒi. Euphorb.  
 ʒi. succin. ʒij. Pic. Burg. ʒviiij. carann. ʒx.  
 ☉ caryoph. Bals. Peruan. ā gt. vi. m. f. ☉  
 f. a. *Ad Odontalgiam tollendam pone aures ap-  
 plica. Ad defluxiones in oculos, Ophthalmiam,  
 &c. nuchæ adhibe.*

*Empl. Opiatum.* R Diachyl. magn. ʒiv.  
 ♀ viv. ʒij. opii ʒi. m. f. a. *Ad dolores ar-  
 thriticos & venereos mitigandos eximiè con-  
 ducit.*

\* *Empl. Paralyticum.* R ☿ Lumbricor.  
 ʒiv. calam. arom. ʒiss. galang. ʒvi. mellis  
 q. s. f. Empl. *pro membris affectis, nulli se-  
 cundum.*

*Empl. Podagricum.* R Opii, Sapon. Ven. ā  
 ʒss Emp. Diachalcit. ʒij. m. f. a.

*Empl. Saturninum.* R ꝑni alb. ʒiv. cre-  
 tæ alb. ʒss. myrrh. ʒij. āāā (ex p. ij. ♀, &  
 p. i ꝑni) ʒvi. Axung. veter. q. s. ad formand.  
 Empl. in mort. calido duræ consistentiæ.  
*Ulceræ callosa & maligna, imò pessima unā  
 solâ admotione curat, abluendo ea primò (si  
 sordida sint) aqua solutionis Lap. Salutis,  
 mox Empl. in alutam sat spissè extensum ad-  
 moveatur ulceri, & (si opus sit) Emplastro  
 Dia-*

*Diachalciteos contineatur, superinducta fascia lanea satis stricta, neq; removeatur ante 15 dies.*

\* *Empl. Scorbaticum.* R Fl. Hyperic. Fol. Pilosell. Veronic. mar. cochlear. marin. ā mii. absinth. com. mi. coq. in ☉ Ros. ʒvi ad herb. putrilag. expressioni adde sevi cer. vin. ceræ, Rhodomel. ā ʒiiss. Fl. Tritici ʒi. m. f. a. *Confert ulceribus & tuberculis Scorbaticis.*

\* *Empl. Smecticum.* R ʒni rub. ʒbis. ☉ ʒbij. sapon. alb. ʒiv. ceræ ʒij. coq. s. a. *Detergit ac resolvit. Dolores dorsi & juncturarum compescit. contusiones dissipat. Dolores subleuat podagricos. Abortum præcavet feliciter dorso & umbilico adhibitum, & continuò gestatum.*

\* *Empl. Soleare.* R Sevi ovill. ʒiv. pic. naval. refin. ā ʒviiij. thuris ʒxij. ʒ croc. ʒiss. caryoph. mac. ā ʒvi. cumin. ʒiss. labdan. ʒvi. m. f. a.

*Empl. Spasmicum.* R Picis naval. ʒiv. castor. Ol. costin. ā ʒi. m. f. ☉. *Titulus vires indicat.*

\* *Empl. ad strumas.* R Emp. è cicuta cum ammon. ʒiv. gum. elem. ʒss. ʒ corrosiv. ʒx. m. *scrophulis & strumis medetur.*

\* *Empl.*



\* *Empl. Synanchicum.* R Alb. canis ℥at. 3vi. mellis crud. 3viij. Fl. tritici. 3iiss. ceræ 3iv. ☉ Ros. 3vi, vel q. s. ut f. empl. f. a. *Adhibeatur jugulo & colli partibus post aures ubi dolor.*

*Empl. Tibiale.* R ♀ 3ij. solve in ♀ 3ij. adde Axung. porcin. 34. coq. in Vase fictili, continuò agitando rudiculâ ferri, ad consist. Empl. mollioris, & exhalationem humiditatis. Tum adde ceræ fl. 3i, ℥is mastich. & oliban. ā 3iij. m. f. ☉ f. a. *Ad nodos, &c. in Lue ♀.*

\* *Empl. Vermifugum.* R ℥ aloës 3i. colocynth. myrrh. ā 3iij. Fol. sabin. rutæ, absinth. tanacet. jugland. Rad. bryon. ā 3ij. ceræ, resin. ā 3iv. ☉ Rutæ. 3ij. m. f. ☉ f. a. *Pro umbilico. Vermes enecat ac educit.*

\* *Emulsio de Avellanis.* R Nucl. Avellan. n°40. sem. cannab. pepon. & melon. ā 3i. portulac. 3vi. amygd. d. decort. n°viij. contus. adde ∇ lact. simp. 3iiss. Ros. rub. 3iv. sacch. cand. 3ij. f. expressio. *Dos. 3ß bis in die cum priapi cervi 3i, ad Ardorem urinæ, Gonorrhæam, &c.*

*Emulsio Cathartica.* R Sem. Cartham. 3i. mann. opt. 3iij. Amygd. d. decort. 3ij. ∇æ Hordei, vel Ebsham. 3bij. f. Emulsio f.

\* *Emul.*



\* *Emulsio Expulſiva.* R Sem. citri decort.  $\mathfrak{z}$ ss. contus. adde  $\nabla$ arum Citri, Cardui Ulmar. Scordii comp. ā  $\mathfrak{z}$ ij. sacch. alb.  $\mathfrak{z}$ i. f. Emuls. f. a. *Dentur coch. 3 secunda quaq; hora, ad malignitatem variolarum, &c. expellendam.*

\* *Emulsio Cretacea.* R Cret. alb.  $\mathfrak{L}$ at.  $\mathfrak{z}$ ij.  $\nabla$  Hord.  $\mathfrak{t}$ ij. coq. ad  $\mathfrak{t}$ ij. adde frigesactis sem. 4. frig. major. ā  $\mathfrak{z}$ ij. amygd. d. n° viij. carui  $\mathfrak{z}$ ss. f. Emulsio, adde cret. subt.  $\mathfrak{L}$ at.  $\mathfrak{z}$ ij. Sacch. Perlat.  $\mathfrak{z}$ i, vel. Diacod.  $\mathfrak{z}$ iss, *pro re natâ.*

\* *Emulsio Daçtylorum.* R Daçtyl. (ossibus exemptis) n° 15. coq. in cerev. illupulat.  $\mathfrak{t}$ biiss. contund. Daçtyl. cum amygdal. d. n° 24. f. expressio cum cerev. dictâ : adde sacch. cand. & nuc. m. q. s. *Dos,  $\mathfrak{t}$ biis ter in die per dies 40 vel 50, in Abortu, Infirmitatibus dorsi, Gonorrhœa, Tabe, Tussi, Macilentia, &c.*

\* *Emulsio Pæoniata.* R Sem. pæon. decort.  $\mathfrak{z}$ i. contus. adde  $\nabla$ arum Rutæ, Ceras. n. Pæon. comp. ā  $\mathfrak{z}$ vi. f. emuls. adde sacch. perlat.  $\mathfrak{z}$ iss. *Dentur coch. 3 manè, & hora somni, præmisso Electuar. conveniente. In Epilepsia, Vertigine, Hemicrania, &c.*

\* *Enema*

\* *Enema Alexiterium.* R̄ Fol. scordii mi-  
sem. citri ʒiij. Fl. sambuc. chamæm. ros. rub.  
centaur. min. ā p. i. coq. in ∇ ont. q. s. co-  
lat. ʒx adde succ. cherm. ʒi. sacch. opt. ʒʒs.  
m. *Ad extrahendum venenum, &c. ab inte-  
stinis, &c.*

\* *Enema Colicum.* R̄ Decoct. com. (cum  
Bacc. junip. & sænugr. ā ʒiij. præp.) ʒx. In-  
fus. croc. metallor. ☉ Anethin. ā ʒij. Sapon.  
Castil. Elect. Lenit. ā ʒi. ☉ stil. Bac. juniper.  
ʒʒs. m. f. a. *In Colica, Iliaca, Calculo, &c.  
Insigne.*

*Enema Balsamicum.* R̄ Decoct. fort. Equi-  
seti ʒvi. ☉ Hyper. ʒvi. Bals. Lucat. ʒi. Pe-  
ruan. ʒiij. m. *Ad Dysenteriam, excoriationes  
intestinatorum sanandas, &c. maximè profi-  
cuum.*

\* *Enema Dysentericum.* R̄ Caput ovis  
mactati cum lana confract. (demptis lin-  
gua & cerebro) coq. in ∇ q. s. ad ʒvi.  
f. colat. pro enematis. Addi pt. Fl. cha-  
mæm. malv. alth. &c. vel, fieri pt ex Bu-  
tyr. insuls. ʒx. sang. dracon. ʒij. vin. rub. ʒij.  
Vel, ex Neogalact. ʒxij, opii ʒi. croc. ʒʒs,  
coctis, addendo sacch. alb. ʒʒs. vitell. ovor.  
n° 2. *Easdem vires obtinet cum priori.*

*Enema*

*Enema Hystericum.* R Decoct. cum ꝑx. camph. ꝑi. ☉ Rutac. ꝑss. mell. Mercurial. ꝑiij. m. f. Enema.

*Enema Oleosum.* R ☉ Lini ꝑiij. ☉ Chamæm. Aneth. ā ꝑij. Scorpion. Rutac. ā ꝑi. ☉ Tereb. ꝑi. m. *In Colica, Calculo, &c. Egregium.*

*Enema Terebinthinatum.* R Decoct. com. ꝑxij. Tereb. Ven. ꝑss. vitell. ovi unius. Syr. Viol. ꝑss. Diaphœnic. ꝑi. m. f. Enema s. a. *In dolore calculi valde proficuum.*

*Enema Vinosum.* R V. Hispan. ꝑxij. ☉ Anis. ꝑss. sacch. rub. ꝑiij. m. f. Enema, *ad Tormina.*

*Enema Urinosum.* R Sem. rutæ, dauc. cummin. ā ꝑij, Senæ, ꝑi. ☐ æ t̄b̄ss. coq. ad dimid. colat. adde Spec. Hier. simp. ꝑij. sacch. rub. ꝑiij. f. *Enema Hydragogum. valet in Hydrope.*

\* *Ens Veneris.* R ☉ li ♂tis opt. reverberat. & loti p. i. \* p. ij. ☐ a s. a. cum tribus cohobiis. *Anodynum est & pacificum. Usus est eximii in Rachitide, & vermibus infantum necandis. Proficuum in Pleuritide, ac uteri suffocatione. Obstructiones aperit, &c. Dos. gr. iv, ad xij.*

\* *Epicarpia*

\* *Epicarpia Febrifuga*. R. Helleb. alb. ℥ at. 3ss. ① 3ij. Pulp. ficuum q. s. ut f. ☉ Cataplasmatitis instar. *Carpis adhibend. horis 2 ante parox. Tertianæ.*

*Essentia Absinthii.* R. Sp. ardentis Herbae fermentatæ 3xij. ☉ stil. 3ij. extracti spissi. & ☉ is soluti, ā 3ss. Digere s. a. ad uniendum : dein filtra. Eodem modo parari pt *Essentiæ Cardui, Palegii, Hyssopi, &c.*

\* *Essentia Martis.* R. ♂ 3iv. Affunde guttatim in vitro capaci Sp. ① i 3ij, Sp. ☉ li rectif. 3ij, spatulâ ter vel sæpius versando. Tum diluatur ☉ (antè nimium compacta sit) Phlegm. ☉ li 3x : & efficietur Tinctura rubicunda, vel summè flava, quæ filtretur ad usum. *Potentur aperit obstructions cujuscunq; generis. Menses movet, & curat cachexiam, chlorosin, Hydropem, &c. Dos. gut. 5, ad 15.*

\* *Extractum Absinthii.* fit ex summitat. ficcis in Sp. V. digestis, ut Eliciatu Tinctura, quæ filtrata ad consist. Extracti evaporetur, addendo sing. uncis extracti, ☉ is Absinth. 3ss. Eodem modo fiant *Extr. Cardui, Centaur. Gentian, &c.* Vel, fieri pt ex succis depuratis, evaporando in MB s. a.

\* *Extract.*

*Extract. Albandal.* R Pulp. colocynth. à semin. opt. liberat. & ℥at. 34. glyc. anis. ā 3ls. ∇æ ψ filtrat. ℥4. Diger. ☉ 20. f. expres. & exhal. ad debit. consist. s. a. *Humores aquosos educit ad miraculum. Dos. à gr. 5, ad 15, & ultra.*

\* *Extract. Antiscorb. v. Aq. Antiscorb.*

\* *Extract. Chalybis.* R Succ. oxalid. depurat. ℥iv. Tamarind. 3i. coq. parùm, & clarifica. In isto macer. tepidè ☿ 3v per ☉ 4, sæpe agitando. f. colat. quæ in MB inspifsetur ad debit. consist. Vocatur & *Magist. Martis.* Aliter paratur cum succo pomor. vice Oxalidis & tamarindorum. *Dos. à 3ls, ad 3i.*

\* *Extract. Diatessaron.* R Spec. Diatessar. 3iij. Rad. angelic. 3i. zed. 3ls. sem. cardui 3ij. ∇ Scord. comp. Cardui, Melis. Angel. ā ℥bi. extrah. Tincturam s. a, & exhal. ad debit. consist. *Confert ad affectus frigidos, tum cerebri, ut Paralyfin, &c. tum ventriculi, ut Inflationem & ab ea dolorem, tardam coctionem: tum hepatis, ut Hydropem, Cachexiam, Obstructiones. Valet etiam efficaciter ad morsos venenatos, & potionem veneni.*

\* *Extract.*

\* *Extract. Draſticum.* R Scammon.  $\text{℥}$  at.  $\text{℥}$  iij. ſucc. aurant cum cortic. expreſſ.  $\text{℥}$  ij. Digere tepidè  $\odot$  vi. f. expreſſ. & exhal. ad Pil. conſiſt. Doſ.  $\bar{a}$   $\text{℥}$  ſs ad  $\text{℥}$  ſs.

*Extract. Ecphraſticum.* R Xyloal. galang. caryoph.  $\bar{a}$   $\text{℥}$  ſs. cinam. gent. cort. Winteran.  $\bar{a}$   $\text{℥}$  i. Rad. Raph. ruſtic.  $\text{℥}$  ij. Fol. calaminth. puleg. abſ.  $\bar{a}$  mi.  $\text{♂}$  cum  $\text{♀}$  præp.  $\text{℥}$  viij. V. alb. & Decoſt.  $\square$  ri albi,  $\bar{a}$   $\text{℥}$  iſſs. macer. f. a. colat. exhal. ad debit. conſiſt. addendo aloës  $\text{℥}$  i. myrrh.  $\text{℥}$  ij. *Micklethw. In morbo virgineo ac Scorbuto eſt efficaciffimum: magnas enim vires obtinet in aperiendis obſtructionibus, præſertim lienis, hepatis, uteri, ac meſenterii: adeoq; morbis indè natis ſubvenit.*

\* *Extract. Febrifugum.* R  $\text{℥}$  Cort. Peruvian.  $\text{℥}$  iv. centaur. min. Rad. gentian.  $\bar{a}$   $\text{℥}$  ij. ſerpent. Virgin.  $\text{℥}$  i. Sp. V.  $\text{℥}$  iv. vel q. s. extrahe Tincturam, & exhale f. a. *Titulus vires indicat.* Doſ.  $\text{℥}$  ſs, ad  $\text{℥}$  ſs.

*Extract. Fellis.* R Fell. bubuli in  $\odot$  exicc.  $\text{℥}$  ij. Sp. V.  $\text{℥}$  iſſs. extrahe Tincturam, & exhala f. a. *Conſert ad menſes ſuppreſſos.* Doſ.  $\text{℥}$  i, vel  $\text{℥}$  ſs indies. operatur per ſedem.

\* *Extract.*

\* *Extract. Ictericum.* R Sterc. ovill. rec. ℥iv. Rad. chelidon. 3x. curcum, ʒiss. lumbric. præp. 3vi. centaur. min. mii. ♂ præp. ʒij. succi limon. 3vi. ▽ cichor. ℥iv. Infund. 48. f. expres. quæ exhal. ad Pil. consist. addendo Lumbric. præp. ʒiss. corall. r. ebor. succin. ā ʒij. m. *Dos.* ʒss ter in die, superbibendo Decoct. Icteric. ʒiv.

*Extract. Maltæ comp.* R Fol. Tussilag. pulmonar. maculos. rec. ā 3vi. glyc. 3viij. uv. pass. exacin. ℥ij. cerev. illupulat. fort. debit. ætatis cong. vi. coq. ad consumpt. cong. 4. f. expres. fort. & exhala ad mellaginem. *Dos.* ʒij bis vel ter in die, in Phthisi, &c.

\* *Extract. Melampodii.* R Rad Helleb. n. veri cum fibris crass. Cat. 3vi. sem. anis. ʒi. Sp. V. ℥ij. Infund. tepidè per ☉ vi. f. express. & exhala. *Dos.* ʒss, ad ʒi.

*Extract. Paregoricum.* R Philon. Rom. ʒiss. Mithrid. 3v. Theriac. Lond. Diascord. ā 3ij. ▽ cardui ℥i. Sp. V. ʒij. macera, cola, & exhala f. a. *Proscium in morbis contagiosis, Catarrhis, doloribus, vigiliis, &c.*

\* *Extract. Pectorale.* R Fol. scabios. hyssop. heder. ter. ā mxij. marrhub. alb. jaceæ



ā mx. Tussilag. Helen. ā mxviiij. contus. exprimatur succus, depuretur, & ad mellaginem evaporetur s. a. *D. coch. i. ter in die, superbib. Decoct. Pector.*

\* *Extract. Peticum.* R Fol. peti exotic. ʒij glyc. ʒi. Fol. Afari rec. ʒx. sem. anis. ʒiiij. coriand. ʒij. Rad. angelic. galang. ā ʒviiij. macer. tepidè in Hydromel. ʒxxx  $\times$  24. f. expres. & exhal. ad debit. consistentiam. *Dos. ad ʒij. Crassos humores per vomitum & non-nunquam per secessum potenter expurgat. feliciter datur in Asthmate, & pulmonum tartaro, nec-non in febribus, præcipuè Tertiana, & Quartana. Utile etiam in Ictero, Hydrope, ac Arthritide.*

\* *Extract. Sarsæ. v. Aq. Sarsæ comp.*

## F.

*Febrifugum Salis. (i. e.) Sal Armoniac. Volatile.*

*Febrifugum Crollianum. v. Antifebr. Conch.*

*Febrifugum Riverii.* R Flor. ʒij ter cum \*co ʒator. & edulcatorum, Vitri ʒij in ʒiv  $\nabla$  (ex ① & ② factæ) ʒati, ā ʒls. ʒii cum  $\nabla$  (ex ①, ②, & ③ factâ) ʒati ʒvi. ④is in  $\nabla$  soluti ʒi. m. ac ʒa ex ⑤ gradatim



datim ad ficit. cum 12 cohobis. Tri quin-  
 quies loto & ficcato adde Alcoh. V. Itij. Quæ  
 ex  $\bigcirc$  novâ sexies cohobando. effunde Alc.  
 V. &  $\bigcirc$  calcis pone in  $\text{†}$ bullo benè lutato,  
 $\triangle$ e rotæ, per 3  $\times$ . Dein Alc. prædictum  
 Quatum super incende f. a. D. gr. vi. ad  
 Di, cum  $\bar{a}$  Scammon.  $\triangle$ rat. &c.

*Flores Antimonii.*  $\text{†}$ a  $\bigcirc$   $\triangle$ e forti, aut  
 per se, aut cum  $\therefore$ ; vel  $\square$ ro calcin. admi-  
 xto. Flores albis. colligantur, usuiq; serven-  
 tur. Vomitum nonnunquam promovent. Dos.  
 gr. 2, ad 4. Sudorifici sunt.

*Flor. Antim. Diaphoret.* fiant ex Flor.  
 $\bigcirc$ ij  $\bigcirc$ o  $\triangle$ ris irroratis, &  $\text{†}$ bullo clauso  
 calcinatis f. a. Viribus pollent cum priori-  
 bus.

*Flores Benzoïni.* f. ex Tre Benz. opt.  
 vasi vitreato indito, desuper ponendo char-  
 tam duplicem pyramidatam, & l.  $\triangle$ . Man-  
 do f. a. Flores chartæ adhærescentes (char-  
 tâ sæpius mutatâ) eximantur. v. aliter in  
*Pharmacop. Londin. Pulmonici, bechici, ac*  
*asthmatici sunt insignes, & Catarrhos sistunt.*  
*Sudorem movent. Dos. gr. 5, ad 12.*

*Flores Bismuthi.* R. Marcasit. calcin. &  
 $\ast$   $\bar{a}$ , &  $\text{†}$ a f. a. in cucurb. forti. *Cosmetici*  
*sunt celebrati ad dealbandam faciem, cum*

*duplici quantitate Pomati. Conferunt ad cutis Vitia, Lichenes, Impetigines, &c.*

*Flores Joviales. R $\bar{\text{z}}$   $\Psi$  p. i.  $\bigcirc$  p. ij.  $\sqcup$  a s. a. Ablue Flores  $\nabla$  a calidâ. Præstant magnopere in uteri suffocatione, tum intrinsecus quàm extrinsecus adhibiti. Dos. gr. ij, ad vi. repetitis vicibus.*

*Flores Salis. fiunt augendo  $\triangle$  em post Rationem  $\bigcirc$  i  $\ominus$  is, &  $\sqcup$  ando. Flores collo  $\bigcirc$  adhærescentes colligantur. Alexiterii sunt. Dos. ad  $\mathfrak{z}$  i.*

*Flores Salis Armoniaci, f. ex  $\ominus$  fusi &  $\ast$  a,  $\sqcup$  atis s. a. Diuretici, & Diaphoretici. Dos. gr. 5, ad 15.*

*Flor. Sal. Armon. Martiati, f. ex  $\mathfrak{z}$ , &  $\ast$  a  $\sqcup$  atis,  $\triangle$  ri exponendo  $\bigcirc$  m, miscendo cum dimid. quant.  $\ast$  ci, siccando, &  $\sqcup$  ando s. a. Tollunt perfectè cruditates ventriculi, cum Vino Absinthiaco, aut Decocto sassafras, sudorem promovendo. Optimè valent in Quartana.*

*Flores Sulph. Albi. R $\bar{\text{z}}$  Lap. prunell.  $\times$  2 calcinat. in  $\mathfrak{z}$  bulo optimè operculato cum carbonibus vivis supra operculum positis,  $\mathfrak{z}$  iij.  $\triangle$   $\mathfrak{z}$  vi. m. ac  $\sqcup$  a  $\triangle$  e  $\therefore$  x s. a. Lacti  $\triangle$  ris viribus æquivalent. Dos.  $\mathfrak{z}$  i, ad  $\mathfrak{z}$  ss.*

*Flores*

*Flores Viridis æris.* Solve  $\oplus$  in  $\otimes$  :  
dein filtra ac crystallisa s. a. *Summum est*  
*mundificativum in vulneribus.*

*Flores Vitrioli.*  $\ominus$  a  $\ominus$  fusi &  $\oplus$  li a, s. a.  
*Inserviunt plagis putridis mundandis, incar-*  
*nandis, & cicatricibus inducendis.*

*Flores Zinci.* f. uti *Bismuthi*; *easdemq;*  
*vires obtinent.*

## *Flos Cordialium ;*

Nec-non

## *Cardiacum Magnum.*

R Flor. siccat. Rorism. calthæ, tunicæ, su-  
perbæ, borag. buglos. ros. rub. ros. pallid.  
rorellæ, viol. actes, beton. aurant. jasmin. ā  
ʒi. croc. ʒiv. Fol. siccat. Card. ben. scord.  
angelic. apiastri, menth. amarac. valerian. ā  
ʒvi. Rad. Heptaphyll. zedoar. aristol. rot.  
caryophyllat. ā ʒss. gentian. ʒij. sem. ocimi,  
cort. citri, sant. citrin. Bac. junip. kerm. car-  
damom. ā ʒss. cubeb. ʒiij. cort. sassaf. &  
xyloal. ā ʒi. contusis contundendis adde Sp.  
V. ℥xxx. Post. macerat. debitam abstrahe  
per MB ℥xx: quæ servantur ad usum, nomi-  
natæ, *Flos Cordialium.* Residui fiat expres-

fio & colat. quæ per ulteriorem Rationem exhaletur ad mellaginem. Singulis hujusunciis accuratè admisce sacch. cand. alb. ℥ij. succ. chermesin. ℥i. Tinct. Corall. 3vi. margarit. præp. ℥ss. terr. figil. ℥ij. Bezoar Animal. Bez. orient. ā ℥i. ambr. gris. ℥ij. mosch. ℥ss. Fol. auri n° 20. m. f. a. ut fiat *Cardiacum Magnum*.

\* *Fotus Arthriticus*. R Salv. rorism. chamæm. artemis. hyperic. abs. vulg. ā mvi. ☉ nigr. miiij. coq. in ▽ cong. iij. ad ij. f. colat, pro fotu.

\* *Fotus Scorbüticus*. R Artemis. hyperic. cochlear. utriusque, chamæpit. ā miiij. abs. com. & Rom. ā miv. rorism. mij. Rad. raph. sylv. ℥iv. coq. in ▽ f. a. pro fotu.

\* *Frontale Cephalalgicum*, fit ex Rhodostagmatis q. s. in ✚, vel Sp. V. frixâ, inspergendo Iris nuc, m. ℥i. zedoar. ℥ss. camph. ℥ij. *Adhibe fronti & temporibus.*

## G.

*Galbanetum Hartmanni*. R Galb. p. i. Sp. Tereb. p. ij, Digere ac ☽a ex ☉ f. a.

*Galbanet. Sennerti*, f. ut suprà, addendo ☉ st. Lavendul. ℥i, & ☽ando f. a. *Ad membra*

*membra paralytica inungenda infigne remedium.*

*Gargarisma Album.* R Aq. Plantag. ℥iij. Ros. rub. ℥i. albumina ovorum in aqueam substantiam agitata n° 3. sacch. crystall. ℥i. m. f. Gargarisma. Vel R Rad. alth. ℥iij. Sem. cydon. ℥iss. coq. in Aq. hordei ℥iiss. ad ℥iiss; circa finem addendo liquirit. ras. ℥ij. colat. adde albumina ovorum agitata n° 2. sacch. crystall. ℥ij. m. f. Garg. quo os sæpè colluatur, & parùm sensim deglutiatur. Pro Aphthi, &c.

*\* Gargarisma Apoplecticum.* R Sem. sinap. Tat. Sp. castor. ā ℥ij. Oxyrrhodini ℥i. Mustarda s. a. cui adde Decoct. fort. roris. & beton. ā ℥i. Mel. Anthos. ℥ij. m.

*\* Garg. Scorbuticum.* R Roris. mi. caryoph. n° 40. Occhlear. ℥ij. omphac. ℥iij. coq. ad ℥iij. Ad gingivas putridas in Scorbuto.

*\* Garg. Synanchicum.* R Spong. sambuc. ℥i. Albi canis ℥vi. Fol. rubi mi. ros. r. mfs. geran. columbin. mij. ficus n° viij. coq. in ∇ q.s. ad ℥iij. colat adde † Sambucin. ℥i. Rhodomel. ℥iij. Ad ulcera oris, aphthas, &c.

\* *Gelatina Cornu Cervi.* R̄ C. C. ras. ℥vi. Font. ℔vi. infunde tepidè & coq. l. Δ. (vase clauso) ad 3 vel 4 X, ut fiat Gelatina. colat. adde succ. limon. ℥i. sacch. opt. ℥ij. *Restaurativa est in Tabe, &c.*

\* *Gelatina Corroborans.* R̄ Pedes 4 ovillos, 2 vitulinos. ras. ebor. Rad. Satyr. ā ℥ij. virgæ Hippopot. ℥i. c. c. 3x. Fol. alchimil. bellid. ā mij. Font. ℔x. coq. s. a. ad ℔iij. f. colat. adde sacch. cand. alb. ℥iij. Refrigeret & resideat Gelatina, auferendo pinguedinem ac sæces s. a. *Detur haustus manè cum Priap. cerv. pulv. ʒi, præmissis pilulis adstring.*

\* *Gelatina Ichthyocollæ.* R̄ Ichthyocoll. albis. incis. & contus. ℥ij. Font. ℔ij. coq. s. a. ad med. adde colaturæ Neogalact. ℔i. sacch. cand. ℥i. *Dos. ℔i bis in die. Ad Profluvium album, Gonorrhæam, &c.*

*Gilla Theophrasti,* Nihil aliud est, quàm  
⊕ album depuratum.

## H.

*Helleborus. v. Elleborus.*

*Hepar Sulphuris*, fit ex Flo.  $\Delta$  liquat.  $\mathfrak{z}$ iv, addendo Sal.  $\square$ ri purif.  $\mathfrak{z}$ iss, & miscendo opt. cum spatula agitando. remot. ab  $\Delta$  serva  $\Phi$ m ad usum. *Inservit Tincturæ & Syrupo  $\Delta$ ris præparandis.*

*Hercules Bovii. v. Aurum Vitæ.*

## I.

*Ignis Philosophicus. v. Phosphorus.*

\* *Infusio Arthritica.* R. Anthūs tbi. \* vclat.  $\mathfrak{z}$ i. Pyroeni t̄vi. Digere in Lagenâ opt. obturata in fimo equino  $\bigcirc$  40, dein insola  $\bigcirc$  20. f. expressio. *Applicetur in declinatione Arthritidis. extrahit valde frigidos, crassos, & flatuosos humores in articulis, & fortificat.*

\* *Infusio Benedicta.* R. Rad. polypod. qu. turpet. senæ opt. ā  $\mathfrak{z}$ vi. sem. carui  $\mathfrak{z}$ i. V. alb. t̄xij. macer. (vase clauso) super  $\mp$  calidos ad  $\mathfrak{X}$  24, colat. cum expressione factæ adde mann. opt. Syr. Ros. cum Agar. sacch. ā tbi. clarific. cum album. ovor. f. a. *Bilem u-*

E 4

tramq;



*tramq. cum pituita è capite, Ventriculo, aliisq. partibus insigniter educit sine fastidio. Dos. ℥iv, ad ℥vi.*

\* *Infusio Cachectica.* R Rad Enul. rec. incis. ℥vi, uv. corinth. incis. ℥viij. sacch. alb. ℥vi. V. alb. ℥iij. macer. in frig. ☒ 48, & cola. *Dos. ℥iv bis in die in cachexia, chlorosi, Dyspnæa, &c.*

\* *Infusio Ictérica.* R △ anserin. rec. ℥vi. Fol. chelidon. mij. V. alb. ▽ chelidon. simp. ā ℥i. Infunde tepidè ☒ vi. cum sacch. alb. ℥ij. f. colat. sæpe per manic. Hippoc. *Dos. ℥iv. bis in die.*

*Infusio Ireata.* R Rad. irid. nr. rec. incis. uv. pas. exacin. incis. sacch. alb. ā ℥vi. V. alb. cerevis. ten. ā ℥iij. macer dies 3, & f. colat. *Detur haustus manè & vesperi in Scorbuto, Hydrope, &c.*

*Infusio Sancta* R Guajac. ℥ix. ⊖ ☐ ri ℥iv. glyc. ℥iv. Digere tepidè in Hydropeg ℥xxx ad ☉ vi. dein. f. colat. *Alexipharmacum nobile habetur. Sanguinem mundificat, omnes obstructions & putrefactiones tollit, & sanitatem optimè præservat. In Scorbuto, Hydrope, Febris, Lue ♀, Arthritide, cæterisq; morbis tartareis multum facit. Dos. ℥vi quater in die.*

\* *Injectio*



\* *Injectio Alba.* R Troch. alb. Rh. ʒiij. camph. ʒi. solvantur in ▽ sperniolæ ʒxij. s. a. *Inflammationes & dolores mitigat. efficax admodum ad ulcera virgæ, Gonorrh.* &c.

*Injectio Auricularis.* R Anthūs mij. coq. in □ pueri th̄is ad th̄i. colat. adde Rhodome. ʒiv. m. *In Surditate, & dolore.*

\* *Injectio Benedicta.* R ▽ Benedict. ʒviij. ♀ d. subt. ℥at. ʒiij. m. exactis. s. a. *Vires habet Inject. alb.*

*Jovis Amalgama.* (i.e.) *crocus Jovis.*

*Julap. Antiscorbuticum.* R Vin. chalyb. th̄is. Tinct. sacre ʒiij. Sp. cochlear. ʒ.v. Sp. Lavend. comp. ʒis. □ ℥at. ʒi. Syr. Scellotyrb. ʒis. m. *Dentur, coch. ix omni manè.*

*Julap. Asthmaticum.* R Milleped. vivor. n° 400. contusis adde ▽ Hyssop. ʒvi. ▽. Limac. magistr. ʒis. sacch. cand. ʒiij. s. express. fort. *Dentur coch. 2 cum Decoct. Pector. ʒiij quarta quaq; hora calidè.*

\* *Julap. Cretaceum.* R Cretæ albis. ℥at. ʒi. sacch. opt. ʒis. ol. st. nucist. gr. iij. Hydropeg. th̄ij. misc. optimè s. a. *D. ʒiij pro vice sæpe.* Εν τῇ καρδιαλγίᾳ ἀεὶ 150ν.

*tramq. cum pituita è capite, Ventriculo, aliisq. partibus insigniter educit sine fastidio.*  
*Dos. ℥iv, ad ℥vi.*

\* *Infusio Cachectica.* R Rad Enul. rec. incis. ℥vi, uv. corinth. incis. ℥viij. sacch. alb. ℥vi. V. alb. ℥iij. macer. in frig. ☒ 48, & cola. *Dos. ℥iv bis in die in cachexia, chlorosi, Dyspnæa, &c.*

\* *Infusio Ictérica.* R △ anserin. rec. ℥vi. Fol. chelidon. mij. V. alb. ▽ chelidon. simp. ā ℥bi. Infunde tepidè ☒ vi. cum sacch. alb. ℥ij. f. colat. sæpe per manic. Hippoc. *Dos. ℥iv. bis in die.*

*Infusio Ireata.* R Rad. irid. nr. rec. incis. uv. pas. exacin. incis. sacch. alb. ā ℥vi. V. alb. cerevis. ten. ā ℥iij. macer dies 3, & f. colat. *Detur haustus manè & vesperi in Scorbuto, Hydrope, &c.*

*Infusio Sancta* R Guajac. ℥ix. ⊖ ☐ ri ℥iv. glyc. ℥iv. Digere tepidè in Hydropeg. ℥xxx ad ☉ vi. dein. f. colat. *Alexipharmacum nobile habetur. Sanguinem mundificat, omnes obstructions & putrefactiones tollit, & sanitatem optimè præservat. In Scorbuto, Hydrope, Febribus, Lue ♀, Arthritide, cæterisq; morbis tartareis multum facit. Dos. ℥vi quater in die.*

\* *Injectio*

\* *Injectio Alba.* R Troch. alb. Rh.  $\text{z}\text{ij}$ . camph.  $\text{ʒ}\text{i}$ . solvantur in  $\nabla$  sperniolæ  $\text{ʒ}\text{xij}$ . s. a. *Inflammationes & dolores mitigat. efficac. admodum ad ulcera virgæ, Gonorrh. &c.*

*Injectio Auricularis.* R Anthūs  $\text{mij}$ . coq. in  $\square$  pueri th̄is ad th̄i. colat. adde Rhodomel.  $\text{ʒ}\text{iv}$ . m. *In Surditate, & dolore.*

\* *Injectio Benedicta.* R  $\nabla$  Benedict.  $\text{ʒ}\text{viiij}$ .  $\text{♀}$  d. subt.  $\text{℥}$ at.  $\text{ʒ}\text{ij}$ . m. exactis. s. a. *Vires habet Inject. alb.*

*Jovis Amalgama.* (i.e.) crocus Jovis.

*Fulap. Antiscorbuticum.* R Vin. chalyb. th̄is. Tinct. sacre  $\text{ʒ}\text{ij}$ . Sp. cochlear.  $\text{ʒ}\text{v}$ . Sp. Lavend. comp.  $\text{ʒ}\text{ss}$ .  $\square$   $\text{⊕}$  lat.  $\text{ʒ}\text{i}$ . Syr. Scelotyrb.  $\text{ʒ}\text{iss}$ . m. *Dentur, coch. ix omni manè.*

*Fulap. Asthmaticum.* R Milleped. vivor. n° 400. contusis adde  $\nabla$  Hyssop.  $\text{ʒ}\text{vi}$ .  $\nabla$ . Limac. magistr.  $\text{ʒ}\text{iss}$ . sacch. cand.  $\text{ʒ}\text{ij}$ . s. express. fort. *Dentur coch. 2 cum Decoct. Peſtor. ʒij quarta quaq; hora calidè.*

\* *Fulap. Cretaceum.* R Cretæ albis.  $\text{℥}$ at.  $\text{ʒ}\text{i}$ . sacch. opt.  $\text{ʒ}\text{iss}$ . ol. st. nucist.  $\text{gt}$ .  $\text{ij}$ . Hydropeg. th̄ij. misc. optimè s. a. *D. ʒij pro vice sæpe.*  $\text{Ἐν τῇ καρδιαλγίᾳ ἀεὶ ὥν.}$

\* *Julap. Fragorum.* R̄ Fruct. fragor. matur. t̄b̄is. Hydropeg. t̄bi. Leuccen. t̄b̄is. sacch. alb. Syr. Limon. ā ʒiſs. macer. in frig. ⚗ 3, & cola. *In æſtu febrili refrigerat, &c.*

\* *Julap. Hysteric. Camphoratum.* Incende camphor. ʒij, & ſæpe extingue in ∇ Font. t̄bi, ad totalem camphoræ conſumptionem. Tum cola. *Dentur coch. 4, vel 5 ſæpe in paroxysmo.*

\* *Julap. Hyſt. Farinaceum.* R̄ Farinæ tritici puriſ. ʒij. ſacch. alb. ʒiſs. Hydropeg. ʒviii. Agitentur opt. in Phiala, ut f. Julap. albiſ. *Dentur ſæpius coch. 4. in paroxysmo.*

\* *Julap. Hyſt. Fætidum.* Solve Aſæ fœtid. opt. ʒiſs, in ∇ Ceras. n. ʒvi, ſine calore in mortar. frig, ut lacteſcat, ſ. a. *Sumatur coch. i initio paroxysmi, & repetatur poſt finitum ejus.*

\* *Julap. Hyſt. Mithridaticum.* R̄ ∇ Bryon. c. ʒvi. Mithrid. ʒij. Tinct. caſtor. ʒij. Syr. Ceraſ. n. Gran. Actes ā ʒiſs. m. ſ. a. *Dof. coch. i, vel 2 in languoribus.*

\* *Julapt. Hyſt Moſckatum* R̄ ∇ Naphæ ʒvi. Moſch. ʒiſs. ſang. drac. ʒi. m. *pro 2 dof. in parox.*

\* *Julap. Idæum.* R̄ Fruct. rubi Idæi rec. t̄bi. ſacch. alb. ʒij. Hydropeg. t̄b̄is. ſerva ſimul

simul in frig. ad  $\times$  3, & cola. *Bibatur ad libitum in æstu febrili ad sitim extinguendam.*

\* *Julap. Perlatum.* R  $\nabla$  Citri, Borrag. Melis. ceras. n.  $\bar{a}$   $\text{z}$ ij. Sp. ceras. n. vel Sp. citri  $\text{z}$ i. sacchar. albis.  $\text{z}$ vi. margarit. præp.  $\text{z}$ iss. Agitentur opt. s. a. *Dentur coch. 5, vel 6 in languor.*

*Julap. Purpureum.* R Syr. Viol.  $\text{z}$ ij. Sp.  $\oplus$  li gt. 30. Hydrocrith. vel Hydropeg.  $\text{lb}$ ij. m. s. a. *In febribus ardentibus ad sitim extinguendam utilissimum.*

\* *Julap. ad Rachitidem.* R  $\nabla$  Ling. cervin. cum 2 cohobiis  $\mathcal{Q}$ at.  $\text{z}$ iv. Conf. Alkerm.  $\text{z}$ ij. Syr. Caryoph.  $\text{z}$ i. Sp.  $\triangle$  gt. vi. Fol.  $\odot$  n<sup>o</sup> 2. m. s. *Julap. Elegans.* *D. coch. 2 bis in die. Miranda præstitisse narrant Dominae.*

*Julap. ad Sitim. v. Decoct. ad sitim.*

\* *Julap. Tartarifatam.* R  $\mathcal{C}$  sublt.  $\square$  alb.  $\text{z}$ i.  $\ominus$   $\square$   $\text{z}$ ss. V. alb.  $\text{lb}$ iiiss. m. *Dof.*  $\text{z}$ ij *bis in die per dies 8, in Icteria curanda.*

\* *Julap. Vitæ.* R Vitell. ovor. rec. n<sup>o</sup> 2. sacch. alb.  $\text{z}$ ss.  $\odot$  cinnam. gt. iij. V. alb. vel Hispan.  $\text{z}$ vi. exactiss. misceantur s. a. *In animi deliquio, viriumque maximâ debilitate, vel in moribundis auxilio fuit.*

\* *Juniperi*

\* *Juniperi Baccæ candefactæ*, f. irrorando Bacc. selectis. tibi vino Hispan. dein ex cribro sacch. opt. Cat. ꝑiv inspergendo, & lentè siccando s. a. *Sudorificæ, Hystericæ, Nephriticæ, &c.*

*Jupiter Diaphoreticus*, f. ex ☉o Florum Vis, in ▽ cocto, ☿ato, & edulcato s. a. Dos. à gr. iij ad x. Potenter sudorem movet. utilis in utero strangulato, Peste, Lue ♀, Podagra, &c.

*Jupiter Nitratus*, f. ☉m post Quotionem Flor. Vis coquendo in ▽, filtrando, exhalandoq; ad siccit. l. a. Dicitur & *Nitrum Foviatum*. Vires & dosis cum priori.

\* *Fusculum Galli*. R Gallum antiquum admodum fatigatum, donec lassitudine cadat. Tum trucida, depluma, exentera, farciaturq; ingredientibus idoneis. coq. in Font. q. s. (℥ 5, vel 6.) donec caro ab ossibus ferè decidat, & cola. *Nutritivum est & restaurativum in Tabe, Hæctica, &c.*

## L.

*Lac Aluminis*, fit ex  $\nabla$ æ album. ovor. 3vi,  $\mathbb{X}$ ris Ois 3i, Sp. V. 3ij, opt. & diu in vase vitreo conquassatis, ut f. instar Lactis. Arcanum habetur in Gonorrhœa, Profluvio albo, Mensibus immodicis, &c. Dos. coch. 2, vel 3 ter in die. Assumptum ad 3ij hora ante paroxysmum sæpe curat Tertianam.

\* *Lac Ammoniæ*. R Gum. Ammon. purif. 3ij. solve in  $\nabla$ æ Hyssop. frigidæ 3vi in mort. frig. s. a. Detur sæpe coch i pro vice in difficultate anhelitus.

*Lac Asæ fœtidæ*, v. Jalap. Hyss. Fœtid.

\* *Lac Benzoini*. R Sp. Benz. 3i.  $\nabla$ æ Hyssop. vel scabios. 3xij. m. s. a. Asthmaticum, Pectorale, &c.

*Lac Mercurii*, f. ex  $\mathbb{Q}$  corros. 3vi, fricatis & agitatis in disco stanneo cum  $\nabla$  fumar. 3xij, ut f. lactis instar s. a. v. *Vires in Aq. Mercurial.*

*Lac Saturni*. v. Magist. Saturni.

*Lac Scammonii*. R  $\mathbb{X}$  scammon. 3vi. affunde in mort. frig. paulatim  $\nabla$  cinnam. hordeat. 3vij, inter affundendum diu agitando. Liquor lactescens separetur à picea sub-



substantia, & servetur ad usum. Vocatur & *Liquor Acuens*. Dos. coch. i. suaviter purgat.

*Lac Sulphuris*. R $\Delta$  p. i.  $\Psi$ , vel  $\Theta$   $\square$  p. iij. coq. in  $\nabla$  æ q. s. ad  $\Delta$ ris solutionem: filtra calidè,  $\nabla$ a cum  $\clubsuit$  vel Sp.  $\odot$ i, edulcora & sicca s. a. *Balsamum est pulmonum consumens & exiccans, valet in Catarrhus, Asthmate, Tussi, Phthisi, Colica, &c.* Dos.  $\mathfrak{z}$ ss. ad  $\mathfrak{z}$ i.

\* *Lapis contrayerva*. R Magist. c. c. coral. alb. rub. margarit. succin. alb. ocul. 69,  $\bar{a}$  3j. Rad. contrayerv.  $\mathfrak{z}$ ss. apic. nig. chel. 69  $\mathfrak{z}$ ij. omnibus ritè præp. & commistis adde Gelatin. viperar. q. s. ut f. Globuli, foliis  $\odot$  obducendi, atque cautè siccandi, s. a. Sunt, qui addunt Ambr. gris.  $\mathfrak{z}$ ss. *Cardiacus, Alexiterius & sudorificus insignis est. Valet maximè in Peste, Variolis, Morbillis, Febribusq; malignis omnibus.* Dos.  $\mathfrak{z}$ ss, ad  $\mathfrak{z}$ ss.

*Lapis de Goa*. R Lap. Hyacinth. Topas. Sapphir. Rubin. Margarit.  $\bar{a}$  3i. Smaragd.  $\mathfrak{z}$ ss. Bezoar orient. Corall. alb. rub.  $\bar{a}$  3ij. Mosch. Ambr. gris.  $\bar{a}$   $\mathfrak{z}$ ss. Fol.  $\odot$  n° 40. F.  $\mathcal{X}$  subtilis, qui cum Ros. in pastam subactus efformetur in Pilas oblongas, ovulis non absimiles, in umbra probè siccandas. Po-  
stea

stea Dentalio, Entalio, seu ullâ aliâ hujusmodi  
conchâ accuratissimè (ut eleganter niteant)  
poliantur f. a. *Easdem obtinet vires cum  
priori. Præterea specificus est contra Spas-  
mum & contracturas. Dos. à ʒi, ad ʒss, &  
ultra.*

\* *Lapis Medicamentosus.* R. ⊕ alb. ʒiv.  
\* ʒss. O, ceruss. ℞ ā ʒi. m. f. ☞ coq.  
cum ✚ q. s. ad lapidis duri consist. f. a. *Vir-  
tutes hujus variæ sunt. Ulcera & defluxio-  
nes tollit : Vulnera inveterata desiccant :  
Erysipelas, Scabiem, Tineam, &c. curat.  
Modus utendi ita est. Lique scat ʒi in Aquæ  
pluvialis tbi, & filtra. Dein utere, tum lavan-  
do, tum linteolum imbuendo ac imponendo.*

*Lapis Salutis.* R. \* ʒi, O, ℞, ā ʒij. ⊕  
virid. ʒvi. ⊕ ʒiij. ceruss. ʒij. m. f. ☞ coq. l.  
△. cum ✚ q. s. donec. redigantur omnia in  
lapidem durum. *Easdem vires habet cum  
priori Lapide.*

*Laudanum liq. Cydoniat.* R. Opii correct.  
ʒiv. croc. ʒij. succ. cydon. tbiiss. Flor. cere-  
vis. coch. 4. fermententur simul in digestio-  
ne, donec subsident crocus & opium, exprime  
& filtra : adde liquori cinnam, ʒij. caryoph.  
xyloal. sant. citr. ā ʒi. Digere ☉ 14. filtra &  
exhala ad dimid. *D. Willis. Dolores maxi-  
mè*

*mē sedat, somnum inducit, omnes fluxiones sistit, ardorem mitigat, naturam confortat, inquietos Spiritus in Phrenitide, Arthritide, Epilepsia, &c. compeſcit. Odontalgiam mirē sedat (impositum).*

*Laudan. liq. Tartarifat. R Opīi ℥ij. croc. ℥i. cinam. caryoph. mac. nuc. m. xylōal. ā ℥i. Tincturæ Ois ☐ri ℔ij. Digere dies aliquot. filtra et exhala ad dimid. Vires & dosīs cum superiori.*

*Laudanum sine Opio. R Myrrh. opt. mumiæ, sant. rub. citr. ā ℥iss. macis, cardamom. piper. galang. ā ℥ivss. Sp. V. ℔ij. extrahe Tincturam f. a. cui filtratæ admisce Atris ☉li narcotici ℥ij, & digere per mensem: deinde ad mellagin. exhala, addendo croc. ℥ivss. Sal. perlar. ℥iss, ut f. ☉. f. a. Anodynum est potentissimum. Omnes fluxiones, catarrhos, tusses, &c. sistit: Atq; easdem habet virtutes cum præcedente.*

*Laudan. Starkii. v. Pil. Matthæi.*

— \* *Linctus Benedictus. R Sapon. Ven. V. Bened. ā ℥ij. Lohoch Sani ℥ij. Syr. Jujubin. Tussilag. Cap. ven. ā ℥i. m. f. artem pharma. copoëticam. Dicitur & Linct. Potentialis. Detur coch. i quarta quaq; hora. Potenter expectorationem promovet.*

\* *Linctus*

\* *Linctus Expectorans.* R<sup>r</sup> Smegmat. Castil. ʒiiss. ☉ Amygd. d. Syr. Viol. ā ʒiiss. sacch. alb. q. s. m. f. a. Vel, R<sup>r</sup> Lohoch Domest. ʒiij. Smegm. Castil. ʒi. m. *Idem facit cum supradicto.*

*Linctus Hæmoptoicus.* R<sup>r</sup> Lap. Hæmatit. Gum. Arab. succin. alb. ā ʒij. amyl. ʒss. glyc. ʒi. albumin. ovor. q. s. m. f. Linctus; *subinde lingendus cum bacillo liquirit.*

\* *Linctus Synanchicus.* R<sup>r</sup> Pulp. Cons. ros. r. ʒij. Rob granor. Actes ʒi. Rhodomel. ʒiiss. cynocopri ʒat. ʒvi. m. f. a. *Detur coch. i sæpe in Angina, &c.*

\* *Linimentum Melluminatum.* R<sup>r</sup> ʒris Aquileg. salv. menth. nuc. m. ā ʒss. O usti ʒi. mellis ʒiv. m. *Adulcera gingivarum, inflammationes, laxitatem, &c.*

\* *Linimentum Simplex.* R<sup>r</sup> Succi Solatri, ☉ Ros. ā ʒxx. coq. ad succi consumpt. colat. adde Litharg. cerus. ā tbi. m. f. a. *Valet in mammarum Cancro, Rosâ, Erysipelate, &c.*

\* *Linteum Crocatum;* fit coquendo linteum cum croci ʒss in ∇ Rutæ, & exiccando. *Hoc perpetuò sub mento, variolis durantibus, gestandum.*

*Liquaen.*

*Liquamen Silicum.* R̄ Silic. ust. p. iij. ☉is  
 ☐ri per ☉ calcinat. ℥iv. exactè misce, &  
 per vices in ☩bulum candens injice, urgen-  
 do Δem s. a. Postea ☿m Δri expone, ut  
 solvatur per deliq; s. a. *Ad tartaream mucilaginem incidendam, calculum resolvendum, ac proinde ad obstructions referandas multum facit.* Dos. gt. 20, ad 30, in liquore conven.

*Liquamen Sulphuris.* R̄ Fl. Δ, sacchar. cand. alb. ā ℥i. m. f. ☿. Induratis 4 ovis (exemptis vitellis) include, & probè ligata suspende supra prunas, ut Liquamen exudat: quod serva ad usum. *Pectorale est egregium in Asthmate, Tussi, Phthisi, Pleuritide, &c.* Dos. gt. 20, 30, &c.

*Liquor Acuens. v. Lac Scammonii.*

\* *Liquor Cephalalgicus.* R̄ Camph. 3j. solve in Pyrœni ℥ij. qui Rhodostagmatis q.s. excipiat in disco, calfaciendo ad mediocrem siccit. Tum insperge ☿ nuc. m. ℥i. zedoar. 3ss. *Fronti adhibe in cephalalgia.*

*Liquor Limacum,* fit ex Limac. rubr. concis. & ☉, ā, in manic. Hippocr. injectis, & in cella suspensis, ut defluant in liquorem, servandum ad usum. *Dolores podagricos mitigat illitus. verrucas curat. optimè valet in Atrophia*

*Atrophia membrorum, illinendo cum isto calefacto, & tegendo sæpe lanâ carptâ. Mulier quædam cum guttulis hujus aliquot ex haustu cerevisiæ solebat curare Tussim Infantum singultuosam.*

\* *Loboch Album, f. ex ☉ Amygd. d. rec. & Sacch. Penid. ā, exactis. ita mixtis, ut in ☉m unam homogeneam conspirent albissimam. Fieri nequit sine arte Pharmacopæi.*

\* *Loboch Domesticum. R ☉ Amygd. d. rec. ℥iv. Syr. Jujubin. Capill. ♀ ā ℥ij. sacch. alb. ℥ij. misc. exactis. in mortar. marmor. f. a. Confici etiam pot multò elegantius ac inseparabilius (si Ars non desit Pharmacopæo) sine ullâ sacchari additione. Expectorationem promovet.*

*Luna Potabilis. R ☽ Catæ ℥i. ☉ ℥ij. \* 3j. m. ac reverbera ☉ viij. Ablue à falsedine, & extrahe Tincturam cœruleam ope Sp. ☉li dulcis, decanta ac abstrahere. Usus est maximè in morbis capitis, & in primis Epilepsia. hydropicam aquam exiccat. Dos. gr. 4, 5, 6, &c.*

## M.

*Magist. Antim. Diaphoret. f. ex ☿ Dia-*  
*phor. in ▽ cocto & filtrato, affundendo*  
*Om solutum, ☿ando ac abluendo s. a.*  
*Dof. ʒß, ad ʒi, vires obtinet ceruss. ☿ij.*

\* *Magist. Benzoïni, f. ex Benz. albis. in*  
*Pyroeno soluto, ☿ando ▽ â Lactis, & sic-*  
*cando s. a. Dof. ʒß, ad ʒi. Pectorale est no-*  
*kile.*

*Magist. Bismuthi. R. Marcasitæ ☿ataæ*  
*p. i. Solve in Sp. ☿i rectif. p. iij. ☿a ▽ â*  
*falsa, edulca & sicca s. a. Confert ad cutis*  
*vitia, Lichenes, Impetigines Scabritiem ma-*  
*nuum, & simil cosmeticum est insigne.*

\* *Magist. Git. R. Gum Git. puris. ʒiij.*  
*Tinct. Ros. r. thiss. succ. limon. thiss. Sp. ☿li*  
*ʒi. macera ac evapora ad consist. extracti :*  
*vel f. ☿. Fieri etiam p. ex gum Git. ʒij, ☿*  
*☿ri p. d. ʒi, Sp. V. ʒvi, digestis ac evapo-*  
*ratis s. a. Purgat ἀντὶ τῆς κίττου, præcipuè hu-*  
*mores serosos. Usus est proficui in Hydropē,*  
*Scabie, Pruritu, &c. Dof. gr. x, ad ʒß.*

\* *Magist. Jovis, f. ex Fl. ☿ial. in ▽ se-*  
*lut. & filtratis, ☿ando vel ☿o ☿ p. d.*  
*vel ☿ne soluto, edulcando sæpe ▽ tepi-*  
*dâ,*



dā, & exiccando. *Dof. gr. 4, 5, 6, &c. v. Salis Jovis Vires.*

*Magist. Lithargyrites; v. Sal Litharg.*

*Magist. Lunæ. v. Vitriolum Lunæ.*

*Magist. Marris. v. Extract. Chalybis.*

*Magist. Saturni. coq. ℥ rubr. in ☿: filtra, ☿ a ☉ o ☿ li, & edulca f. a. Usus est in Phthisi, Hæctica, Febribus ardentibus, aliisq; inflammationibus internis. Item in Quartana, Lienis affectibus, Colica, & Lue ♀ rea Secretum est. Dof. gr. 4, 5, 6, &c. Externe valet in Putredine oris, Ulceribus malignis, cancerosis, Lupo, Fistula, Ambustis, Pustulis faciei rubris, Rubedine oculorum, &c.*

*Magist. Sulphuris. v. Lac Sulphuris.*

*Magist. Tartari. R̄ ☿ is ☐ ri q. v. Impræ-  
gna. ✚ opt. donec ☐ nil ampliùs aciditatis  
retinere velit. dein affund. Sp. V. eumque  
abstrahe, aliquoties cohobando: Tandem  
repone ☐ ad liquefendum, & habebis O-  
leum rubrum, per inferiora purgans. Utile  
est in omnibus morbis deploratis. Dof. ℥ss ad  
℥i.*

*Magist. Turpethi. R̄ ☿ q. f. coq. in ∇  
pluviali ad solutionem. filtra, & cum ☉  
☐ p. d. ☿ a; Tandem edulcora ∇ ☿ atā  
f. a. Insigne est in Lue ♀ rea, Tinea, Scrophu-  
lis,*

lis, &c. Dos. ℥ss, ad gr. xv, cum Conf. Hammech, ʒij, vel iij.

*Magnes Præp.* f. ex Tris candefacti in ♁bulo, & ☉i ♂tis ā, l. △. exhalando f. a. Cum cera mixt. in Emplastr. dolores podagricos mirè mitigat.

*Mars Diaphoreticus.* ♁a \* cum ā ♂ f. a. ♁atum solve in exigua quant. Font. filtra, & ♁a affundendo guttatim ☉ ☐ p. d. vel Sp. \*ci. ♁atum exicca f. a. Sudores movet, & diureticus est. Eximii usus in Melanch. hypochondriaca, Quartana, &c. Dos. ℥ss ad ʒi.

*Mars Fulminans.* R. ☉ ʒivls. ☉ ☐ ʒiis. △ ʒj. m. f. pul. f. a. Diureticus, & menses movet, &c.

*Mars Potabilis.* Solve Chalyb. ☐risatum in Font. filtra, & coagula f. a. Optimè valet in Cachexia, Hydrope, Scorbuto, Chlorosi, Quartana, &c.

\* *Masticatoria.* R. Mastich. ʒiij. pyreth. staphisagr. ā ʒij. Rad. angelic. ʒis. cubeb. nuc. m. ā ʒi. euphorb. ʒis. ceræ q. s. f. ☉ : ex qua fiant Masticatoria f. a. sc. f. globuli, vel pil. Majores, sæpe masticandæ. Sputaionem promovent : Cerebrum purgant. Valent in Auditu depravato, Paralyfi, & morbis capitis frigidis. Odontalgiam curant. Mater

*Mater Balsami. v. Balsam. Paralyt.*

*Mel Saponis.* R Sapon. com. mellis ā  
 ʒiv.  $\ominus$   $\square$ ri ʒss.  $\nabla$  Fumar. ʒij. m. f. a.  
*Cosmeticum est, inserviens apprimè manibus*  
*& faciei lavandis ac dealbandis. valet eti-*  
*am in ambustis, inflammationibus, podagra,*  
*&c.*

*Mercurii Purgatio, Diversimodè perfici-*  
*tur. Vel trajiciendo per alutam. vel lavan-*  
*do cum  $\mathbf{\Gamma}$  &  $\ominus$  mixtis; aut cum  $\nabla$  &  $\Psi$ ,*  
*sæpius agitando. Vel fortiter agitando cum*  
*Sp. V. in vitro obturato. Vel  $\mathcal{L}$ ando in ::.*  
*per  $\mathbf{O}$  m  $\triangle$  e forti; idque per se, vel addi-*  
*to  $\ominus$  e  $\square$ ri,  $\Psi$ , &c. vel  $\mathbf{a}$ ando cum  $\odot$*   
*vel  $\mathcal{D}$ , ac postea per  $\mathbf{O}$  à corpore admixto*  
*separando.*

\* *Merc. præcipitat. Albus.* Solve  $\mathcal{Q}$  in  
 $\nabla$ :  $\mathbf{a}$   $\nabla$   $\mathbf{a}$  falsa, ablue, exicca. *Albus*  
*subdulcis.* Solve  $\mathcal{Q}$  in Sp.  $\odot$ i,  $\mathbf{a}$  cum  
 Sp. V. sicca, & sæpe combure cum Sp. V.  
 f. a. *Dosis eadem cum  $\mathcal{Q}$ io dulci. Usus in*  
*Lue  $\mathcal{Q}$ , Hydrope, Podagra, Ictero, &c.*

*Merc. præcip. correctus.* R  $\mathcal{Q}$  per  $\ominus$  &  
 $\mathbf{\Gamma}$  purgat. ʒij.  $\nabla$  duplic. ʒviij. Abstrahe  
 $\nabla$  em ex ::, cohobando. Tum mriæ tritæ  
 affunde  $\odot$   $\oplus$  li ʒij. Digere, &  $\odot$  m abstra-  
 he. super  $\mathcal{Q}$  m affunde Sp. V. Digere  $\odot$  iij:  
 decanta,

decanta, aliumque Sp. V. affunde; idq; 3 t̃ia  
vice repete: tandem sicca. *Dof. gr. 3, ad*  
*10. Purgat per inferiora. in Lue ♀ rea cu-*  
*randa præstantissimum remedium.*

*Merc. præcip. fixus.* R. ♀ purgat. ʒiij. \*  
ʒiss. Fl.  $\triangle$  ʒij. m. &  $\square$ a:  $\square$ atum cum  
sacibus tritum  $\square$ a iterum: dein auge  $\triangle$ em  
ut candescat. id quod in fundo remanet fix-  
um *Panacea Vocatur. Omnes humores noxios*  
*exiccat, perq; diaphoresin expellit. Dof. ʒß,*  
*ad 3ß.*

*Merc. præc. Flavus. (i. e.) Turpeth. mi-*  
*ner. Dof. à gr. 5, ad 10. Easdem habet vires*  
*quas Arcan. Corallinum.*

*Merc. præc. griseus.* Turpeth. mineral. in  
 $\nabla$ rof. lotum & siccatum imbibere cum Py-  
rœno, & (addit. camph. in Pyrœno solut. ā,) v.  
l.  $\triangle$ . Pyrœnum abstrahere s. a. *Dof. ā gr. iij,*  
*ad viij, &c. Purgat per inferiora.*

*Merc. præc. Incarnatus.* ♀ ʒi in  $\nabla$  ʒij cu  
solutæ adde  $\nabla$  fervidæ ʒiij.  $\square$ a  $\square$ â rec  
ablue ac sicca s. a. *Solùm per secessum mo-*  
*vet. Virtutes obtinet Arcani Corallini. Dof.*  
*gr. vi, ad xij.*

*Merc. præc. Laxativus, f. ex ♀ cum*  $\odot$   
 $\oplus$ li, vel  $\triangle$  in  $\therefore$  æ B. crystallisato, & in  
 $\oplus$ bulo indito ut per horam candesciat ope  
 $\triangle$ is

$\Delta$ is : dein in  $\nabla$ am calidam projecto, ut f.  $\mathcal{U}$  flavus.  $\nabla$ am decanta, lava, exicca, & Sptum V. supra eum incende s. a. *Purgat  $\alpha\nu\omega$   $\eta$   $\kappa\epsilon\iota\tau\omega$ . Dos. gr. 3, ad 10. mirè proficius in Lue  $\mathcal{Q}$ rea extirpanda, Podagra, Ictero, Hydrope, Scabie, &c.*

*Merc. præc. per se.*  $\mathcal{Q}$  pone in vitrum infernalem, exactè in  $\therefore$  colloca, & gradatim auge  $\Delta$ m, donec  $\mathcal{Q}$  in  $\mathcal{U}$ rem rubicundis. conversus sit. Abluc Sptu V. *opus est multorum dierum. Sudores valde movet. Lucem  $\mathcal{Q}$ ream sexies vel septies exhibitus penitus eradicat. Febres omnes tollit. Lumbricos eliminat. ut plurimum vomitum quoq movet sat violentum. Dos. gr. 3, ad 6. præstantior erit præcipitatus, si fiat cum parte octavâ  $\odot$ is.*  
v. infra.

*Merc. præc. Ruber.* Solve  $\mathcal{Q}$  p. i, in  $\nabla$  p. ij. Abstrahe  $\nabla$  à  $\mathcal{Q}$ io per  $\mathcal{U}$ ationem  $\mathcal{U}$  cum tribus cohobiis, donec in  $\mathcal{U}$ rem rubrum evadat. *Vires imitatur præcedentis.*

*Merc. præc. Solaris per se.* t. ex  $\mathcal{U}$ l. l. l. facto ex  $\mathcal{Q}$   $\mathcal{U}$ iv cum  $\odot$  per  $\mathcal{U}$  fusi  $\mathcal{U}$ is, in vitro infernali posito ut supra, mriam sæpe eximendo, & conterendo, s. a.

*Merc. præc. Viridis.* R  $\mathcal{Q}$   $\mathcal{U}$ iv.  $\mathcal{Q}$   $\mathcal{U}$ is. Solve separatim in  $\nabla$ , & misc. postea. ab-

strahe Fem, digere ☿atum cum ☿, filtra  
ac sicca s. a. *Specificum est in Gonorrhœa vi-*  
*rulenta, quam nimiam tollit, insufficientem*  
*promovet: ideoq; quotidie continuandus ejus*  
*est usus, donec omnis fluxus sedatus sit. Dos.*  
*gr. ij, iij, ad viij.*

*Merc. sublimat. Ruber ☿ Flavus. R. ♀.*  
⊙, ⊕ calcin. ā 3vi. exactè mista ☿a: cum  
☿ato misce ⊙ & ⊙ parùm calcin. ā 3iij.  
Impasta ☿to, & ☿a iterum. Rubrum ā  
flavo separatum seorsim ▽ā abluē, & Sptum  
V. supra utrumque incende s. a. *Purgat præ-*  
*cipue per inferiora, magnumq; Secretum in*  
*Hydrope, Lue ♀, Podagra, Scabie, Ulceri-*  
*bis, Cancro, ☿c. Dos. gr. 5, 6, 7, ☿c.*

*Merc. Vitæ correctus. ♀m Vitæ in phiala*  
△e ::æ fove, donec rubere inceperit: post-  
modum Sp. V. sæpius ab eo abstrahe s. a.  
*Purgat sat benè per alvum, Impuritatesq;*  
*quascunq; educit. Dos. gr. 4, 5, 6.*

*Merc. Vitæ purgans. Si ♀m vitæ cum*  
⊖ aliquoties teras, & falsedinem postea per  
▽am abluas, vim solam purgandi per se-  
dem obtinebit. *Dos. ā gr. vi, ad xij.*

\* *Miva Borriginis. Coque Rad. Borriginis*  
ad mollitiem, contus. trajic per setac. cujus  
R. tbi. & sacch. opt. tbi. coq. ad mivæ con-  
sist. s. a.

\* *Miva*

\* *Miva Consolidæ*, f. ex pulp. Radic. & Sacch. ā, ut suprā, addendo sing. libris nuc. m. 3vi. *Usus in Hæmoptysi, Rupturis, &c.*

\* *Miva Dialthææ*, f. ex pulp. Rad. & sacch. ut suprā, addendo sing. libris mivæ nuc. m. 3i.

\* *Miva Satyrii*, f. omnino ut suprā cum nuc. m. additā. *Venerem stimulat, &c.*

*Mixtura Anticolica.* R Mann. opt. 3ij. Crem. ☐ri, Sperm. ceti, ā 3ij. m. *Detur in haustu jusculi pulli. Remed. probatiss.*

\* *Mixtura Simplex.* R Sp. Theriacal. camphorat. 3x. Sp. ☉li 3ij. Sp. ☐ri rectific. 3vi. Digere in phiala hermetice obsignata ad 3 septiman. ut uniantur exactis. f. a. *Ciet sudorem, resistit putredini: in Febribus malignis admodum proficua. Dos. 3i, plus minus.*

\* *Mixtura Tubularis* R Cort. extern. pistach. 3ij. Fol. tussilag. beton. rorism. sicc. ā 3iij. Incidantur, & adde Xylagii præp. 3iij. succin. alb. olib. cras. contus. ā 3iss. gum. Lentisc. 3i. ol. st. nuc. m. 3i. f. *Mixtura: instar Nicotianæ haurienda.* Vel R Fol. beton. tussilag. ā 3ij. Anthûs, cort. pistach. extern. ā 3i. Sem. Cardamom. min. 3iss. Incide f. a. Adde ☉anif. gt. xvi. ☉cinnam.



gt. viij. m. Aliqui addunt Nicotian. opt. præp. ʒi. *Utilis est præcipue in Catarrhis exiccandis, Defluxionibus sistendis, Tussi, &c.*

\* *Mucilago Nephritica.* R Gum. Tragac. ʒiss. Arabic. ʒij. ceras. ʒss. Ros. rub. ʒxx. ▽ Plantag. Portulac. ā ʒiiss. macer. in frig. X 48. colat. adde sacch. cand. alb. ʒiv. m. D. ʒ4 bis in die cum Aq. lactis haustu, præmisso Bals. Peruan. ʒi in Pil. cum pulv. glyc.

## N.

*Nitrum Antimoniatum.* R ⊕ in ♣bulo liquati, p. iij. paulatim injice Vitri ♂ per se facti, p. i. Hisce unitis, effusis, ☿atiffue, elue ⊕m ▽â: filtra ac crystallisa s. a. Dos. gr. 5, 6, 7, &c. in Febris malig. nis, Hydrope, Lue venerea, &c.

*Nitrum Cachecticum.* R ⊕ li ʒtis p. 4. Arcan. duplic. p. 5: ⊕ p. 7. m. ac in :: ad rubed. calcina. s. a. Summè confert in Appetitu prostrato, Cachexia, Febris, Scorbuto, Nephritide, Catarrhis, Lue ♀rea, Contractura, Paralyfi, &c. Somnum inducit. Sudorem movet; aliis leniter alvum ciet. Dos. gr. vi, ad xx.

*Nitrum*

*Nitrum Catharticum.* Candefac ☉ in  
 †bulo, & per vices carbonem vivum injice,  
 ut ☉ inardescat : continua, donec flagrare  
 definat : quod restat solve in ☿ : filtra,  
 coagula, idque ter cum novo ☿ repete.  
 Tandem solve in Sp. V. & evapora ad sicci-  
 tatem. *Dicitur ☿ Terra foliata Nitri. Ob-*  
*structum Mesenterium ☿ lienem liberat, sua-*  
*viterq; pargat. Dos. ℥i, ad ʒss.*

*Nitrum Corallatum.* R ☉ p. iij. ☉ is co-  
 rall. p. i. solve separatim in Ros. ac filtra :  
 dein misceantur & coagulentur s. a. *Utile*  
*in Febris ☿ virium restauratione. Dos.*  
*ad ℥i.*

*Nitrum Fixatum.* Solve ☉ em Prunellæ  
 in Font. filtra ac coagula s. a. v. *Cryst. mi-*  
*neral.*

\* *Nitrum Hermaphroditicum.* R ☉, &  
 ☉ is ☐ ri purif. ā. solve in Rosar. rub. fil-  
 tra & crySTALLISA s. a. *Præstantissimum ad hu-*  
*mores crassos ☿ tartareos incidendos ☿ deter-*  
*gendos ; nec-non meatus obstructos aperien-*  
*dos : ad calculum renum expellendum, uri-*  
*namq; movendam, &c. Insuper, in febribus*  
*putridis ac malignis optimè conducit. Dos. gr.*  
*20, ad 30.*

*Nitrum Foviatam.* v. *Jupiter Nitratus.*

*Nitrum Nitratum.* R<sup>x</sup> Sp. ☉ rectif. p. 4.  
☉ purificat. p. 6. m. ac ☿ ad siccit. cum  
terno cohobio, urgendo ☐ em postea s. a.  
*Dof.* 3ß.

*Nitrum Perlatum,* fit ut *Corallatum*, ex  
☉e Perlar. & ☉o. *Egregium est Cordiale,*  
*& mitigat æstum febrilem.* *Dof.* ad 3i.

*Nitrum Saturnisatum.* R<sup>x</sup> ☉is Hni, ☉,  
ā. solve in ☿. & crySTALLISA s.a. *Prodest Asth-*  
*maticis.* *Dof.* gr. 5, 6, 7.

*Nitrum Sulphuratum.* R<sup>x</sup> Sp. ☐ 34. ☉  
purific. 34. m. ac ☿ ad siccit. ter cohoban-  
do, & urgendo ☐ em postea ad vasis ex-  
candescenciam. *Vires habet Salis Pru-*  
*nellæ.*

*Nitrum Vitriolatum.* v. *Arcan. Duplex.*  
Vel, parari pt ex ☉ p. ij, ☉ ☉ li p. i, ☿a-  
tis, ut in ☉o ☐rato.

*Nodulus Facialis.* R<sup>x</sup> Hordei tosti q. v.  
redige in pollinem, fiatq; cum sindone No-  
dulus, quo circa diem undecimum faciem  
consperge. *In Variolis optimè faciem defendit*  
*à foveis.*

\* *Nodulus Hystericus.* R<sup>x</sup> Castor. ☿at.  
3ßs. Asæ foetid. 3i. ol. succin. 3ßs. m. &  
in serico involve, ut f. Nodulus, nari-  
bus

bus sæpe admovendus in parox. hysterico.

## O.

*Oleum Aloëticum.* R Aloëpat. ℥i. myrrh. ℥ij. thuris ℥ss. m. ac ☞a in ∴. l. △. *Illitum umbilico purgat, & vermes necat.*

*Ol. Antim. Saccharatum,* f. ex Tris ☼ij crud. & sacch. ā, ex ☉ △e fortis. ☞atis f. a. *Utile est tum ad externos, tum internos morbos. Dos. à gut. iij, ad vi in Quartanis ante paroxysmum.*

*Ol. Balsami. v. Balsam. Paralyticum.*

*Ol. Balsamicum.* R Anchus. ℥ij. ☉ olivar. ℥ij. coq. ad colorem rubicundum. colat. adde Tereb. Cypr. in ▽ Viol. lot. ℥ss. ☉ Bacc. lauri, ☉ Hyper. ā ℥i. ☉ Junip. & Petræ, ā ℥ss. ☉ Rhod. & Spicæ, ā ℥ij. ☉ st. è sem. Angel. & Anis. ā ℥i. m. f. a. *Omnibus affectibus frigidis subvenit; flatuq; dissipat. In Paralyti, Surditate, Otalgia, &c. Multum facit. In Spasmo, Colica, Hydroke, &c. internè & externè usurpatum præstans est Remedium. Dos. Si ad ℥i in vehiculis appropriatis.*

*Ol. Bufonum.* Coq. Bufones 4 vivos in ☉  
oliv. ℥ij per ☿m, vel ad crepaturam, cola-  
tumque serva. *Confert in Pustulis labiorum,*  
*cancroq; mammarum. In Hydrope valet ad u-*  
*rinam ciendam inungendo renes.*

*Ol. Camphoræ.* R Camph. ℥ij. argillæ, ℥vi.  
℥ in ∴. ex ☉ vitreâ s. a. Vel, fieri pt  
solvendo camph. ℥ij, in Sp. ☽ ℥iv, in loco  
tepido. *Diaphoreticum, & Hystericum. Dos.*  
*ad gut. x, &c.*

\* *Ol. Chartæ.* Accende Chartam ac im-  
pone laminæ ☿is, ut comburatur. Sic ad-  
hærescet ☿i oleum colligendum. *In Alope-*  
*cia, Herpete, Impetigine, &c. mira præstat.*  
*Anodynum est, & Odontalgiam sedat.*

\* *Ol. Cosmeticum.* R ☉ Amygd. amar.  
℥iv. ☉ ☐ri p. d. ℥ij. ☉ Rhod. gr. 4. m. s. a.  
*Ad cutem detergendam & erugendam.*

\* *Ol. Cremoris.* R Cort. intern. virid. rec.  
Sambuci, miiij. Crem. lactis opt. ℥ij. coq.  
benè, donec in ☉m effluatur cremor. f. ex-  
press. adde cort. rec. alior. Sambuc. miv.  
coq. iterum ad cortic. siccitatem. f. expres-  
sio. *In Hæmorrhoidibus, combustionibus, ery-*  
*sipelate, &c. optatiss. Remedium.*

*Ol. Heracleinum,* fit ex ligno Coryli Sep-  
temb. aut Martio collecto, in taleolas secto,  
&

& gradatim per  $\infty$  in  $\therefore$ . Qato.  $\odot$ m, ab  $\nabla$ â separetur f. a. *Calfacit, incidit. Anodynum, Epilepticum, ac præcipuè Odontalgicum est.* Guttæ 2, 3, 4, &c. assumptæ cum mica panis lumbricos in instanti necat, & per secessam educunt.

\* *Ol. Linteorum.* f. ex Linteis accensis & suffocatis in laminam  $\Psi$ is f. a. *Optimè valet ad Ophthalmiam curandam cum gutta una salivæ mixtum.*

*Ol. Ludi.* Materiam  $\square$ ream matulæ inhærescentem calcina, & solve p. d. f. a. *Ad tartarum in omnibus corporis partibus, imò ad calculos etiam grandiores resolvendos, & expellendos, adeòq; ad obstructions inde ortas referandas mirificè conducit.*

*Ol. Lumbricorum,* Qatur in  $\therefore$ . ex Lumbric. terr. V. Hispan. lotis f. a. *Ad Paralyfin curandam mira præstat.*

*Ol. Martis,* fit ex Rubigine  $\mathcal{J}$ tis per  $\nabla$ am Stygiam irrigatam contractâ, abluendo  $\nabla$ â, filtrando, & exhalando ad oleaginositatem f. a. *Summum est obstructivum.* Dos. gr. 4, 5, &c.

\* *Ol. Milvinum.* R. Milvum è nido, vel antiquiorem, exenteretur deplumatus, cum Picis n° 4 coq. in Aq. ceras. n. q. f. (adjectis

Rad Pæon. ℥iij. castor. ℥i. rutæ miiij. Flor.  
rorism lavend. ā mij. Hyperic. ℥i. Rad.  
Valerian. ℥ij.) ad putrilaginem cum ☉ oli-  
var. ℥ij. f. expressio. ☉ innatans auferatur  
pro usu. *Instante Paroxysmo epileptico inun-*  
*gantur plantæ pedum, nares, & nucha cum seq.*  
*R & Ol. Milvin. dict. ℥i. ol. st. Rutæ, & succin.*  
*ā ℥i m.*

\* *Ol. Paralyticum.* R Sem. sinap. ℥iij. Ca-  
stor. ℥ss. caryoph. ℥ij. nuc. m. ℥iij. Sp. V.  
℥iv. contusa opt. macer. in MB ☒ 24. De-  
inde valenter prelo exprime oleum. *Spina,*  
*nucha, cum partibus affectis sæpe inungan-*  
*tur.*

*Ol. Polypodii, f. ex Radic. siccis per ☉ ex*  
*∴. Qatis f. a. Inservit piscibus capiendis.*

\* *Ol. Pomosum.* R Fol. strammon. pomo-  
si rec. ℥bi. contus. adde ☉ olivar. ℥biiss. coq.  
ad succi consumpt. expres. adde Fol. rec. ℥bss.  
Insolentur ☉ 14. postea coq. ad succi con-  
sumpt. & exprime. *Ad miraculum omnes in-*  
*flammationes, omnesq; combustiones, sive ab*  
*igne, sive ab aqua fervida, plumbo fuso, pul-*  
*vere bombardico, vel à fulgetris contractas,*  
*subitò sanat.*

*Ol. Ranarum.* Coq. Ranas vivas n° 12 in  
☉ oliv. ℥biis per ☒ m, & exprime. *Faciei*  
*Ruborem*



*Ruborem & Impetigines curat. Erysipelati & Gangrænis subvenit. In cancro est specificum.*

*Ol. Sacchari simp.* fit ex sacch. cand. & Sp. V. ā, adurendo Sptum ad Syr. consist. f. a.

\* *Ol. Sacchari comp.* R. Daçtyl. incis. ʒij. ficuum ʒiij. hyssop. mi. glyc. sem. anis. bombac. ā ʒvi. Rad. irid. Flor. ʒi. Sp. V. tʒij. coq. adurendo ad consumpt. dimid. f. colat. per manic. Hippocr. adde sacch. cand. q. s. *Ad Asthma, Tussim, &c. confert.*

\* *Ol. Saponis*, fit ex Sapon. Venet. raspat. & Sp. V. ā, per ☉ & Latis, primò l. Δ. dein fortiori gradatim urgendo. ☉ in natans ▽ æ viridi separetur. *Ad Convulsiones, Cephalalgiam, &c. illinantur cum isto Tempora, nucha, & nares. Ad Tineas, Contusiones, Podagram, &c. Ungantur loci affecti, tegendo postea brassicæ folio.*

*Ol. Saturni. v. Balf. Saturninum.*

\* *Ol. Scorbuticum.* R. Rad. Raphan. rustic. ʒvi. Fol. cochlear. miv. Fl. lavend. mij. ☉ ex pedibus bovinis tʒi. coq. l. Δ. ad succi consumpt. express. adde Sp. ☉ is ʒiij. Sp. cochlear. ʒi. ☉ cinnam. & caryoph. ā ʒss. ☉ organ. ʒiv. m. *Cum isto inungantur partes*

*partes affectæ per horam semis semel in die calidissimè.*

*Ol. Silicum. v. Liquamen Silicum.*

*Ol. Tabaci, f. ex Fol. siccis per ☉. Vel, ex sem. contusis & expressis. Usus in doloribus Podagræ, Arthritidis vagæ, Odontalgia, vermibus, &c.*

*Ol. Talchi p. Deliq. R. ☿ Talchi, ☐ per ☉ calcinat. ā f. S.S.S. ac cementa in ☿bulo clauso ☿ vi, ut ☿bulum candeat, exime & edulca. extrahe cum ☿, filtra ac coagula: edulcora ac repone postea in cella ad liqueendum. Cosmeticum censetur præstantissimum. Lentigines, maculæsq; faciei aufert.*

*Ol. Tartari purg. v. Mag. Tartari.*

*Oleum Τερχοπύς. R. Abrotani rec. contus. ℥ss. ☉ veteris ℥ss. V. rub. ℥ss. coq. ad siccit. herbæ. f. expressio. Repet. hoc opus ter cum novo abrotano. Colat. adde Axung. Ursin. ℥ij. m. exactis. Ad Alopeciam curandam maximè commendatur.*

*\* Ol. Tritici, fit Valenter exprimendo Triticum contusum inter laminas candentes, ut oleum effluat. In Rimis manuum, Ulceribus pedum, Fissuris labiorum, Herpete, cutis scabritie, &c. Mirificè proficuum.*

*Ol.*

*Ol. Viperarum.* R Viperas viventes largas & pingues n° 3. Vin. Hispan. ℥ij. ☉ Hyperic. ℥viij. coq. in MB. vase angusti orificii ad consumpt, humiditatis, fiatq; expressio. *Cutem exterget, Impetigines, &c. sanat. Podagræ tophos tollit. Lepram curat.*

*Ol. Viridis æris.* R ⊕ ℥ij. ⊕ ℥iij. ponantur in catillo, & incend. carbone, donec deflagrârint. Tum solve p. deliq. in cella. *Causticum est. Ad Pustulas ♀reas, & verrucas absumendas conducit.*

\* *Ol. Vitrioli Dulce.* R Ol. ⊕ li rectif. p.i. Alcoh. V. ℥4. Digere ☉ 30 vel 40 : & postea ex ☉ cum 3 vel 4 cohobiis ☿ ad uniendum s. a. *Proficuum in calculo, morbis tartareis, Catarrhis, &c. Dos. ℥ij in liquore idoneo.*

*Orvietanum.* R Rad. fraxinel bistort. tormentil. imperator. gentian. carlinæ, aristoloch. utriusque, pentaphyl. zedoar. Valerian. major. contrayerv. angelic. Enulæ, serpentar. Virgin. Fol. Cardui ben. succis. ulmar. rutæ, sabin. puleg. scord. hyperic. cort. citri, aurant. cinnam. Bacc. lauri, junip. carnis Bufonum, ā ℥ij. carn. viperar. ℥iv. croc. opt. ℥ss. f. omnium ☿ : cui adde Extract. Bacc. junip. Vino albo facti, ad mellaginem evaporati,

rati, q. s. ut f. confectio. Huic adde Elæo-  
saccharorum Rutæ, Succini Caryoph. Junip.  
ā ʒij. m. f. a. dein adde unicuique libræ hu-  
jus Confect. Theriac. Androm. & Mithridat.  
ā ʒij. m. *Hoc mihi communicavit Rob. Tal-  
bor, Eq. Aurat. In Peste, & omnibus feбри-  
bus malignis Præstantissimum remedium. Dos.  
ʒß, ad ʒij.*

*Oxysaccharum Emeticum.* R Vitri ʒij  
℥at. ʒi. ✕ opt. ʒbi. macer in MB (sæpe a-  
gitando) ad ℥ 24. colat. filtratæ adde sacch.  
opt. ʒviij. coq. ad Syr. consist. *Dos. ad ʒi  
vel ultra.*

*Panacea Aurea.* R Croc. metall. & Ca-  
lomelan. ā. m. f. ℥. Valet optimè in Lue  
♀. *Ptyalismum movet, purgatq; ἀνω καὶ  
κατω.*

## P.

*Panacea Cathartica.* R ♀ij. vitæ (ex ♀  
p. ij, ♂ p. i, facti) ʒiv. ♀ij vivi in Ratio-  
ne Butyri ♂ provenientis ʒiiij. m. & ℥a,  
ut in ♀io dulci. *Dos. gr. 5, ad 8, &c. Effi-  
cacior habetur quàm ♀ius dulcis in Lue  
♀rea, &c.*

*Panacea*

*Panacea Hartmanni.* R $\Delta$ ris  $\text{♂}$ ij combustibilis  $\text{℥}$ i.  $\text{⊙}$   $\text{⊕}$ li vel  $\Delta$ rectif.  $\text{℥}$ iiij. Regul.  $\text{♂}$ ij  $\text{℥}$ i. Digere calidè ad  $\text{⊙}$  10: dein  $\text{℥}$ a per  $\text{⊖}$  vitream ex  $\text{⋮}$ ter ad minimum cohobando.  $\Delta$ m urge sub finem, & mriam in fundo per  $\text{X}$  5 reverbera. Tandem exime, lava cum  $\text{℞}$ os. & sicca. R $\Delta$  Hujus  $\text{℞}$ ris  $\text{℥}$ i.  $\text{⊖}$ coral.  $\text{℥}$ ij. m. exactè s. a. *Remedii est instar universalis: Habet nimirum in se vim diaphoreticam ac sanguinem mundificandi, ideòq; quibuslibet morbis per sudorem sanabilibus inservire potest, præcipuè Lue ♀rea, cutisq; sceditatibus. Dos. à gr. x, ad xx.*

*Panacea Holsatica.* v. Arcan. Duplex.

*Panacea Schroderi.* v. Merc. præcip. fluxus.

\* *Panis Diasarsæ.* R $\text{℞}$  Sarsapar.  $\text{℥}$ iiij. chin.  $\text{℥}$ i. sem. carui integr.  $\text{℥}$ i. Flor. Tritici purif.  $\text{℥}$ xvi. Vitell. ovor. n $^{\circ}$  2. Barmii aliquantulum, cum lactis q. s. f. Pasta; ex qua fiant Panes in clibano coquendi, *pro pane ordinario, in Lue ♀rea, &c.*

\* *Panis de Vipera.* R $\Delta$ Carn. Viperar.  $\text{℞}$ at.  $\text{℥}$ i. sarsaparill.  $\text{℥}$ iiij. Farin. Tritici opt. tbi. Vitell. ovi unius, cum Flor. cerevis. & lact. q. s. f. Panes n $^{\circ}$  4. coq. in clibano s. a. *Pro pane com.*

com. In Lue ♀rea, Scorbuto, Lepra, Cachexia, &c.

\* *Passulæ Laxativæ.* R Senæ opt. ʒi. zz. cinnam. ā ʒi. Sp. V. t̄b̄s. macer. tepidè  $\times$ vi. f. colat. cui adde sacch. alb. ʒi. passul. minor. vel major. mundat. ʒiv. coq. lentis. igne ad uvar. mollitiem, & simul conserventur : Vel l.  $\Delta$ . (demptis uvis è Syrupo) exiccentur, aspergendo sacch. alb. q. f. Eodem modo parari pt *Pruna Laxativa.*

*Pasta Halientica.* R Sem. hyoscyam. ʒss. occulor. oriental. Palætyri fortis. ā ʒiss. aleuri coch. 2ss.  $\nabla$  vitæ coch. 4. mell. q. s. redigantur in pastam f. a. *Per minutas frustulas in locos aquæ diversos injecta, pisces allicit.*

*Pasta Hippiatri.* R  $\mathcal{C}$ rum fœnugr. anis. cymmin. cartham. enul. Fol. tussilag. Fl.  $\Delta$ , ā ʒij. succi glyc. (in V. alb. t̄b̄s solut.) ʒi.  $\odot$  oliv. mell. ā ʒviij. Theriac. Januens. ʒxij.  $\odot$  Anis. ʒi. m. omnia simul, & cum farin. tritic. t̄b̄ss, vel q. s. f. Pasta f. a. *Exinde fiant pilæ magnitudinis pugni virilis : dissolvatur una in Aq. frig. q. s. quam bibat equus omni manè & vesperi ad  $\odot$  15 : quo tempore pro certo curabit equos asthmaticos, tussientes, variisq;*

*riisq; morbis internis laborantes : macilentos impinguabit , & infirmos reddit esse sanos.*

\* *Pasta Hypoglottida.* R Sacch. cand. alb. subt. ℥at. ℥iv. ol. Amygd. d. rec. ℥i, vel q. s. contunde opt. in Pastam s. a. *Teneat sæpe parùm in ore.*

*Pasta Regalis pro Emulsionibus.* R Sem. papav. alb. ℥i. amygd. d. excort. ℥iv. Rad. ering. condit. ℥ij. Sem. 4 frig. major. ā ℥ss. sacch. crySTALLIN. ℥ij. contund. in Pastam s. a. *Usûs tempore R: hujus pastæ ℥i, & cum Aq. Hord. ℥bi, f. Emulsio s. a.*

\* *Pedilavium Emmenagogum.* R Artemis. puleg. calaminth. chamæmel. ā m4. coq. in Aq. q. s. ad ℥viij. *Pro pedibus lavandis.*

\* *Pedilav. Hypnoticum.* R Capit. papav. alb. n° 20. sem. papav. alb. ℥i. Fol. Lacturæ m4. Fl. nymph. mvi. Violar. miss. Bulliant in Aq. q. s. *Ad somnum conciliandum.*

\* *Pedilav. Podagricum.* R Rorism. hyper. puleg. laur. artemis. ā miiij. ⊖ nig. ℥xij. \* ℥ii. furfur. macri ℥vi. coq. in ▽ cong. ij. adde Sapon. Castil. ℥ij. Sp. V. ℥bij.

\* *Pedilav.*



\* *Pedilav. Scorbaticum.* R Rorism. puleg. laur. hyperic. nasturt. aquat. ā miiij. ☉ marin. fbi. coq. in ▽ f. a.

*Phosphorus*, fit ex Residuo post Rationem Sp. ☐æ, cum \*ci tantillo, Qando per gradus ex ☉ vitrea in Recipiens ▽ ā semiplenum. *Diureticus ac diaphoreticus.*  
*Dos. ad ʒß.*

*Pilæ Odoratæ.* R Smegm. Venet. ʒvi. styrac. cal. benz. ā ʒss. Fol. majoran. Div. caryoph. n° xij. mosch. gr. 2. Ros. Dam. q. f. ut f. Globuli f. a. *Vim habent abstergerendi & conciliandi gratum odorem, simulq; confortandi nervos. Manibus, &c. lavandis inseruiunt.*

\* *Pil. Æthiopica.* R Æthiop. miner. ʒij. ceruss. ☿ ʒi. gum. guajac. ʒss. extract. Sarta comp. q. s. ut f. ☉. *D. ad ʒij bis indies per ☉ 40 vel 50 continuos. In Hydrope, Scorbuto, Lue ♀ rea, &c.*

\* *Pil. de Ammoniaco magistrales.* R Gum. Ammon. ✚ scillit. præp. ʒij. aloës opt. ʒiss. myrrh. mastich. benz. ā ʒss. croc. ☉ is abs. ā ʒij. Syr. de Abs. q. s. f. ☉. *Insigniter purgant tartarum, omnemq; sæculentam corporis materiam. Magnopere conferunt adversus omnes defluxiones, cachexias, oppilationes*  
*lienis*

lien<sup>is</sup>, ejusdemq; duritiem & scirrhum, Fe-  
bres quartanas inveteratas, &c. Dos. ℥i.  
ʒʒ. &c.

\* *Pil. Angelicæ.* R Senæ mund. ʒvi. rhab.  
myrrh. agar. ā ʒiij. benz. ʒiss. croc. ʒij. Fl.  
Viol. borrag. ā mi. succor. depurat. cichor.  
thiis. fumar. borrag. ā thiis. macer. in MB.  
ad  $\times$  48. f. expres. adde aloës opt. ʒxij. ex-  
hal. ad Pil. consist. addendo Bals. Peruan.  
℥ij. ☉ st. nuc. m. gt. 20. ☉ is abs. ʒij. m.  
*Blandissimam evacuationem promovent. eximii  
usque sunt ad omnium viscerum nobiliorum cor-  
roborationem, & pravorum humorum correctio-  
nem. Dos. ʒʒ, & ultra.*

\* *Pil. Anticolicæ.* R Tris Rutæ, ʒæ, ā.  
mel. q. s. ut f. ☉. Dos. ʒʒ hora somni & ma-  
nè per ☉ 4 in singulo mense. Probatissimæ in  
Colica curanda.

*Pil. Antimoniales.* R Vitri ☿ij (cum Sp.  
☉ præp. & albificati) subt. Trat. ʒss. sacch.  
cand. ʒiij. Aleuri ʒ4. croc. ℥i. coq. in Font.  
ad spissitud. (cavendo tamen nè aduratur)  
instar Pastæ. ex qua f. Pil. *Verum Hoc cense-  
tur Febrium curativum. Dos. ʒʒ, ad ʒi in ipso  
paroxysmi frigidi initio.*

\* *Pil. Antipodagricæ.* R Tr Castor. opt.  
ʒss. succin. alb. chamædr. chamæpit. ā ʒvi.



⊖ succini, ceruss. ℥ij, Bals. Tolutan. Opopanac. ā ℥i. Rad. petasitid. ℥iij. Tereb. Chiens. ℥ij. Bals. ⚠ris terebinthinat. q. s. ut f. Ⓞ Pilularis. *Dos. ʒss bis indies per menses ij vel iij, bibendo interim pro potu com. Decoct. rad. petasitid. sarsæ, chinæ, cum uvis passis, &c.*

\* *Pil. Balsamicæ.* R Extract. Eustachii ʒv. Troch. Alhand. ʒj. croc. ʒi. ♂ crud. per alutam transcolati ℥i. Tereb. Ven. q. s. ut f. Ⓞ. s. a. *In Lue ⚠rea, Lepra. Podagra, &c.*

\* *Pil. Castitatis.* R ⚔ Rad. nymph. ʒss. Ⓞis hni ℥ij. oss. sepia, ʒvi. camph. ʒix. Syr. de Nymph. q. s. ut f. Ⓞ. *Dos. ʒss bis in die per Ⓞ aliquot. optimè valent in Gonorrhæa, priapismo, &c. curandis, præmissis præmittendis. Dos. ʒi, ʒss, &c. bis in die.*

\* *Pil. Catarrhales.* R Extr. Glyc. ℥i. Rhodaloës ʒss, Pil. de cynoglos. ʒ ij. m. *Dos. ʒi, ad ʒij in Catarrhis, Tussi. &c. hora somni per Ⓞ 4, vel 5.*

\* *Pil. Crapulariæ.* R Diagryd. Spec. Hier. simp. ā ʒvi. aloës opt. ʒiss. ol. st. caryoph. ʒss. Sp. V. q. s. ut f. Ⓞ s. a. *D. ʒi. hora somni post crapulas.*

\* *Pil.*

\* *Pil. Cretaceæ.* R Cretæ albif. santal. alb. nuc. m. ā p. æ cum Tereb. Chienf. q. s. f.  $\Phi$ . *Proficuæ in Profluvio albo, &c. Dos. ad ʒi bis in die, superbibendo serum cerevisiale foliis consolidæ alteratam.*

*Pil. de Creta Palmarii.* R Aloës opt. ʒi. cretæ albif. succin. alb. gentian. myrrh. Rad. fraxinel. ā ʒi. Mithridat. ʒiv. tereb. lotæ ʒij. Syr. de Alth. q. s. ut f.  $\Phi$ . *Sunt, qui addunt calomelan. ʒss, vel ʒvi. Cum Calomelan Dentur ad ʒij vel ʒi hora somni omni nocte per  $\odot$  15 : Ad Gonorrhæam curandam nil æquale. Idem præstant in Profluvio albo.*

\* *Pil. Hydropicæ.* R Resin. zialap. scammon. rhab. guttæ gamb. calomel. ā ʒss. Ammoniac. in succo irid. nr. præp. ʒij.  $\square$   $\oplus$  lat. ʒij. gum. Lentisc. ʒi. croc. ʒi. Sp. tereb. gr. 40. cum Syr. de Spin. cerv. q. s. f.  $\Phi$ . *D. ad ʒij, vel ultra in fortioribus.*

\* *Pil. Hystericæ.* R  $\mathbb{X}$  Sem. Viticis ʒi, rutæ, asæ fœrid. Camph. ā ʒij. castor. ʒss.  $\odot$  succin. gr. 40. Syr. de Artemis. q. s. ut f.  $\Phi$ . *Dos. ʒss ad gr. 15, 2da vel 3tia quaq; hora in paroxysmo hystérico ; & præterea*

*terea hora somni singulis noctibus extra paroxysmum.*

*Pil. Lithontripticæ.* R Sem. genist. bardan. Lap. Judaïc. ā ʒi. Tereb. è Chio ʒiij. m. f.  $\Phi$ . Dos. ʒii ad ʒi, per dies 20. 30, &c.

*Pil. Lunares. v. Vitriol. Lunæ.*

\* *Pil. Marocostinæ.* R Gum. Ammoniac. (in  $\ddagger$  scillit. ʒ4 solut.) ʒiss. myrrh. opt. (in  $\ddagger$  Rutac. ʒij præp.) ʒvi. Alcës opt. (in succ. Ros. Dam. ʒbij, succ. limon. ʒbi, solut.) ʒbi. Agaric. (cum Aq. cinnam. ʒj, Succor. apii, scenic. abs. ā ʒiij, contus.) ʒvi. rhab. opt. (cum Aq. cinnam. ʒvi, succ. cichor. pimpinel. fumar. ā ʒviiij, contus.) ʒiij. croc. opt. ʒss. costi ʒvi. xyloal. ʒij. Mari veri ʒss, cum succ. citri ʒ4, Ros. Dam. q. s. præp. misc. omnia diligentis. ultimò adde  $\nabla$ arum Pæon. Paralyf. Borrag. Beton. Cardui, Agrimon. Ivæ, Centaur. min. Rorism. Ceras. n. ā ʒbi, vel q. s. macer in MB. per triduum. colat. exhala in MB. ad consist. debitam. *Mucilaginem*  $\square$ ream in ventriculo, Mesenterio, liene, hepate collectam incidunt ac paulatim educunt : Viscera eadem, ut  $\S$  caput simul roborant, adeoq; morbis quàm plurimis inde natum trahentibus succurrunt. Dos. ʒi, ad ʒi.

\* *Pil.*

\* *Pil. Masticatoriæ.* R Sem. sinap. staphisagr. pyrethr. ā ʒss. mastich. ʒvi. m. f. ☒. adde mell. & ceræ ā q. s. ut f. ☉. v. *Masticatoria.*

\* *Pil. Matthæi, aliàs Starkii.* R Opū Thebaïc. opt. à sordibus purgat. ʒij. ☒is subt. glyc. helleb. alb. & nig. ā ʒij. Sapon. Tartarei (v. suo loco.) ʒvi. m. exactis. ad dendo ☉ Terebinth. q. s. ut f. ☉ pilularis, quæ toties humectetur ☉o Tereb. quoties siccescit. *Aliqui nolunt Helleb. nigrum. Diureticæ, diaphoreticæ, nephriticæ, lithontrip-ticæ, hydropicæ, bechicæ, anodynæ & paregoricæ habentur insignes. Felici cum successu dantur in Febris omnibus, præcipuè Tertiana, & Quartana. Catarrhis omnibus, Doloribus ventriculi, Cephalalgæ, Odontalgæ, Tussi, Crapulis, Arthritidi, Diarrhæis, Dysenteriiis, Ulceribus & Apostematis internis, &c. mirificè subveniunt. Dos. ʒss, ad ʒi, superbi-bendo haustum alicujus convenientis.*

\* *Pil. Melanagogæ.* R Fibrar. helleb. n. ve-ri ʒij. pulp. colocynth. ʒiij. coq. in Phlegm. ☉ li t̄bv, ad consumpt. dimid. f. expressio, quæ coaguletur ad mellagin. l. △. Tum ad-de Resin. Scammon. ʒi. ut f. ☉ Pilularis. *Dos. ʒss ad ʒi, &c.*

\* *Pil.*

\* *Pil. Pacificæ.* R Opii opt. supra laminam ferri exiccat. & Cat. ʒij. benz. albis. ʒij. croc. nuc. m. ā ʒiij. ☉st, Aneth. & nuc. m. ā ʒi. Sapon. ☐rei q. s. ut f. ☉ f. a. *Virtutes æmulantur Pil. Matthæi.*

*Pil. Pavii.* R Spec. Hier. simp. ʒss. galban. in Tinct. Castor. præp. ʒij. ♂ præp. ʒiij. Diacurcum. (Quidam Diacinnam.) ʒiv. Syr. de stæch. q. s. f. Pil. n° 21 ex sing. ʒi. D. n° 10 aut 20 manè & serò per ☉ 40. *Ad Melanch. Hyp.*

\* *Pil. de Pice.* R ☿ Glyc. ʒi. Rad. irid. Flor. ʒiij. Pic. liquidæ, & Bals. Peruan. ā ʒss, vel q. s. ut. f. ☉ Pil. *Efficacissimæ habentur in Phthisi, Tussi, purulenta Excreatione, suspiriis & pectoris humoribus, qui difficile extussuntur. Dos. ʒß bis in die, superbibendo haustum Decoct. Pector.*

\* *Pil. Restridentes.* R AB, corall. r. gum. Lentisc. ā ʒiiss. oss. sepiæ ʒiss. gum. guajac. ʒss croc. ♂tis restringent. ʒiiss. Fereb. Cypr. ʒiss. Syr. de Nymph. q. s. ut f. ☉ Pil. *Deuntur ʒß vel ʒij bis indies, ad Gonorrhæam, &c.*

\* *Pil. de Sagapeno.* R Sagapen. pellucid. ʒss. Troch. Alhand. agaric. ā ʒiiss. Diagryd. ʒij.



3ij. ꝯæ 3ss. ☉ chym. Fœnic. ʒi. Syr. de Eupator. q. s. f. ☉. *Proficuæ in Iliaca, Colica, &c. ad 3ß. Admirandæ in Febribus Quartanis. Dos. ʒß initio paroxysmi, continuando aliquot dies.*

\* *Pil Sinapinæ.* R Sem. sinap. ℥at. ʒiiij. glyc. ʒij. Syr. cap. ♀. q. s. ut f. *Pil. hypoglossidæ, frequenter in ore tenendæ. Magnopere valent in Tussi, Asthmate, &c.*

*Pil. Styracinæ.* R Styrac. cal. colat. ʒij. Fl. ♀ ʒi. Benz. alb. ʒij. m. f. ☉. *Efficaciter succurrunt Asthmati, Dyspnææ, Catarrho suffocativo, &c. Dos. ʒi, ad ʒi, semel aut bis in die. Prujean.*

*Pil. Tartareæ Bontii.* R Aloës opt. ʒiiij. gum. ammoniac. (cum ✚ squillit. depurat.) ʒiiss. ☐ ☉ lat. 3ss. m. *Tantæ sunt apud Hollandos æstimationis, ut piaculum habeant, communes eas reddere. Dos. ʒi, 3ss, &c.*

*Pil. Vaticanæ.* R Calam. arom. anis. ʒz. mastich. cinnam. cardamom. min. zedoar. mac. nuc. m. caryoph. croc. cubeb. lign. al. turpet. mann. senæ, cas. lign. myrobal. omn. ā ʒi. Fol. cardui ben. scord. ā 3ss. rhab. opt. ʒi. ʒij. aloës opt. ʒij. ʒiv. Syr. Ros. sol. & Viol. ā q. s. ut f. *Massa s. a. Cephalicæ sunt*

ac Stomachicæ, omnia viscera fartu liberant, purgant, roborant, & humores quosvis noxios & obvios educunt: omniumq; partium nutritiarum æconomiam juvant. Dos. ℥i, ʒss, &c.

*Pil. Vermifugæ.* R *Pil. Ruffi* ʒss. ☉ chym. Sabinæ, vel Tanaceti gt. 24. m. D. ad ʒss. vel gr. xij in *Pil. x format. sumend. per 3 Q contin. in Plenilunio, vel Novilunio in Syr. Li-* mon.

\* *Pil. Vomitorie.* R *Gillæ Theophrasti* Tat. ʒi. Medullæ lactis insulsæ ʒi, vel q. s. contund. opt. in ☉m *Pil.* D. Div vel. v.

\* *Pisa Lutea.* R *Ochræ flav.* ʒss. Rad. irid. Fl. ʒij. ceræ ʒi. terebinth. q. s. ut formentur *Pisa* diversæ magnitudinis. *Pro fontanellis apertis servandis.*

\* *Pisa Rubra.* R *Vermilii* ʒss. hermodact. ʒij. ceræ ʒvi. tereb. q. s. ut f. *Pisa.*

\* *Pisa. Viridia.* R ☉, helleb. alb. ā ʒij. cantharid. ʒi. Rad. irid. Fl. ʒiss. ceræ ʒvi. tereb. q. s. vel, fieri pt ex cantharid. ☉ ā ʒij, ☉☉ ʒss, ceræ ʒij, tereb. q. s. *Pro Fonticulis.*

*Pleres-Archonticon.* R *Cinnam. caryoph. xyloal. galang. nuc. m. zz. ros. rub. spicæ* Indic.

Indic. schœnath. (spicam & schœnath. o-  
mittunt Quidam) spodii, cyper. Viol. ā 3i.  
mac. glyc. mastich. styrac. cal. ocim. majo-  
ran. ballamit. piper. long. alb. cardamom.  
Bacc. myrti, cort. citri, ā gr. 36. margarit.  
Been. utriusque, corall. r. seric. tost. ā gr. 18.  
camph. gr. 4. m.f. ☿ subt. ex hujus 3ss,  
& sacch. alb. in Aq. Menth. ad Tabulat.  
coct. 3viii, fieri solent *Tabulæ Stomachicæ*.  
*Micklethw.*

*Plumbum album*, ☿ *Cerussa*, f. Lamellas  
¶ ni suspendendo supra ✚, ut vapores ab  
✚o elevati circumeant. Sic adhærescet pau-  
latim Cerussa.

*Pomum Ambræ*. R. Styrac. cal. 3vi. benz.  
3i. labdan. 3ij. sant. alb. caryoph. ā 3iss. Fol.  
majoran. ros. Dam. ā 3iv. mosch. ambr.  
gris. ā 3ss. mucilag. gum. trag. in Ros. ex-  
tract. q. s. ut f. Pila seu Pomum f. a. *Adhi-  
bitum naribus odore suo grato sanguinem mo-  
vet, ☿ cor supra modum refocillat, in Apo-  
plexia, Epilepsia, Pestilentiali aura, &c.*

\* *Potio Alba*. R. Terminth. 3ss. ☉ st.  
nuc. m. gr. i. V. alb. 34. Vitell. ovi unius  
Syr. de Alth, 3i. m. f. a. f. Haustus. *Pur-  
gat sat benè, ἀποκατα. Ad Gonorrhæ-  
am.*

\* *Potio Febrifuga.* R $\&$   $\ominus$  abs.  $\mathfrak{z}$ ij. Sp.  $\triangle$   $\mathfrak{z}$ i.  $\nabla$  cichor.  $\mathfrak{z}$ iv. m. *bibatur ante parox. supersudando.*

*Potio Hydropica.* R $\&$  V. alb. generos.  $\mathfrak{z}$ iv. Syr. de Spin. cerv.  $\mathfrak{z}$ ij. Sal. Prunel.  $\mathfrak{z}$ i. m. f. potio. *Maybern.*

\* *Potio Pleuritica.* R $\&$  Succ. è  $\triangle$ re animal. expres. V. alb.  $\bar{a}$   $\mathfrak{z}$ ij. Syr. Rhœad.  $\mathfrak{z}$ i.  $\mathfrak{X}$  oliban.  $\mathfrak{z}$ ss.  $\odot$  st. nuc. m. gt. iij. m. f. potio, *sumenda ter vel 4ter in die post phleb.*

*Pruna Laxativa.* v. *Passul. Laxat.*

*Ptisana Cathartica.* R $\&$  Fol. Senæ à stipit. liberat. glyc. coriand.  $\bar{a}$   $\mathfrak{z}$ i.  $\nabla$ ont. calentis  $\mathfrak{z}$ vi vel viij. macer.  $\mathfrak{X}$  3. f. colat-clara. *Mirum est quàm delicatulè operabitur. Quinquies aut sexies movere rarò fallit.*

\* *Pulvis Æthiopicus.* R $\&$  Bufones viventes n $^{\circ}$  30 vel 40. comburantur in olla nova ad  $\mathfrak{E}$  es nigros. f.  $\mathfrak{X}$  subt. D.  $\mathfrak{z}$ ß vel ultra in *Variolis, &c. Vel in moribundis auxilio certè fuit. Sunt qui mirè hunc commendant in Hydrope curando.*

\* *Pulvis Albus.* R $\&$  Bezoar. Animal. succin. alb. corall. r. margarit.  $\bar{a}$   $\mathfrak{z}$ i. ocul. & chel. 69,  $\bar{a}$   $\mathfrak{z}$ ij. m. f.  $\mathfrak{X}$  subt. *Vires æmulatur Pulv. è Chelis comp.*

\* *Pulv.*

\* *Pulv. Anticardialgicus.* R Cretæ al-  
bis. ʒvi. ocul. & chel. 69 ā ʒiss. sacch. al-  
bis. ʒss. ☉ chym. nuc. m. gr. vi. m. f. ℥.  
addi pt B. ʒvi. *Dof. ʒi in haustu frigidæ  
largo.*

*Pulv. Anticolicus.* R Cretæ albis. subtr.  
℥at. tbi. humecta cum succo Fol. rutæ  
& chamæmel. ut f. instar pulmenti. exicca  
lento calore & f. ℥. Reper. hoc opus  
cū succis rec. ad quartam vicem. ultimò  
f. ℥ subtr. *Dof. ʒi, ad ʒi quarta quaque  
hora.*

*Pulv. Antipyreticus.* R Lap. Manat. ʒij.  
Draconthæmat. ʒi. m. f. ℥ subtr. *Tertianam  
vernalem curare rarissimè fallit.* *Dof. ʒi horâ  
ante paroxysmum, superbibendo Ros. rub.  
ʒiij, succ. aurant. ʒvi, cum sacch. alb. ʒß, ad  
3 vices.*

*Pulv. Arthriticus Turneri.* R Turpet.  
hermod. senæ, scammon. sem. ebul. ā p. æ.  
m. f. ℥. *Dof. ʒi, ad ʒi, &c.*

\* *Pulv. Asthmaticus.* R Cartham. Rad.  
ari, Fol. card. ben. senæ, ā ʒij. anis. ʒss. pi-  
per. l. ʒi. Diagryd. ʒss. m. f. ℥. *Dof. ʒi bis  
in die per dies vi contin.*

\* *Pulv. Basilicus.* R Diagryd. cerus. ʒij,  
crem. ☐ri, ♀ d. ā m. f. ℥. *Easdem*

*vires obtinet quas Pulv. Cornachini. Dos. ℥i ad ℥i.*

*Pulv. ad Calculum. R. Fl. Cardui stellati ℥i. Rad. & sem. petrosel. ā ℥iij. separatim siccantur ac Tentur: dein m. D. ℥ij. in V. alb. aut Fusculo. Mayhern.*

*\* Pulv. Cantianus. R. Apic. nigr. chelar. 69, Junio captor. in pollinem redact. Rad. contrayerv. ā ℥ij. margarit. corall. rub. alb. ocul. 69, (cum succo limon. supra marmosimul lævigator. & siccator.) ā ℥i. succin. alb. & crystall. cum Ros. subt. tritorum & siccant. ā ℥i. c. c. ad summam albed. calcinat. & lævigati cum succo citri Sptu ⊕ li probè acuato, & siccati, ℥i. Bezoar. occid. ▽ Lemn. ā ℥ss. Ceruss. ⚬ fixi ℥ij. Ambr. gris. ℥ss. mosch. ℥ss. misceantur omnia exactis. & cum Gelatinæ è spoliis viperar. & c. c. in ▽ cardui factæ, & croco leviter tinctæ q. s. f. Globuli diversæ magnitudinis, cautè siccandi. Si prædictis addas coccinell. è Mexico ℥ss, dicitur *Pulv. Cantian. ruber*: si verò Erum Physalor. ℥ij, vocatur *Niger*. Usus est egregii in omnibus morbis contagiosis, Peste, Variolis, &c. Dos. ℥ss ad ℥ss.*

*\* Pulv.*

\* *Pulv. Cardiac. Corallatus.* R Coral. rub. præp. sacch. opt. ā ʒiij. ☉ cinnam. gt. vi. m.

\* *Pulv. Cardiac. Eboratus.* R Magist. ebor. cinnam. ā ʒij. sacch. opt. ʒiij. m. f. ☿ f. a.

\* *Pulv. Cardiac. Perlatus.* R ☿ Rad. chinæ ʒiij. margarit. præp. ʒij. Aleuri purif. ʒviij. sacch. opt. ʒvi. coq. in clibano vase terreo ; dein de novo f. ☿. *Inspersendus omnibus cibis, jusculis, panatellis, &c. Magnum restaurativum habetur in Tabæ.*

*Pulv. Cardiacus rubeus.* R Cretæ albis. ʒviij. Ocul. 69, ʒij. B, ʒi. nuc. m. ʒis. m. f. ☿. *Dos. ʒij pro vice in Cardialgia, &c.*

\* *Pulvis ad Casum.* R ▽ sigil. sang. dracon. Mumixæ, ā ʒi. Sperm. ceti ʒis. rhabarb. ʒiij. m. f. ☿. *D. ʒi pro vice post Phleb.*

\* *Pulv. Cibarius.* R Summit. euphrag. ʒiij. sem. fœnic. cinnam. mac. ā ʒi. f. ☿. adde ⊖ alb. ʒviij. m. *sumatur cum omni cibo. Ad visum acuendum ac præservandum apprimè utilis. Oculorum suffusiones, caliginem, memoriam debilitatam, &c. juvat.*



\* *Pulv. Cinnabaris comp.* R̄ ð nativ. ʒij. succin. alb. ʒi. Rad. pæon. mar. corall. r. ā 3x. m. f. ⅈ s. a. D. ʒss quotidie manè. *Ad Epilepsiam.* Dos. ʒi, ad ʒß, &c.

\* *Pulv. Cornachini.* R̄ Diagryd. △ rat. 3x. ð d. aphor. 3vi. crem. □ ri ʒiiss. m. f. ⅈ. *Ad omnes ferè morbos (qui purgatione opus habent) curandos commendatur.* Dos. ʒß, ʒij, &c.

\* *Pulv. Coronatus.* R̄ Epythym. ʒss. agar. Lap. Lazul. præp. ā ʒij. scammon. ʒi. caryoph. n° 20. m. f. ⅈ. D. ad ʒiv. *Mirè laudatur in Melancholia ad dementiam usq; curanda.*

\* *Pulv. Crinalis.* R̄ Rad. Cyper. long. calam. arom. ros. rub. ā ʒiiss. benz. ʒi. xyloal. 3vi. coral. r. succin. ā ʒss. farin. fabar. ʒ4. Rad. irid. Fl. ʒviiij. m. f. ⅈ subt. adde mosch. zibeth. ā gr. v. *Usus præcipuè ad pilos renascendos, & radices eorum confirmandas (capiti inspersus.) cerebrum insuper, & memoriam recreat, confortatq;*

\* *Pulv. Cucuphalis.* R̄ Macropiper. majoran. succin. ā ʒiij. nuc. m. mac. ā ʒi. m. f. ⅈ pro cucupha, *Qui gossypio susceptus insuatur pileolo serico, inter passando. Insignis ad dolores capitis frigidos diuturnos, Catarrhos absumentos, &c.*

*Pulv.*

*Pulv. Epidemic. aureus*, R Sacch. cand. alb. ℥iv. Balsam.  $\Delta$ ris ℥iss. croc. gr. vi. m. f.  $\mathcal{C}$ . *Dof. ℥i manè, & hora somni in haustu posseti vinosi. Glisson.*

\* *Pulv. Epilepticus*. R Rad. Fraxinel. visc. querc. contrayerv. serpentar. Virgin. pæon. mar. (debito tempore collect) Sem. pæon. mar. Magist. c. c. Magist. ungu. Alcis, ā ℥ij. Rad. Valerian. sylv. ℥i. corall. rub. cran. human. ā ℥iij. Lap. Hyacinth. ℥i. Bez. occid. ℥iss. orient. ℥i. m. f.  $\mathcal{C}$ . subt. f. a. adde mosch. gr. v. Fol. Auri n° 30. m.

\* *Pulv. Febrifugus Certus*. R Rad. Serpent. Virg. ℥ij. contrayerv. gentian. zed. sem. citri, card. b. bez. occid. ā ℥i. Specific. vegetabil. ℥iv. m. f.  $\mathcal{C}$ . *Dof. ℥i quarta quaq; hora spatiis intermediis paroxysmi cum Vino, &c.*

\* *Pulv. Griseus*. R Ocul. cancr. salv. ā ℥ij. cretæ alb. ℥i. nuc. m. ℥i. f.  $\mathcal{C}$ . *Insignis in Diarrhœa, Palpitatione cordis, Aciditate sanguinis, calculo, &c. Dof. ℥i, ad ℥i.*

\* *Pulv. Hæmoptoicus*. R  $\mathcal{B}$  ℥iss. amyl. ℥iij. Rhodofacch. ℥ss.  $\odot$  Anis. gt. ij. m. f.  $\mathcal{C}$ . *D. ℥iss ter in die vel sæpius. In Hæmoptysi nil æquale.*

*Pulv. Hermodactyl. comp.* R Off. human. calcinat. hermodact. scammon. turpeth. fenæ, sacch. alb. ā p. æ. m. f. ℞. *Lentam pituitam, ac alios humores viscidos, etiam ab articulis, efficaciter trahit. Podagræ, Chiragræ, ac omnibus juncturarum doloribus ab iisdem humoribus natis conducit. Dos. ʒi.*

\* *Pulv. Hystericus.* R Pellic. interior. ventric. capon. ʒiv. flaved. cort. aurant. ʒi. m. f. ℞. *D. ʒi in paroxysmo, & 4ta quaq; hora. opt. Remed.*

\* *Pulv. Ictericus.* R Chenocopri verno tempore collect. in ☉ siccat. & ℞at. ʒij. croc. opt. ʒi. sacch. cand. alb. ʒij. m. f. ℞. *D. ʒij bis indies in V. Rhen. per ☉ vi. Aliter.* R Rad. Curcum. ☐ alb. ♂ præp. ā ʒss. lumbric. terr. rhei elect. ā ʒij. m. f. ℞. *Dos. ʒi in haustulo vini albi.*

\* *Pulv. Lateralis.* R Gland. quercin. decort. ʒvi. nuc. m. ʒi. sacch. alb. ʒij. m. f. ℞. *Vocatur & Pulv. Iliacus, & Colicus. Dos. ʒi pro vice bis vel ter in die, in Iliaca, Colica, Lateris dolore, Flatu, Podagra, &c.*

\* *Pulv. Liliaceus.* R Rad. lilior. alb. siccat. ʒiiss. cerus. ♂ij ʒiij. nuc. m. tereb. Ven. ad friabilitatem coctæ, ā ʒij. Rhodo-  
sacch.

facch. ʒi. f.  $\mathcal{C}$  f. a. D. ad ʒiss bis in die cum  
Syr. de Nymph. ad  $\square$ æ acredinem in Lue  
Ven. &c.

*Pulv. Martialis comp.* R ʒ præp. ʒvi.  
xylocast. nuc. m. ā ʒss. caryoph. mac. ā ʒij.  
facch. alb. ʒij. m. f.  $\mathcal{C}$ . Ad Cachexias tam  
Virginum, Mulierum, quàm virorum, juve-  
num, ac senum, Remedium præstantissimum.  
Dos, ʒi, ad ʒij.

*Pulv. Odoratus.* R Rad. irid. Fl. ʒxiv.  
Lign. Rhodii ʒij. Fol. majoran. ʒij. caryoph.  
arom. ʒi. cort. limon. ʒv. Rad. cyperi ʒi.  
calam. arom. ʒvi. Fl. ros. Dam. ʒ4. ros.  
rub. ʒij. benz. styrac. cal. ā ʒi. labdan. ʒss.  
m. f. Pulv. crassus, *Vestimentis inspergendus,*  
*ut à tineis præserventur.* Si prædicta omnia  
cum cerevis. fortiss. in organis Rosaceis dila-  
veris, (suspendendo in Recipiens mosch. gr.  
vi in sindone ligata) habebis Aquam Odo-  
ratissimam, Funeralibus apprimè inservien-  
tem.

\* *Pulv. Ophthalmicus.* R Summit. Eu-  
phrag. ʒij. sem. fœnic. com. ʒij sem. rutæ  
ʒss. mac. ʒij. facch. opt. ʒvi. f.  $\mathcal{C}$  f. a. D.  
coch. i ter in die. v. *Vires Pulveris Ci-  
barii.*

\* *Pulv.*

\* *Pulv. Oxytocius.* R Croc. cas. lign. myrrh. leucelectri ā ʒij. chrysocoll. ʒi. m. f. ☒ subt. D. ad ʒiv cum Aq. Artemis. vel Sabin. Præstantissimus est ☒ ad partum accelerandum, menses provocandos, &c.

\* *Pulv. Pannonicus rubeus.* R AB. cum Ros. & ✕ præp. ʒiij. ▽ Lemn. ʒij. Lapid. Smaragd. Rubin. Sapphir. Hyacinth. off. de corde cerv. corall. r. ā ʒss. corall. alb. ʒvi. spodii, margarit. ā ʒv. cinnam. fant. rub. sem. acetos. ā ʒij. caryoph. croci, ā ʒi. cort. citri, fantal. alb. ā ʒiss. ebor. ʒiij. m. f. ☒ subt. f. a. cui adde Fol. ☉ n° 50. m. *Febris pestilentialibus, contagiosis, ac venenatis optimè conducit.* Dos. ʒi, ad ʒi.

\* *Pulv. Pectoralis.* R Partium albar. benz. ʒiss. △ viv. ʒiij. sem. anis. ʒi. Rhodosacch. ʒij. m. f. ☒. D. ad ʒiss bis in die cum ovo tremulo.

\* *Pulv. Pepticus.* R Flaved. cort. extern. aurant. candefact. & minutis. incis. ʒiv. Confectionum sem. coriand. ʒiv. anis. carui, fœnic. ā ʒij. Aromat. Rosat. ʒss. Θabs. ʒi. menth. ☒ at. ʒij. sacch. cand. ad pond. omnium. f. ☒ grossus. Dos. ʒi post singulos pastus.

\* *Pulv.*

\* *Pulv. Pleuriticus.* R Fl.  $\Delta$   $\bar{z}$ ij. Dent. Apri, mandib. Lucii pisc.  $\bar{a}$   $\bar{z}$ i. Flor. papav. rhœad.  $\bar{z}$ ss. m. f.  $\mathcal{X}$ . Dos.  $\bar{z}$ i. *Stupendum habetur Antipleuriticum cum Rhodosaccharo.*

\* *Pulv. Purpureus.* R C. c. c. succin. alb. coral. r. perl. præp.  $\bar{a}$   $\bar{z}$ i. ocul. & chel. 69,  $\bar{a}$   $\bar{z}$ ij. croc.  $\bar{z}$ ss. coccinel.  $\bar{z}$ ij. m. f.  $\mathcal{X}$  adde Gelatin. ex c. c. & ras. ebor. in  $\nabla$  Anis. factæ q. f. f. Globuli f. a. D.  $\bar{z}$ i ad  $\bar{z}$ ij in Variolis, morbillis, &c.

\* *Pulv. ad Rachitidem.* R  $\mathcal{X}$  Rad. Os-mund. Regal.  $\bar{z}$ iv. sacch.  $\bar{z}$ ij. m. *Insperge hujus aliquantum pulti, cibisque omnibus liquidis, ut ad minimum  $\bar{z}$ ij vel iij in dies absumentur.*

*Pulv. sine Pari.* R  $\bigcirc$   $\bigcirc$ ,  $\oplus$ ,  $\bar{a}$   $\bar{z}$ ij.  $\bigcirc$  ust,  $\bar{z}$ i. colcothar,  $\bar{z}$ ss, m. f.  $\mathcal{X}$ . *Insperge hujus parùm super loca ulcerata, applica desuper Ung. de Minio super linteum, & ibi circumcirca maneat, donec sponte eschara decidat, vel separari potest. Bibatur interim Decoct. guajac cum glyc. & uvis passis, pro potu communi.*

\* *Pulv. Solearis.* R Cumin.  $\bar{z}$ iiij. caryoph.  $\bar{z}$ i.  $\ominus$  decrepit.  $\bar{z}$ 4. m. f.  $\mathcal{X}$ . *Pro soccis interbastandis Podagricorum semper ad plantas gestandis.*

\* *Pulv. Sternutatorius.* R Majoran. ro-rism.

rism. beton. Fl. lili conval. ā ʒiij. nuc. m. ʒij. \* volat. ʒi. m.f. ℥ subtr. *Valet in omnibus capitis doloribus ; in Lethargo, Podagra, &c.*

\* *Pulv. Stomachicus.* R Pellic. interior. ventricul. capon. ʒ4. nuc. m. mac. sem. coriand. anis. scenic. ā ʒiij. menth. ʒi. glyc. ʒij. Rhodofacch. ʒij. m. f. ℥, *ad Tormina Ventriculi, &c. Dos. à ʒi, ad ʒij.*

\* *Pulv. ad Strumas.* R Lap. spong. ʒiij. ʒæ ʒij. ☐ri ⊕ lati ʒi. m. f. ℥. *Dos. ʒij bis in die per dies xij.*

*Pulv. Sympatheticus,* fit calcinando ⊕ Roman. radiis ⊙ aribus per Vitrum cauterizans, & ℥ando. v. *Vires Ung. Sympathet.*

*Pulv. Tertianarius.* v. *Pul. Antipyr.*

\* *Pulv. Vermifugus.* R C. C. rhab. coral. lin. sem. fanton. ā p. æ. m. f. ℥. *Dos. ʒi, ad ʒß per dies 3 continuos circa novilunium, & plenilunium.*

\* *Pulv. Uvularis.* R Balauft, Rad. bistort. tormentil. ā ʒss. O ʒij. m.f. ℥. *Quo uvula cum palato tangatur digito, vel linteo excepto, sæpe in die.*



## R.

\* *Ranar Hepata*, præparantur exiccando supra folia caulium in vase clauso, & *Quando* s. a. *D. 3ß in Epilepsia, Quartana, &c.*

*Regulus Jovialis*, f. ex Regul. ☉ fusi 34, adjiciendo limat. ♄ eandem quant. s. a. *Omnes obstructions reserat. In utero strangulato nobile remedium.*

*Regulus Lunaris*, f. addendo Reg. ☽ fusi 3viij, ☾ 3i, s. a. *Epilepticus, & Cerebralis.*

*Regulus Martis*, ex ♂ 3ij, ☉, ☐, ☿, ā 3ivss, detonando s. a. *Curat Luem Ven. sine ptyalismo.*

*Regulus Solaris*, ex Reg. ☉ fusi 3iv, ☉ 3is, s. a. *Hystericus & deoppilativus.*

*Regulus Veneris*, ex ♀, ☐, ☉, ā 3iv, ☿ 3viij, detonatis s. a. *aperit obstructions in Rachitide.*

*Ros Vitrioli*, Elicitur ex ☿ albo crudo, calore MB ferventis s. a. *Valet ad arduos capitis dolores, sanguinem adustum mitigat, & viscera corroborat. Dos. 3ij, &c. continuatim ad aliquot dies.*

*Rosa*

*Rosa Solis.* R Roris ☉is rec, miiij. nuc-  
m. anif. coriandr. ros. r. sicc. ā 3ss. galang-  
zz. caryoph. ā 3ij. glyc, 3i. cardamom. zed.  
gran. Paradis. calam. arom. ā 3ss. sant. citr.  
3i. sant. rub. cinnam. ā 3vi. ▽ vitæ opt. ℥vi.  
Infund. ☉ aliqt. f. colat. per manic. Hipp.  
addendo sacch. opt. 3xij. *Confert ad Phthifm,*  
*Tabem, &c. confortat cor, hepar, & Venti-*  
*culum. Capitis dolorem sedat, & Pestem præ-*  
*cavet, &c. Dos. 3ij, iij, &c.*

*Rotulæ. v. Tabulæ, vel Tabellæ.*

## S.

*Sacchar. Aluminis. v. Alumen Dulce.*

\* *Sacchar. Ambaratum.* R Sacch. opt. ℥at.  
℥i, vel q. v. repone in vase stanneo, inden-  
do medio sacchari Ambræ gris. frustulum  
ad 3i, vel q. v. stent simul perpetuò (va-  
se clauso) in loco tepidiusculo camini jux-  
ta angulum. Sic Ambræ fragrantia simul  
cum viribus toti saccharo communicabitur,  
sine ullo Ambræ detrimento aut perdi-  
tione.

\* *Sacch. Caryophyllatum.* R Fl. caryoph.  
hort. ℥at. 3vi. caryoph. aromat. 3i. sacch.  
albif. in Ros. Dam. solut. 3xj. coq. & ef-  
funde

funde in marmor. f. a. *Cardiacum, cephalicum, & Stomachicum insigne est. cruditati ventriculi, vertigini, &c. confert.*

\* *Sacch. Eboratum.* R̄  $\mathcal{C}$  ebor.  $\mathfrak{z}$ iss. ocul. 69, perl. præp. ā  $\mathfrak{z}$ i.  $\odot$  cinnam. gt. vi. sacch. opt. in  $\nabla$  Ros. rub. solut.  $\mathfrak{z}$ xvi. coq. f. a.

*Sacch. Persicorum,* f. ex Flor.  $\mathcal{C}$  at.  $\mathfrak{z}$ ij, sacch. in  $\nabla$  Ros. coct.  $\mathfrak{t}$ bi, f. a. *Conducibile ad lumbricos infantum enecandos, & alvum laxandam.*

\* *Sacch. Sambucinum,* f. ex Fl.  $\mathfrak{z}$ ij, sacch. opt. in  $\nabla$  Fl. Sambuc. solut.  $\mathfrak{t}$ bi, f. a. *Ad flatum Ventriculi, Colicam, Calculum, &c. conducit. Alvum laxat.*

\* *Sacch. Tormentillæ.* R̄ Rad. Torment.  $\mathcal{C}$  at,  $\mathfrak{z}$ iss. cinnam,  $\mathfrak{z}$ ss. sacch. in  $\nabla$  cinnam. solut.  $\mathfrak{t}$ bi. coq. & effunde f. a. *Eximii usus in Abortu præcavendo, fœtu roborando, &c.*

*Sacculus Embryon, &c. v. Cerevis. &c.*

*Sal Absinthii crystallinum.* fit solvendo  $\ominus$  Abs. in  $\nabla$ , filtrando, crystallizando, siccandoque, f. a.

*Sal Acetiessentiale.* cōq.  $\odot$  m  $\mathfrak{t}$ i in  $\nabla$  : filtra ac crystallisa f. a. *Sudorificum est, & putredini resistit. Dos. gr. 5, ad 10, in vehiculo aliquo idoneo.* Sal

*Sal Aceti fixum.* Calcina ☉m ⚔ti, solve  
 ▽â, filtra & coagula s. a. *Idem facit ut  
 supra.*

*Sal Alkali.* R̄ ψ tbi. Eris isatid. tbs. ☐,  
 Ⓞ, ā 3i. coq. in ▽, filtra & coagula ad  
 ficit.

*Sal. Aluminis.* coq. Ⓞ ustum in ▽, fil-  
 tra & coagula s. a. *Sudorificum, & Febrifugum.* Dos. gr. 5, ad 10.

*Sal Armoniacum fixatum.* Misce \* cum  
 ψ dimid. quant. & △e fortis. subito adhibi-  
 to, additoque folle funde, ac postea ▽â elue  
 s. a. *Inservit præcipuè liquori indè conficiendo.*  
*Sudorificum est, & putredini resistit, aperit  
 obstructions.* Dos. gr. 5 ad x, &c.

*Sal Armon. Volatile,* f. ex \*, & Ⓞis  
 ☐ri ā, ☐atis s. a. pt & ☐ari (jubente  
 Medico) cum 3tia parte Castor. vel Suc-  
 cini. *Tollit ventriculi cruditates.* Dos. gr.  
 iij ad x. *Specificum est in Arthritide & su-  
 dorificum.*

*Sal Arm. Volat. Oleosum.* R̄ Caryoph. 3ij.  
 Sp. V. 3viii. Sp. \*ci 3iv. Digere simul ad  
 uniendum s. a. Dos. gr. x, ad 15, &c. *in  
 morbis capitis, ventriculi, lienis, uteri, &c.  
 in Colica & Tremore cordis Præstantis. Re-  
 med.*

*Sal*

*Sal. Chalybis.* R. *Croc.* ♂tis per ☞ fact. q. v. extrahe ☉ cum ▽, filtra & crystallisa f. a. *Vim habet incidendi, ac aperiendi obstructions, tum viscerum, tum uteri.* Dos. à gr. i, ad 5, & ultra.

*Sal. Cibarius.* v. *Pulv. Cibar.*

*Sal. Coralliorum.* Elicitur ex ☿ ribus more com. Vel, solve corallia in ☼, filtra ac exhala f. a. Sic fieri pt *Sal Ocul. cancror. Margaritar, &c.* Dos. ʒß, ad ʒi, &c.

*Sal. C. C. Succinatum,* f. ☿ando c.c. cum dimid. quant. succini f. a. Dos. gr. x, ad ʒi, &c.

\**Sal Decrepitatum,* fit calcinando (☿bullo tecto) donec non amplius crepet ☉.

*Sal Diureticum.* Solve ☉m \*ci volatilis in ▽ calida; filtra & coagula f. a. *Proficuum in Febribus intermittentibus.* Dos. ʒß, ad ʒß. In *Ictero, Scorbuto, Hydrope, & omnibus obstructionibus valde conducit.*

*Sal Duplex.* v. *Arcan. Duplex.*

\**Sal Febrifugum,* Elicitur ex testis ostreor. opt. mundatis, & ad summum albed. calcinatis, solvendo in ▽, filtrando ac coagulando f. a. D. ad ʒi ante parox.

*Sal Jovis,* f. Solvendo Magist. ☿is per digest. in ☼, filtrando & coagulando. *Præsentaneum*

*sentaneum remedium in uteri suffocationibus quas ad miraculum compescit, tam intrinsecus, quàm extrinsecus adhibitum. Dos. gr. 2, 3, 4, &c. repetitis vicibus.*

*Sal Lithargyrites, Elicitur cum ☼ non secus ac sacch. ꝯni. Decantetur solutio, filtra & coagula s. a. Si solutio ☿etur cum ol. ☐, vocatur Magisterium. Internè datur in Diarrhœis, Dysenteriis. reliquisq; morbis resolutis. Intestina læsa ac ulcerata sanat & consolidat: sanguinem æstuantem refrigerat. Dos. ʒss cum Theriaca aliqua sudorifica, sive anodyna.*

*Sal Martis. (i. e.) Sal Chalybis.*

*Sal Martis Catharticus. Solve ☼m Florum \*ci ♂tiatorum in ∇ calida, filtra & coagula. Dos. ad gr. xij. leniter purgat, & Diureticum est.*

*Sal Perlarum, fit omninò ut coralliorum.*

*Sal Philosophorum. R̄ ☉ decrepit. ♂æ, ā ʒiss. galang. mac. cubeb. ā ʒss. m. f. ☿. s. a. Concoctionem juvat ventriculi, cruditatesq; consumit. Dos. gr. iv ad xij, manè, jejuno ventriculo.*

*Sal Polychrestum, f. ex Fl. △ & ⊕ ā, exactè mixtis detonatisque, solvendo ∇â, filtrando*

trando ac coagulando f. a. *Humores purgat serofos per sedem, & nonnunquam per urinas.*  
*Dof. ʒi, ad ʒiij, in Font. lbij solut. ut fiat infusar Acidularum.*

*Sal Saturni. (i. e.) Sacch. Saturni.*

*Sal Spongiæ Volatile, f. Quando per ☉, & ☊ rectificando f. a. ex ☉ in ▽ calidâ soluto elixiviat Sal fixum. Utile ad calculos renum vesicæq; frangendos. Valet etiam ad strumas discutiendas. Dof. gr. 5, ad 12, vel ultra.*

*Sal Sulphuris. Solve ☉ in Spts △ris ▽â filtra & coagula f. a. Efficax remed. adversus verminationem. Dof. à gr. 5, ad 10.*

*Sal Tartari, fit ex ☐ro calcinato non secus ac ex aliis Eribus sal extrahi solet. pt & elixivari ex ☉ post Rationem Spts ☐ri relicto, si ulterius comburatur. Vel, fieri pt ex ☐ crud. & ☉ a Cat. & calcinatis in ☐bulo f. a. Optimum est remed. in Ulceribus, Serpiginibus, Tinea, Scabie, &c. tam internè, quàm externè administratum.*

*Sal Tartari Volatilis. R ☉is ☐ri purific. ʒiv. Alcoh. V. ʒviij. La ex ∴, ter cohobando; & adhærescet ☉ lateribus XXbici. Diureticum & Aperitivum insignissimum est. Sanguinem purificat, & malignitati resistit. Dof. gr. 10, ad 20, & ultra.* *Sal*



*Sal. Viper. Volatilis*, f. ex viper. siccis per  
 ☉, ut cornu cervi, ex ☉ elicitor more com.  
*Sal fixum. Medicamentum summè penetrans,*  
*Putredinem arcens, obstructions reserat, fe-*  
*bres omnes resolvit. In melancholia, podagra,*  
*renum calculo & vesicæ, mira præstat. Dos.*  
*gr. 6, ad ̄ss.*

*Sal Veneris. (i. e.) Flor. Viridis æris.*

*Sal Urinæ Volatilis*, f. ex ☐ fermentatâ  
 per ☉ Latâ f. a. *Fixum elicitor ex ☉*  
*more com. Insigne anodynum est in doloribus*  
*sedandis, mixtum cum liquore conveniente,*  
*& supra loca affricatum. Internè datum rese-*  
*rat tartareas obstructions viscerum ac mesen-*  
*terii, unde insignis ejus usus esse poterit in*  
*Scorbuto, Cachexia, Ictericia flava ac nigra,*  
*&c. atterit calculum renum ac vesicæ, dolo-*  
*resq; indè ortos sopit. Dos. gr. 15, ad 30.*

*Sapo Tartareus.* R̄ ☉is ☐ri (ex ☐  
 & ☉ā, fact. f. a.) 3iv. ☉ Tereb. 3viij.  
 stent. simul (vase amplo) in loco frig. &  
 humido ad menses aliqt: tamdiu scilicet  
 (sæpe interim quotidie agitando, & plus  
 ☉i, quoties opus fuerit, adjiciendo) us-  
 quedum ☉ planè triplum ☉i absorbuerit:  
 atque in unam massam (Saponis instar)  
 spissam conspiraverint homogineam, nul-  
 latenus

latenus separandam. *Pro parandis Pil. pacificis & Pil. Matthæi.*

\* *Savanetta Cosmetica.* R Smegm. Venet. ℥ij. solve in succ. limon. ℥ij. adde ol. Amygd. amar. ol. ☐ri p. d. ā ℥i. m. & tamdiu insolentur donec in Unguenti spissitudinem pervenerint, sing. diebus probè agitando. Tum adde ol. st. Rhodii gt. vi, vel q. s. f. ung.

*Scammon. Aurantiatum. v. Extr. Drastrict.*

\* *Scammon. Cydoniatum.* R ☒ Scam. ℥ij. succ. depurat. cydon. ℔i. Digere ☒ 24. adde ∇ vitæ q. s. Digere iterum, & evapora ad extracti formam s. a. *Dof. ℥i, ad gr. 25, &c.*

\* *Scammon. Limoniatum.* R Scam. ☒ at. ℥i. succ. Limon. ℔i. Digere, cola, & ☒a ad consist extracti s. a. *Dof. eadem cum priori.*

\* *Scammon. Rosatum.* R Succ. Ros. Dam. depurat. ℔iij. Sp. ☐ 3ij. ☒ris Scam. ℥ij. Digere ac evapora ad Pil. consist. adde ☉ st. Majoran. ℥i. *Dof. eadem cum priori.*

\* *Secundinæ præptæ.* Abluantur Secundinæ foeminæ, aut Suis primiparæ cum V. albo, exiccentur citò, & ☒rentur s. a. *D. ad ℥i, in Epilepsia, utero strangulato, partu difficili, &c.*  
Sedati-

*Sedativum Archæi. Tinctura ex Flor.*  
 \*ci Œtiatis eliciatur cum Sp. V. quæ ab-  
 strahatur ad consist. debitam s. a. v. *Vires*  
*Flor. \*ci Martiatorum.*

\* *Serum Aluminatum.* R̄ O ʒiij. lact. ℥4.  
 coq. parùm, ut f. Serum. adde sacch. ʒ4. cla-  
 rific. cum album. ovorum, s. a. Si velis  
 Emeticum, coq. O ʒiij, in lactis ʒviij, ut f.  
 Serum, *ante parox. febrilem sumendum.*

\* *Serum Hepaticum.* R̄ Fol. fumar. cichor.  
 endiv. ā miiij. hepatic. mij. agrimon. acetos.  
 ling. cerv. borrag. buglos. ā mi. sem. carui  
 ʒi. contusis affunde seri lactis ℥iij. f. expres.  
 adde sacch. alb. ʒiij. clarific. s. a. *D. t̄bi bis*  
*indies.*

\* *Serum Scorbuticum.* R̄ Fol. cichor. acetos.  
 ā mxij. abiet. mvi. cochlear. nasturt. aquat. ā  
 miv. sem. coriandr. ʒi. contusis adde succ.  
 aurant. ʒ4. Seri lactis ℥4. sacch. alb. ʒij. cla-  
 rific. s. a. *D. t̄bi bis indies.*

\* *Serum de Sedo.* R̄ Succ. sedi major. ℥i.  
 lactis ℥ij. coq. ut f. Serum s. a. *D. t̄bi vel*  
*t̄bij indies. Usus præcip. in febribus biliosis ;*  
*sedat sitim, compescit ardorem, &c.*

\* *Serum Sinapinum.* R̄ Lactis ℥ij. cale-  
 fact. adde Mustard. rec. fact. coch. ij, ut  
 f. Serum clarum ; quod coletur pro una  
 vice.

vice. Remed. singulare in Tussi, Asthmate, &c.  
Bibatur hora somni, & manè in lecto calidè  
per dies 3 vel 4.

*Silices præpti.* R Silices albicantes & pel-  
lucid. ex fluviis collect. igniantur in ♁bulo,  
& exting. in Font. (quâ \* solut fuerit)  
donec in Trem fieri poterunt. f. T exqui-  
situs supra marmor, & in Troch. cogatur  
cum Ros. probè exiccandos f. a. *Diuretici  
sunt. Usus in hydropè, calculo, urina suppres-  
sa, &c. Dos. gr. 10, ad 20, &c.*

\* *Spiritus Alkermes.* R Sp. Cinnam. Ci-  
tri, Ceras. n. Anthûs, ā ʒiv. succ. chermesin.  
ʒij. m. peroptimè, dein agantur per chart.  
emporet. adde tum sacch. opt. ʒij. Fol.  
Auri n°x. m. f. a. *Sunt, qui addunt Sp. Am-  
bræ ʒij pro ditioribus. Vapores tetros discus-  
tit. Spiritus naturales, vitales, animales  
recreat. parturièntibus subvenit, &c.*

*Spir Aluminis.* Qatur ex O usto per  
O omninò ut ☉ ☐ li. *Dos. gut. 4, 5,  
6, &c.*

*Spir. Alum. Dulcis.* f. Sptum O is aliquo-  
ties rectificando cum Sp. V. ut dulcis evadat.  
*Diureticum est, calculum pellit, obstructiones  
aperit. æstus in febribus compescit. Dos. gut.  
4, 5, &c. pro vice.*

\* *Spir. Ambrae.* R Ambrae griseae. 3ss. mosch. gr. xv. sacch. cand. 3i. m. f. ☿ : cui affunde △ris coelest. 3iv. Digere (vase hermetice obturato) in fimo equino ad ☉ 20 aut 30. Dein filtra ad usum. *D. gt. vi in Animi deliquio, &c.*

\* *Spir. Benzoini.* R Partium albar. Benz. opt. 3ij. Pyraceni 3xvi. maneant simul in frig. saepe agitando ad solutionem. Benz. filtra ac serva. Si ▽ â lactis ☿es, & sicces, erit *Magister Benzoini.* *Dos. Spiritus, à 3i, ad 3iij. Magisterii à gr. 10, ad 20. vires obtinet Benzoini.*

\* *Spir. Camphorae,* fit Solvendo Camph. 3i, in Pyracen. 3viii, f. a. *Dos. 3ss ante parox Tertianae. Diaphoreticum insigne in febribus malignis. Anodynum est egregium, odontalgiam sedat, &c.*

\* *Spir. Cerasorum,* f. ex Cerasis nig. cum nucleis opt. contus. & fermentatis f. a. Quando per XX, & rectificando in MB. *Cephalicus, & diureticus. hystericiis & epilepticis prodest. flatibus & convulsionibus subvenit.* *Dos. 3ij, ad 3i, &c.*

\* *Spir. Cochleariae,* f. ex Cochlear. hort. floresc. fermentatâ, vel non ferm. Quando per XX cum suo refrigeratorio. Quod primo

modò prodit serva per se pro Sptu *Fieri etiam pt ad hunc modum.* R<sup>x</sup> Sp. V. legitime probat. ℥xxiv. cochlear. hort. rec. & floresc. qu. infarciri pt. Infunde per ℥xij, ac ℞a ad medietatem. In hoc Sptu ℞ato macera de novo cochlear. rec. ut supra, iterumque ℞a ad medias. Ex hoc Sptu, & Resin. Scammon. vel zialap. (extrahendo Tincturam ac filtrando) parari pt *Sp Cochlear. purgans.* *Spleneticus ac diaphoreticus, fixos ac crudos humores, volatiles reddit, putrediniq; resistit.* *Hinc proficuus in hypochondriacis & tartareis morbis, ac præcipue scorbuto.* Dos. gut. 20, 30, vel ultra in liquore idoneo.

*Spir. Coralliorum,* fit Hem Corall. opt. purificat. Qando ∴ & rectificando. *Scorbuticus est & lithontripticus.* Dos. gt. 5, ad 20, &c.

\* *Spir. Corn. Cerv. succinatus.* Qatur ex c. c. cum dimid. quant. Succini. Dos. gut. 5, ad 15, &c. *Sudorificus est, diureticus, hystericus, Epilepticus, &c.*

*Spir. Diatricon. v. Mixtura Simplex.*

*Spir. Dracunculi.* R<sup>x</sup> Sp. Vini cong. i. Fol. dracunculi recent. quant. infarciri pt. Digere per O iij, & ℞a sa. Aquæ ℞latæ adde sacc. opt. q. s. Dos. ℥iv. pro vice ; mi-

*randa præstat in ignotis affectibus, sudorem provocando.*

\* *Spir. Embryonum.* R Capones n° 3, exemptâ pinguedine contunde & incide: adde dactyl. tbi. uv. passar. tbiſs. meliſ. miv. angelic. majoran. chærefol. ā miiij. ſem. ocimi ʒiſs. ſœnic. angel. cort. limon. ā ʒiiij. cort. citri, Rad. pæon. borrag. ā ʒiv. angel. ʒiſs. croc. ʒv. Conf. flo. Borrag. caryoph. majoran. ā ʒiv. V. Hiſpan. t̄bxxxij. Qa ad ſiccitatem. cum hâc ▽â, & Sp. Hormin. tbi, ▽æ Ceraſ. n. Meliſ. ā t̄biiij, Borrag. t̄biv, & amygd. decort. t̄biſs f. Emulſio: cui adde Conf. flo. Pæon. ʒvi. Borrag. & Caryoph. ā ʒiv. Florum violar. paralyſ. tunicæ, roſ. r. anth. calend. ā miv. Xyloal. ʒiiij. Sant. citr. ʒiſs. cinnam. ʒviiij. Aromat. Roſat. ʒi. Qa ſ. a. *Fæminis datur quæ ſæpius Abortum paſſæ ſunt magno emolumento, itémq; gravidis ubi à ſubito terrore, aut aliqua occaſione extrinſeca languēſcant, lipothymias & animi deſectiones, ventriſq; inflationes in his perſanat: infirmum fætum roborat, uteri ligamenta firmat, Epilepſiam arcet, ſanguificatio- ni proſicit, &c. Doſ. coch. 2, 3, &c. pro re natâ.*

*Spir. Hormini comp. v. Aq. Horm. comp.*

\* *Spir.*



\* *Spir. Hyssopi Verus.* R Hyssop. rec. flo-  
resc. q.v. contunde opt. & in vase quern. in-  
clude, addendo Font. tepidiusculæ q. s. re-  
linque sic ad fermentandum (Flor. cerevisiæ  
tantillo addito) O 10, vel 12. Deinde adde  
plus  $\nabla$ æ, ac  $\mathcal{Q}$ a per  $\mathbf{XX}$ . Postea rectifica  
sæpe in MB. s. a. Eodem modo  $\mathcal{Q}$ ari pt Sp.  
*Herb. aliar. Flor. &c.* Pectoralis est insigni-  
ter.

\* *Spir. Juniperi Verus.*  $\mathcal{Q}$ atur ex Baccis  
fermentat. ut supra. Carminativus, diureti-  
cus, & stomachicus insignis est. flatibus, re-  
numq; arenulis pellendis, mensibus movendis,  
& sterilitati auferendæ egregiè proficiuus.

*Spir. Mannæ.* Si Mannam  $\mathcal{Q}$ es l.  $\Delta$ . ex  
cucurbita, habebis Sptum insipidum sudori-  
ficum. Sudorificum insigne habetur in feбри-  
bus tum pestilentibus, tum communibus, sudo-  
rem, propellens admodum fætidum. Dos. ad  
coch. i.

*Spir. Millepedum.*  $\mathcal{Q}$ atur omninò ut c. c.  
servando  $\Theta$ em. Urinam potenter ciet. Om-  
nes obstructiones reserat. confert oculorum  
morbis. nec-non Rachitidi. Specificus in sur-  
ditate auribus inditus.

\* *Spir. Nitri.* R  $\therefore$ æ p. ij  $\textcircled{\text{D}}$  p. i. m.  
ac  $\mathcal{Q}$ a per  $\mathbf{O}$ , donec cessant fumi appa-  
H 3 rere.

rere. *Diureticum præstantius vix invenies. Sudorem insuper movet, unde usus ejus insignis in colica, pleurisi, febribus omnibus, præcipuè malignis. Dos. ℥i, ad ℥ij, ℥c.*

*Spir. Nitri Bezoarticus.* Quatur ex Sp.  $\textcircled{O}$  rectific. & Butyr.  $\textcircled{S}$ ij ā, ex  $\textcircled{A}$  s. a. Inservire potest  $\textcircled{C}$ m Bezoartico Minerali parando.

\* *Spir. Nitri dulcis.* R. Sp.  $\textcircled{O}$  rectific. p. i. Alcoh. V. p. ij. Digere ad unionem, ac Quatur in ::, bis cohobando s. a. *Dos. ad ℥i in liquor. conven. Sudorem ciet, tollit obstructions colicæ, renum, pectoris, &c.*

*Spir. Reginae Hungariæ.* V. Aq. Hungarica.

\* *Spir. Rhæados crapularius.* R. Flo. pav. rhæad. rec. tbi. sem. carui  $\textcircled{S}$ ij. nuc. m.  $\textcircled{S}$ i. Ambr. gris. gr. 4. Sp. V. tbiiv. macer. s. a. f. colat. *Dos. ℥iv hora somni, vel manè post crapulam. Specificè Pleuritidi subvenit.*

*Spir. Salis Armoniaci.* R. \* p. i.  $\Psi$  p. ij.  $\nabla$  p. iij. Quatur in ::. s. a. *Diureticus, diaphoreticus, incisivus. resistit putredini, optimè valet in febribus. Dos. à gut. vi, ad xij, &c.*

Sp.

*Spir. Sal. Arm. Tartarificatus.* R  $\ominus$ is  $\square$ ri,  
 $\ast$ ,  $\bar{a}$ , cum rriplo  $\nabla \bar{x}$   $\mathcal{L}$ a f. a. *Vires obti-*  
*net omnes cum priori.*

*Sp. Sal. Arm. Succinatus.* f. rectificando  
 Sp.  $\ast$ ci supra  $\mathcal{L}$ rem succini f. a.

*Sp. Sal. Arm. Chalybeatus,* f. ex  $\odot$ o Flo-  
 rum  $\ast$ ci  $\mathcal{I}$ tiatorum  $\Delta$ i exposito,  $\mathcal{L}$ ando  
 per  $\bigcirc$  f. a. *Dof. gut. 5, ad 15, &c. omnes*  
*obstructiones tollit, menses & urinam provo-*  
*cat: Sudorificus etiam censetur.*

*\*. Spir. Salis coagulatus.* Misce  $\ominus$ is Ab-  
 finth. depuratis.  $\mathcal{I}$ i, cum Sp.  $\ominus$  rectif.  $\mathcal{I}$ is,  
 & coagula f. a. *Diureticum est Medica-*  
*mentum, & specificum hydropicum, omnes a-*  
*quosas humiditates & flatus, omnemq; tarta-*  
*ream & viscosam materiam, unde calculus*  
*procreatur, per urinam potenter expellens. in*  
*Iliaca, Colica, febribus, icteritia, dysenteria,*  
*apoplexia, Podagra, &c. præsentaneum est*  
*auxilium. Dof. gut. vi, ad xv, &c. v. Myn-*  
*sicht.*

*Spir. Salis Martialis.*  $\mathcal{L}$ atur per  $\bigcirc$  ex  
 $\mathcal{I}$  p. i,  $\mathcal{I}$  p. ij, f. a. *Dof. gt. 5, ad 15. Diu-*  
*reticus & valde aperitivus.*

*Spir. Sambuci.*  $\mathcal{L}$ atur è Baccis ferment.  
 uti *Hyssopi, &c. Alexipharmacus, cardiacus,*  
*sudorificus, & uterinus. Dof. coch. 1, 2, &c.*

*Spir. Sanguinis.* Aqua Sang. juvenis sani putrefactum in :: & rectificata s. a. Maxime commendatur ad Epilepsiam radicitus tollendam. ad paralyfin, apoplexiam, pulmonem ulceratum. &c. Dos. à gut. x, ad xx, & ultra per mensem integrum.

*Spir. Saturni.* Aquatur per ☉ è sacch. Hni opt. purificato, rectificando s. a. Sudorificus est, in Peste, melancholia hypoch. febribus ardentibus, Lue ♀ rea, & simil. Dos. gut. 2, 3.

*Spir. Spongiarum.* Aqua è Spongiis per ☉, & rectificata s. a. Lithonripticus est insignis.

*Spir. Tabaccae.* Aquatur ut Succini, ex Foliis siccis. Dos. ʒi, ad ʒiij, &c. pro vomitorio.

*Spir. Theriacalis camphoratus.* R Theriac. Androm. ʒv. myrrh. opt. ʒx. croc. Anglic. ʒss. camph. ʒij. Alcoh. V. ʒx. Digere, ac Aqua in MB. ter cohobando s. a. Egregii usus in morbis malignis, ciet sudorem, resistitq; veneno. Dos. ʒi, ad ʒi, &c.

\* *Spir. Veneris.* Aquatur per ☉ ex ☉lo ♀ ris s. a. Summum est Arcanum ad Epilepsiam, corroborat ventriculum, cruditates emendat, uterum frigidum calfacit, ejusq; suffocationem

tionem sanat, menses movet, renum morbis succurrit. Dos. gut. 5, ad 10.

*Spir. Vini Succinatus.* R̄ Tris Succini ℥iv. Alcoh. V. ℥xij. Qa in MB f. a. Cephalicus, &c.

*Spir. Vini Tartarizatus.* R̄ ⊖ ☐ ℥iv. Qa cum Alc. V. ℥ij. in MB. Scorbuticus, &c.

*Spir. Viperarum.* Qa ex Viperis siccis, uti c.c. servando ⊕em. Summè est penetrans, putredinem arcens, in toto corpore obstructiones reserat, febres omnes resolvit, etiam Quartanas. Dos. gut. iv, ad x.

*Spir. Vitæ Aureus.* v. Tinct. Aurea.

*Spir. Vitrioli.* Qa ⊕ calcinatum ex ::, & separa Sp. à phlegmate f. a.

\* *Spir. Vitrioli coagulatus.* R̄ ⊖is Acetofæ ℥i. Sp. ⊕ li ℥iss. m. & coagula f. a. In roborando ventriculo, febribus, siti, inflammationibus, &c. Secretum est. Dos. quantum ferri potest, ut dentes stupidi non reddantur, in liquor. conven. v. Mynsicht.

*Sp. Vitrioli Diaphoreticus.* R̄ ⊖is ☐ri, c. c. c. ā ℥ij. Sp. ⊕ ℥vi. Qa per ☉ ad siccit. Liquori Qato adde Sp. V. ā, & serva ad usum. Purificat sanguinem, abigitq; scabiem ac pruritus, aperit obstructiones, sudorem pro-

vocat in Peste, venenis, hydrope, icteritia, contracturis, &c. Efficax quoque est in mundificandis pulmonibus. Dos. à ʒi, ad ʒss.

Sp. Vitrioli Essentificatus. v. Clissus Vitrioli.

Spir. Vitrioli Martis. ʒatur in ∴ ex ʒlo ʒis calcinato. In obstructionibus, chlorosi, Rachitide, &c. Dos. gut 5, ad 15.

Sp. Vitrioli Philosophicus. fit ex ∇ā in quam Butyr. ʒij projectum fuit, exhalando ad ʒtias, & rectificando s. a. Cephalicus est, febrifugus & Ecphracticus. Dos. gut. 5, ad 15.

Sp. Vitrioli Tartarizatus. R ʒ ad albed. calcinat. p. ij. □ ad nigred. calcinat. p. i. m. & conspersa Spū V. ʒa ex ʒ, & rectificata s. a. Egregias vires exhibet ad sudandum in omnibus internis obstructionibus, in sanguine grumoso, contra scabiem, ad mundificandam & lævigandam cutim. Dos. à ʒi, ad ʒss. cum brodio, aut vino, per tres auras continuas, si libet.

Stypticum Regis. ʒlo soluto, filtrato, cum ✱ ʒato, edulcato & siccato affunde ʒ ʒli, & ʒa ex ʒ ad siccitatem. ʒm digere cum Sp. V. filtra calidè ac abstrahere. Solve ʒem in fundo remanentem cum

cum quadruplo  $\nabla$ æ per digest. & fiet Stypticum. *Usus est internus & externus.*  
*Dof. gut. 10. ad 20, &c. in omnibus hæ-*  
*morrhagiis.*

\* *Succi Scorbutici.* R Succor. cochlear. utriusque. becabung. nasturt. aquat. ā  $\text{℥}$ xvi. aurant.  $\text{℥}$ xx. sacch. alb.  $\text{℥}$ xij. m. trajiciantur sæpe per manicam Hippoc. ad claritatem rubicundam, Vini instar *Rubelli*. *Diu servari*  
*pt, in lagenis vitreis si reponantur, & gratissi-*  
*mi saporis sunt. Dof. coch. i in omni haustu*  
*cerevis. com. vel  $\text{℥}$ iv bis in die.*

*Suffimentum Hystericum.* R Asæ foetid.  $\text{℥}$ i. Fol. rutæ mi.  $\text{℥}$  opt.  $\text{℥}$ bi. coq. in lagena stricti orificii s. a. *Calidus vapor* (*hiante ore,*  
*& naribus*) *excipiat* sæpius *in die.*

*Sulphur Antimonii.* R  $\ominus$   $\square$ , vel Absinth.  $\text{℥}$ iv. in  $\text{℥}$ bullo fusis injice cochleatim  $\text{⊕}$  crud.  $\text{℥}$ at.  $\text{℥}$ i. fluere sinatur ad  $\text{℥}$ æ quadrantem, & effunde in vas æneum. Massa crocei coloris edulcetur crebris ablutionibus s. a. *Ciet vomitum.* *Dof. à gr. 5, ad 10,*  
*cum crem.  $\square$ ri purgat per secessum.*

*Sulph. Antim. combustibile.*  $\text{⊕}$  solutum in menstruo idoneo in  $\nabla$ am projice: collige  $\triangle$ r, &  $\nabla$  calidâ ablue: vel (si videtur) per se  $\triangle$ a s. a. *Dof. cum viribus eadem, ut*  
*supra.*

\* *Sulphur*



\* *Sulphur Auratum.* fit è scoriis à Regulo  
 ♂ii liberatis, in ▽ coctis & filtratis, ☞an-  
 do △ cum ✚, & abluendo. Dos. gr. 5, ad  
 15. In aliis vomitum ante sudorem, in aliis  
 sedem post sudorem, movet. mirè conducit fe-  
 bribus tertianis & quartanis horâ unâ ante  
 paroxysmum. Pesti, variolis, &c. modo sta-  
 tim à concepto contagio, bis tēve repetendo,  
 sæpe prævenit, vel feliciter erumpere facit.  
 Lui ♀ reâ proficuum est.

*Sulphur Vitrioli.* fit solvendo ☉ in ▽  
 calidâ, guttatimque affundendo ☉m ☐ri,  
 ut ☞etur △ ☉li, qd edulcoratum exicca.  
 Confert affectibus pulmonum. Mundificat pla-  
 gas putridas, cicatricesq; inducit. in Epilepsia,  
 vertigine, & morbis chronicis valde utile.  
 Dos. ad gr. 15.

*Sulphur Vitrioli Martiale.* Ablue Fl. \*ci  
 Martiatos ab omni falsedine, & calcina s. a.  
 Idem facit cum superiori; & præterea ob-  
 struções reſerat. Dos. etiam eadem est.

*Sulphur Vitrioli Narcoticum.* R. ☉ p. ij.  
 ♂ p. i. Digere in ✚, ac ☞ain ∴ ad sicci-  
 tatem. Ex ☉ rubra extrahe tincturam ope  
 ✚i, filtra & ☞a ☉o ☐ri. Tandem △ in  
 fundo edulca & sicca. Ex hoc sunt anody-  
 na, Laudani nomine insignita. Catarrhos sistit,  
 dolores

*dolores aufert, &c. Dos. gr. ij, ad vi. &c. hora somni.*

\* *Suppositoria Aluminosa.* R *O* T at. q. v. Albumin. ovor. agitat. q. s. ut fiat Pasta, & exinde suppositoria diversæ magnitudinis & longitudinis, siccanda ad usum. *Quorum unum oleo illitum indatur pro re natâ ad alvum sollicitandam in variis casibus. Insignis usus in Colica.*

\* *Suppositorium Hæmorrhoidale*, f. ex creta & ung. Populn. ut f. *Ø* dura f. a. *Refrigerat, sanguinemq; sistit hæmorrhoidum.*

*Syr. Allelujæ.* R Succ. Lujul. ℥iiss. Ros. rub. ℥ss. sacch. opt. ℥iiss. Digere in MB, dum fæces subsiderint, toties quoties.

*Syrup. Ambrosianus.* v. *Decoct. Ambros.*

*Syr. Antiscorbuticus.* R Fol. Pini rec. cochlear. marin. nasturt. aquat. becabung. ā p. æ. contusa exprime succos. R Horum ℥iij. succ. Aurant, ℥vi. clarifica exactis. cum album. ovor. adde sacch. opt. ℥ij. coq. ad consist. *Syr. f. a. Cui refrigerato addi possunt Sp. cochlear. ℥ij.*

\* *Syr. Balsamicus.* R Balsam. de Tolu ℥ij. ▽ Flor. tussilag. ℥xij. coq. in vitro circulatorio exactis. lutato in ∴. posito per X 3. colat. frigida admisce sacch. albis. ℥xx. ut f. *Syr.*

Syr. sine ope caloris. Eodem modo parari potest  
*Syr. Benzoïni, de Styrace, &c.*

\* *Syr. Benedictus.* R Infus. Bened. ℥xij. sacch. alb. ℥iv. exhala in MB. ad Syrupi consist. f. a. *Dos. coch. i, 2, &c. pro Infantibus.*

\* *Syr. Cardiacus auratus.* R Aq. chelidon. comp. ℥i. sacch. opt. ℥ij. dissolve ad lentum B. calorem, & adde succ. chermes, Syr. de Corall. comp. ā ℥ij. Fol. Auri n° 20. m. f. a.

\* *Syr. Chalybeatus.* R Θ ℥tis ℥ij. solve in ▽ Gentian. comp. ℥i. adde Syr. de pomis alter. ℥ix. m. f. a. *Dos. ℥ß, ad ℥iß, &c.*

\* *Syr. Chalybeatus Alius.* R Vin. Chalybeat. nr. comp. opt. filtrat. ℥ij. sacch. opt. ℥i. exhala l. △. ad Syr. consist. *Dos. ut supra.*

\* *Syr. Chalyb. Corallatus.* R Ras. santal. r. ℥iv. sant. alb. cinam. corall. rub. ā ℥i. macer. (obsignato vase) in V. rubell. opt. ℥iis ad ± ☒ 24. f. colat. clara, cui adde sacch. opt. ℥i. f. Syr. f. a. Tum adde Θ ℥tis ad rubed. calcinat. (in ▽ cydon. solut.) ℥ss. m. *Valde adstringit & roborat. In fluxibus omnibus (præsertim hepaticis) usus*

*usus est insignis. Dos. ℥ss, ad ℥i, &c.*

\* *Syr. de Croco.* R *Croc. Anglic. opt. ℥ij. Lachrymar. stillantium ex capitibus Papaveris exotici supra laminam ferri siccat. & pul. ℥ss. Sp. Oli gt. 30. ▽ citri totius ℥viij. Digere in MB. ut extrahatur Tinctura, quæ filtretur exactis. Tum R Sacch. opt. ℥xviij. ▽ citri totius ℥vi. coq. despumando ad Syr. crassioris consist. cui adde Tincturam prædictam, ut f. Syr. consist. debitæ sine coctione. Dos. ℥i, ad ℥iij, & ultra.*

*Syr. ad Fissuras.* R *Gum. arabic. ℥ij. sacch. crystallin. ℥ss. Ros. r. ℥ij. coq. in Syrup. liquidiorum. Remed. optatiss. in fissuris mammarum.*

*Syr. Hæmoptoicus.* R *Succor. heder. terr. plantag. agrimon. sedi major. portulac. depuratorum, ad t̄ss. Sacch. Rosat. duplum. f. Syr. f. a. Dos. ℥ij cum ▽ Lactis ℥vi singulis auroris, & eadem quantitas hora somni cum ▽ Rhæad. ℥iv.*

\* *Syr. Fovialis.* R *Limat. Vis ℥vi. Stis ℥ij. infund. in Font. t̄vi ℥48. Tum adde Tamarisc. mii. cort. rad. cappar. ℥iss. uv. passar. ℥iv. anis. ℥i. coq. donec libræ 4 consumptæ fuerint f. colat. adde sacch. alb. t̄bi. clarifica*

clarifica & coque ad Syr. consist. *Dof. ʒi*  
*quotidie mane cum ▽ Lumbric. magistr. ʒij.*  
*Optimè valet ad Melancholiam hypochond. ca-*  
*chexiam, chlorosin, icterum, &c.*

\* *Syr. Limacum.* R Limac. hort. ante or-  
 tum ☉ is collect. è testis suis exempt. & con-  
 cis. tbi. sacch. cand. subt. Cat. tbs. m. &  
 conjiciantur in manic. Hippoc. ut in cella  
 defluant in Syrupum. Fieri & pt ex Li-  
 mac. perforatis cum testis, & sacch. cando.  
*Dof. coch. i sing. boris, in Phthisi, Tabe,*  
*&c.*

\* *Syr. Lumbricorum.* R Lumbric. terr.  
 rec. opt. mundat. tbi. Inde vitro orificii an-  
 gustioris (benè operculo munito) & obvol-  
 vatur vitrum totum pastâ ex Fl. tritici &  
 ▽ â factâ, coq. in clibano cum panibus Pi-  
 storis. Postea coletur liquor, cui adde sacch.  
 opt. q. s. ut f. Syr. *Dof. ʒi cum chalybeatis,*  
*&c.*

\* *Syr. de Myrrha.* R Myrrh. opt. ʒv.  
 croc. Div. hyssop. tussilag. ā miiij. cap. ♀  
 mi. sem. bombac. ʒi. uv. pass. exacin. ʒiiij.  
 coq. in V. alb. tbs ad med. colat. adde  
 sacch. opt. ʒviiij. coq. in Syr. consist. f. a. *Pe-*  
*ctoralis est, asthmaticus, aperitivus, emmena-*  
*gogus, &c. Dof. ʒi, ad ʒij, &c.*

Syr.

*Syr. Peponicus.* R Carn. Pepon. matur. & rec. t̄iiss. incif. minutiss. adde sacch. opt. Cat. t̄bi. f. S.S.S. in olla vitreata: stet desuper peponis carnem pondus i vel 2 libratum (℥ aliquot) ut f. Syr. in loco frigido f. a. *Dos. coch. 3 bis in die cum Pulv. Haly 3i, in Phthisi, tabe, &c.*

\* *Syr. de Peto.* R Succ. Peti Anglic. t̄b4. oxym. simp. 34. Hydromel. t̄bi. m. & Digere ☉ 4, ut opt. defæcetur. Hinc decanta, iterumque digere ut suprà, donec materia ab omni sæculentia depurata fuerit: adde postea sacch. t̄bij, & coq. in Syr. f. a. *Dos. coch. ʒ, ad ij per plures dies, mira præstat in epilepsia, tussi, asthmate, catarrho suffocativo, phthisi, ventriculi dolore, visu recuperando, &c.*

\* *Syr. de Rapis.* R Rapar. excort. in laminas ten. incif. t̄bij. sacchar. opt. Cat. t̄bi. f. S. S. S. in vase fictili. stent in frigido simul cum pondere superposito per ℥ 12. f. colat. *Lenit acrimoniam bilis ac asperitatem bronchiorum, asperæq; arteriæ.*

*Syr. Sambucinus comp.* R Bacc. sambuc. matur. à stipit. liberat. t̄bij. uvar. corinthiac. mundat. incif. t̄bi. Fl. sicc. Borrág. Buglos. Viol. Ros. r. ā 3ʒs. V. Rubelli t̄bij. coq. in  
clibano

clibano : colat. claræ adde sacch. opt. ā, & coq. in Syr. f. a. *Mieklethw. Alexipharmacus, Cardiacus, & uterinus est. Sudorem movet, &c.*

\* *Syr. de Scammonio.* R Diagryd. 3vi uv. passar. exacin. sacch. alb. ā 3viij. Sp. V. ℥ij. coq. l. Δ. adustulando ad consumpt. dimid. f. colat. pro Syr. cathartico. *Dof. 3ss, ad 3iss.*

*Syr. Sidereus.* R Tincturæ Ferri (quam vide suo loco) exactis. filtrat. ℥ij. sacch. opt. ℥bi. exhala in MB. ad consist. Syr. f. a. *Longè efficacior est quàm Syr. Chalybeat. in obstructionibus, &c. Dof. 3ij, ad 3vi, &c.*

*Syr. de Sulphure.* R Hepat. Δris 3ij. V. Hispan. ℥bi. Digere ☉ 3, & V. tinctum filtra. Tum R sacch. opt. ℥biij. ∇ Tussilag. ℥bi. coq. despumando ad consist. crassiorem. Postea (Tincturâ prædictâ additâ) f. Syr. debita consist. f. a. *Insigniter confert ad Asthma, Tussim, Phthisin, Peste, &c. Dof. 3ß, ad 3i, &c.*

*Syr. Tolutanus magistralis.* R Bals. de Tolu, de Mecha, vel ejus defectu Capivi, styrac. calamit. Benz. opt. oliban. Mastich. Myrrh. Ammoniacy granulati, Taccamahac : gum. Elemi,



Elemi, Tereb. è Chio, Rad. irid. Florent. ā  
 ʒiſs. Aq. Bechicæ ʒiſs. coq. in vaſe circulari  
 torio (opt. clauſo) in ∴ calidā poſito ☒ a-  
 liqt. colat. adde ſacch. albiſ. q. s. ut f. Syr.  
 albiſſimus ſ. a. *Pectoralis eſt, Aſthmaticus,*  
*Phthiſicus, &c. Doſ. ʒß ad ʒi, &c.*

Syr. Vermifugus. R̄ Fol. Helleboraeſtri  
 rec. ʒij. Hagioſpermi ʒiſs. Rad. bryon. rec.  
 ʒiſs. Abſinth. Roman. mii. coq. in Hydropeg.  
 q. s. ad ʒbi. colat. adde ſacch. opt. ʒbi. & coq.  
 ſ. a. *Doſ. coch. i bis indies.*

## T.

\* *Tabulæ Abſinthiacæ.* R̄ Sacch. albiſ. ʒbi.  
 Aq. Abſ. q. s. coq. ſ. a. inſtillando ☉ ſt.  
 Abſ. gt. 60; & effunde in marmor. *Stoma-*  
*chicæ, hepaticæ, ſpleneticæ, &c.*

\* *Tab. Amygdaloïdes.* R̄ Partium albar.  
 Benz. opt. ʒi. Fl. △ ʒij. Rad. irid. Flor. ʒiſs.  
 ſang. dracon. ʒi. ſacch. alb. ʒxij. mucilag.  
 gum. Trag. in Ros. extract. q. ſ. f. Tabul.  
 ſ. a. *In Aſthmate, Tuſſi, Phthiſi, &c. præſtan-*  
*tiſſimæ.*

\* *Tabul. de Angelica.* R̄ Rad. Angelic. rec.  
 ad mollitiem coct. & per ſetaceum traject.  
 ʒiſs. ſacch. opt. ʒxij. mucilag. gum. tragac.  
 q. s.

q.s. f. Tab. albissimæ. *Bezoardicæ, cardiacæ, traumaticæ, emmenagogæ, &c.*

\* *Tab. Antimoniales.* R Cerus.  $\text{℥ij}$  ex Regulo fact.  $\text{℥vi}$ . sacch. alb.  $\text{℥xij}$ . cum mucilag. gum Tragac. f. Tabellæ scrupulares f. a. v. *Vires Electuar. Albi.*

\* *Tab. Antisynanchicæ.* R Fl.  $\Delta$   $\text{℥i}$ . cynocopri subt.  $\text{℥at}$ .  $\text{℥iiij}$ . sang. dracon.  $\text{℥ij}$ . ol. Anisi gt. vi. sacch. albis.  $\text{℥viiij}$ . cum mucilag. tragac. q. s. f. Tabellæ. *In ulceribus oris, aphthis, &c.*

\* *Tab. de Aurantiis.* R Cort. extern. aurant. citri, limon. candefactor.  $\bar{a}$   $\text{℥i}$ . confect. Anis. & zz.  $\bar{a}$   $\text{℥iiij}$ . galang.  $\text{℥ss}$ . caryoph. n° 12. nuc. m. condit. n° 2. Aromat. Rosat.  $\text{℥iv}$ . Amygd. decort. Rad. eryng. candefact.  $\bar{a}$   $\text{℥i}$ . pinear. pistach.  $\bar{a}$  n° x. mosch. zibet.  $\bar{a}$  gr. 4. Ambr. gris.  $\text{℥i}$ . sacchar. alb.  $\text{℥iiss}$ . mucil. tragac. in Ros. fact. q. s. ut f. Pasta, & exinde Tabulæ f. a. *Antiscorbuticæ, Cardiacæ, Carminativæ, &c.*

\* *Tab. Burgesianæ.* R Glyc. rec.  $\text{℥bi}$ . Decoct. passular. scabios. & Violar.  $\text{℥vi}$ . Infund. per  $\text{O}$  3, & coq. ad dimid. f. expressio, quæ exhaletur ad mellaginem: cui adde sacch. cand. alb.  $\text{℥at}$ .  $\text{℥xij}$ . gum. tragac.  $\text{℥at}$ .  $\text{℥ij}$ . ol. Anis. gt. xx. Ambr. gris. gr.

gr. iij. contunde opt. ut f.  $\Phi$ , ex qua formentur Tab. vel Rotulæ, f. a. *Beckicæ, Cardiacæ, &c.*

\* *Tab. Cardialgicæ.* R. Cret. candid.  $\mathfrak{z}$ ij. oc. 69  $\mathfrak{z}$ i. nuc. m.  $\mathfrak{z}$ i. sacch. albif.  $\mathfrak{z}$ xij. mucilag. sem. cydon. q. f. ut f. Tabulæ. *Titulus demonstrat vires.*

\* *Tab. Carminativæ.* R. Sem. Dauci com.  $\mathfrak{z}$ at.  $\mathfrak{z}$ i. sacch. opt. in Decoct. sem dauci com solut.  $\mathfrak{z}$ xij. coq. & effunde f. a. Aliter. R. Sem. Cardamom. cras. pul.  $\mathfrak{z}$ i. flaved. cortic. aurant. minutiss. incis.  $\mathfrak{z}$ iiss. sacch. opt. in  $\nabla$ Ros. cum tertia parte  $\nabla$ Thymi solut.  $\mathfrak{z}$ xvi. coq. & effund. f. a. *In flatu optimum Remedium.*

*Tab. Catharticæ.* R. Diagryd.  $\mathfrak{z}$ iss. crem.  $\square$ ri,  $\mathfrak{z}$ vi. ol. st. caryoph. gt. vi. sacch. albif.  $\mathfrak{z}$ iv. mucilag. gum. tragac. in  $\nabla$ Ros. fact. q. s. f. Tabellæ f. a.

\* *Tab. Dialthææ.* R.  $\mathfrak{X}$ ris Rad. alth.  $\mathfrak{z}$ ij. glyc.  $\mathfrak{z}$ i. Fl.  $\triangle$   $\mathfrak{z}$ vi. gum. tragac.  $\mathfrak{z}$ ij. sacch. opt.  $\mathfrak{z}$ xij. Aq. Pectoralis q. s. f. Tab. f. a.

\* *Tab. Diambæ.* R. Spec. Diamb.  $\mathfrak{z}$ ss. sacch. alb.  $\mathfrak{z}$ viiij. Aq. cinnam. q. f. coq. f. a. *Cardiacæ, Cephalicæ, Stomachicæ, &c.*

\* *Tab.*

\* *Tab. Diatragacanthi.* R Spec. Diatragac. frig. rec. fact. ℥ss. mosch. ambr. gris. ā gr. i. zibeth. gr. 2. sacch. opt. ℥xij. Ros. Dam. q. s. contund. in Φm. & f. Tab. albissimæ.

\* *Tab. Divinæ.* R Lact. Apyrothii ℥ij. sacch. alb. ℥vi. mucil. cydon. q. s. f. Tab. drachmales. *In hæmorrhoidibus curandis Arcanum est. Valent præterea in scabie, asthmate, &c. Dos. n° 3, vel 4, bis vel ter in die.*

\* *Tab. Embryonum.* R Trum Rad. bi-stort. ebor. coral. r. coriandr. ppt. ā ℥ss. succin. alb. crystall. Bacc. cherm. ā ℥ij. sacch. alb. ℥xvi. Aq. cydon. q. s. coq. f. a. addendo ol. cinnam. gt. vi, & effunde. *Virium sunt magnarum in Abortu præcavendo; fœtu roborando, &c.*

*Tab. Emeticæ.* R Stibii subtiliss. Trat. ℥ss. Sacch. opt. ℥iv. ol. Anis. gut. v. mucilag. gum. tragacanth. q. s. f. Tabellæ. *Dos gr. 16, ad 40.*

*Tab. Farfareæ.* R Fol. tussilag. sereno cœlo collect. & (abstersâ mucositate aridâ cum linteo madido, irrigando demum Vino Hispan. & exiccando) Trat. ℥ss. glyc. Trat. ℥ss. sacch. cand. alb. subtr. Trat. ℥xij gum. tragac.

tragac. in Decoct. Pector. solut. q. s. f. Tab.  
vel Troch. f. a. *Pectorales sunt efficaces in*  
*Tussi, &c.*

\* *Tab. Fœniculinæ.* R Sacch. opt. ℥i. ▽  
Fœnicul. q. s. coq. f. a. instillando ☉ stil.  
Fœnicul. gt. 50. effunde f. a. *Ad Flatum,*  
*Colicam, &c.*

\* *Tab. Griseæ.* R Ambr. gris. 3i. mosch.  
gr. vi. stypter. gr. ij. sacch. cand. alb. ℥at.  
℥xij. mucil. gum. tragac. in ▽ Menth. ex-  
tract. q. s. f. Tabellæ. *Cerebrum & cor con-*  
*fortant, Spiritus naturales, vitales, ac ani-*  
*males mirificè reficiunt. Dos. 3i, ij, &c. ter*  
*vel quater in die.*

\* *Tab. Hemoptoicæ.* R ▽ Lemn. 3iij. ℞  
3ij. Lap. Hæmatit. Magist. eboris, ā ʒiv.  
Rad. bistort. sem. hyoscyam. cort. limon.  
rec. minutif. incis. ā 3i, sem. papav. alb. ʒss.  
Rhodosacchar. ʒviiij. mucilag. gum. tragac.  
q. s. f. Tabellæ. *Titulus virtutes indicat, suman-*  
*tur sæpè in die.*

\* *Tab. Helenii.* R Pulp. Rad. enul. rec.  
coct. ʒiss. sacch. opt. ℥i. mucilag. gum. tra-  
gac. in Aq. Hyssop. extract. q. s. f. Tab. *Ad*  
*Tusses, Asthmata, &c. valde conducibiles.*

\* *Tab. Infantum.* R Resin chelop. 3i.  
Ziabach. dulc. subt. ℥at. 3vi. sacch. opt.  
3iij.

℥iij. mucil. gum. trag. q. s. f. Tab. pondere 3℥s. comedantur manē 2, 3, vel 4. ad vērmes.

\* *Tab. Lenthales.* R Glyc. rec. 3viiij. anis. 3iv. carui 3i. ▽arum tussilag. Hyssop. prassii, ā tbi. Infund. in MB. O 3, f. express. fortis, quæ ad mellaginem exhaletur; addendo gum ceras. Arabic. ā 3ij. tragac. 3℥s, per O 2 infus. in Ros. Dam. t℥ss. Tum adde sacch. opt. tbi. mosch. ambr. gris. ā gr. vi. Tris glyc. 3℥s. contunde opt. in O, & exinde f. Tab. vel Rotulæ, f. a. *Pectorales sunt jucundæ.*

\* *Tab. de Pipere.* R Cinnam. 3℥s. zz. 3ij. piper. n. 3ij. calam. arom. mac. nuc. m. ā 3ij, gr. v. cubeb. cardamom. min. ā gr. xv. caryoph. galang. flaved. cort. aurant. crud. rec. ā 3℥s. flaved. cort. citri crud. rec. 3i. Incide omnia crasso modo, & adde amygd. dulc. excort. 3v. cort. citri condit. 3i. sacch. alb. in ▽ Menth. solut. tbi. coq. & effunde f. a. *Cephalicæ, Stomachicæ, Carminativæ, &c.*

\* *Tab. Prunellæ.* R Lap. Prunell. 3℥s. sacch. opt. 3vi. mucil. tragac. q. s. f. Tab. In ore sæpe tenendæ ad sitim in febris.

\* *Tab.*

\* *Tab. Rosaceæ.* R Ros. rub. exungul. ʒvi. gum. Arab. tragac. ā ʒss. sacch. opt. ʒxvi. Ros. q. s. ut f. pasta. Inde fiant Tab. vel Rotulæ, f. a. Addi pt Ol. nuc. m. gt. aliquot. *In Catarrhis, Tussibus inveteratis, &c. proficua.*

\* *Tab. Saponaceæ.* R Sapon. Ven. opt. ʒiss. glyc. ʒij. Rad. irid. Fl. ʒvi. Fl.  $\triangle$  ʒss. Rad. Angelic. ʒij. ol. Anis. ʒss. sacch. opt. ʒviii. mucil. tragac. in Aq. Hyssop. fact. q. s. f. Tab. vel Troch. f. a. *In Empyemate, Phthisi, &c. optimè valent. expectorationem efficaciter promovent.*

*Tab. Stomachicæ. v. Pleres. Archonticon.*

\* *Tab. de Styrace.* R Styrac. cal. colat. pulp. passul. min. ā ʒi. Trisglyc, ʒvi. xyloal. cinnam. ā ʒij. nuc. m. ʒij, ʒij. B, ʒx. nuc. mosch. condit. siceat. ʒiss. sacch. opt. ʒxx. mucag. trag. q. s. f. Tabellæ. *Catarrhales, Pectorales, Cordiales, & Tabidis mirè conducibiles.*

\* *Tab. Tartareæ.* R Crystal.  $\square$  i subtilif. Cat. ʒi, sacch. opt. ʒviii mucil. trag. q. s. f. Tabellæ, *frequenter in ore tenendæ In urgente siti.*

\* *Tab. Vermifugæ.* R Tris c. c. crud. ebor. ā ʒiss. corallin. ʒss. sacch. alb. ʒviii. I mucil.



mucil. tragac. q. s. f. Tab. ponderantes singulæ ʒss. D. n° 3 bis in die.

*Tartarum Aceti. v. Sal Aceti essentielle.*

*Tartarum Antimoniatum.* R Crem ☐ p. vi. Fl. ☿ ij p. i. coq. in ▽, filtra & exhalata ad siccitatem. *Ecphracticum est, diureticum, diaphoreticum, & febrifugum. Aluum laxat, cietq; vomitum. Dos. ʒi, ʒß, &c.*

\* *Tartar. Chalybeatum.* R ☐ loti tbi. ☿ ʒij. coq. in ▽ tbiij per momentum 1 vel 2, Trajice citò per manic. Hip. agitando liquorem, donec refrigeratus sit: dein resideat ☒ in fundo viridiusculus, & siccetur. Vel R Crem. ☐ i ʒiv. ☉ li ☿ tis. ʒij. coq. in ▽ aliquantum, filtra & ad siccit. evapora s. a. *Utilissimum in morbis chronicis, sc. obstructione lienis, Quartana, ictero, cachexia hypochondriaca passione, &c. Dos. ʒi, ad ʒi.*

*Tartar. Emeticum.* R Hepat. ☿ ij, crem ☐ i, a p æ. m. f. ☒. Digere in ▽ Menthæ, filtra & evapora ad siccitatem. *Multò lenius & tutius operatur quàm crocus metallorum. Dos. gr. 3, ad xij.*

*Tartar. Laxativum.* R Crem. ☐ ʒvi. ☉ ☐ ʒiv. Font. tbiij. coq. l. △. per hor. is. post frigefact. filtra & exhalata ad siccit.

ut fiat Sal album. Dos. ℥ss, ad ℥i, ℥c.

*Tart. Vitriolat. Antimoniale.* fit addendo paulatim ☐ro ⚊iato, ⊙ ⊕ li q. s. siccandō, in ∇ iolvendo, filtrando & exhalando ad siccit. *Febrifugum est, iclericum, cachecticum, & digestivum.* Dos. gr. 15, ad 3ss, ℥c.

*Tart. Vitriolat. Emetico-purgans.* R ☐ fusi 3viij. Vit. ⚊ij 3i. probè misce in ☼bulo, effunde, ∇â solve, filtra, & in ☼ calore exicca, paulatim instillando ⊙ ⊕ li q. s. & siccando. *Vires easem obtinet cum priori.* Purgat ἀνω ἢ κάτω. Dos. gr. 3, ad 8, ℥c.

*Terra Vitrioli dulcis.* fit ex ⊙o olei ⊕ li ad rubed. calcinato, aliquoties ∇â edulcandō, donec ∇ rubra ab omni salsedine libera sit. postea exicca. *Magnæ est efficaciæ in Dysenterijs, hæmorrhagijs, &c.* Dos. ℥ss, ad 3ss, ℥c.

\* *Testes Equi præpti.* E vivo equo eximantur, incidantur, Leucceno abluantur, exiccentur citò & ☿rentur. Eodem modo præparantur *Testes Apri.* Dos. 3i pro vice bis in die. *In Epilepsia, Calculo, penis dolore, sterilitate, mictione purulenta, &c.* Testes equi exhibentur in colica, utero strangulato,

*faetu mortuo, lochiis suppressis, partu difficili, &c. Dos. ad ʒi.*

\* *Tinctura Absinthii.* R Summit. Abs. vulg. fccat, à stipit. liberat. ʒv. contusis adde Pyrœni ʒxx. Digere in MB ad O aliqt. exprime fortiter. in liquore infunde iterum alias summit. abs. & exprime. Repet. opus ad tertiam Vicem. Dein filtra colaturam s.a. D. gt. vi (plus minus) in haustu Vini, vel cerevisiæ.

*Tinctura Ambræ. v. Sp. Ambræ.*

\* *Tinctura Amygdaloides.* R Partium albar. Benz. Styrac. calam. ā ʒi. Pyrœni tbi. Digere ad solutionem, filtra & exhala ad dimid. *Pectoralis est, catarrhalis, asthmatica, nervalis, sudorifica, &c. Dos. ʒij, ad vi, &c.*

\* *Tinctura Antim. Emetica :* Extrahitur ex vitro ʒij cum ☿, filtrando & exhalando ad fccitatem. Materiam in ▽ solutam, filtratam, iterumque ad fccitatem abstractam digere cum Sp. V. ad colorem rubicundum, ac filtra. Elici etiam pt Tinctura è scoriis Reguli ʒij cum Sp. V. digestis & filtratis. Vel, extrahe Tincturam ex vitro ʒij cum Sp. ♀ rectificato; effunde ac abstrahē in XX, non autem ad fccit.

siccit. totalem : Tum extrahe Tincturam cum Sp. V. quam filtra & exhala ad conven. spissitudinem. *Dof. ad gt. x.*

*Tinctura Antim. purgans.* R̄ Vit. ꝯij Cat. ʒi. Sp. ☉ non-rectificat. ʒviij. Digere in MB. Sic fit Tinctura nigropunica. *Panchymagogum Censetur in omnibus morbis curandis. fortificat ventriculum, obstructions aperit, convenit chlorosi, cachexiæ, &c.* *Dof. a gt. 6, ad 10.*

*Tinctura Armoniaci.* R̄ \* ʒij. ꝯ tti. m. opt. simul terendo, & La per ☉ per gradus. Serva per se Sp. \* ci. ꝯtem in fundo hærentem Ca, & frequenter ▽â affusâ edulcora. Postea adjectis Sp. V. ʒij. digere tepidè ☉ 8 : effunde Sptum, & novum affunde & digere per ☉ 8. Dein abstrahere in MB. Sp. V. ʒiij, ut una libra Tincturæ superfit. *Egregiè præstat in omnibus obstructionibus hepatis & lienis. Item in Melancholia hypochond. quartana, cachexia, hydropes, morbo virgineo, scorbuto, mensibus superfluis & retentis.* *Dof. gut. vi, ad xij, in liquor. conven.*

*Tinctura Asæ fætidæ.* R̄ As. fætid. ʒij. Alcoh. V. ʒi. extrahe Tincturam & filtra. *Uterina est, traumatica, & splenetica.*  
I 3 *Dof.*

*Dof. ʒi, ad ʒij, &c. in liquore conveniente.*

\* *Tinctura Asthmatica.* R Rad. Helen. irid. Florent. fem. anif. carui, glyc. ā ʒij. Fol. cardui ben. mij. uv. pass. exacin. tbi. Fol. Senæ mundat. ʒvi. ▽ Anisi, tbi. Digere ☉ 4, & f. colat. *D. coch. 2 h. somni, 3 vel 4 mane seq.*

\* *Tinctura Aurea.* R Pulp. colocynth. à femin. liberat. concis. & craf. ☿ at. ʒiss. caryoph. n° vi. anif. ʒi. croc. ʒss. Sp. V. ʒxx. Digere ad mensem, & filtra. *Dof. ʒij ad ʒiss.*

*Tinctura Bezoartica.* R Rad. enul. angel. zed. serpentar. Virg. ā ʒiss. croc. opt. ʒi. myrrh. cinam. cort. citri sic. ā ʒvi. Fol. scord. rutæ, ā mss. Theriac. Androm. ʒiij. opii Thebaic. ʒij. Sp. ☿ i rectif. ʒxv. Sp. ☉ li ʒiij. Sp. Bacc. sambuc. & Sp. Bacc. Junip. rectif. ā ʒxviij. Digere f. a. ac filtra. Tum adde ☉ succini ʒi. camphor. ʒij. Digere iterum ad usum. *Dof. ʒiij, ad ʒi, &c. in Peste, morbisq; omnibus malignis. Spiritus insigniter recreat, &c.*

\* *Tinctura Cardamomi.* R Sem. cardamom. min. excort. & contus. ʒ4. Alcoh. V. ʒxvi. Digere, exprime, ac filtra f. a. *Fla-*

*tus*

tus potenter discutit, & cerebrum confortat. Dos. ʒi, ad ʒiij, &c. in vehiculo idoneo.

\* *Tinctura Carui.* f. è Sem. & Alcoh. V. omninò ut *Cardamomi.* Idem facit cum *priori.*

*Tinctura Cathartica Ridglei.* R. Senæ opt. ʒi. caryoph. ʒiss. croc. ʒi. V. Hispan. chalybeat. ʒiiss. Infunde ☉ aliqr. exprime ac filtra. Dos. coch. 2. 3. 4. quotidie ad longum tempus, in febribus obstinatis, &c.

\* *Tinctura Cerussæ.* R. Ceruss. Ven. ʒat. ʒiv. camphor. ʒss. ☉ ☐ p. d. ʒiij. ✱ ʒxvi. macer. in frig. filtra. In cutis fæditatibus, inflammationibus, ambustis, &c. usus est.

\* *Tinctura Chamæmeli.* Extrah. ex Flor. siccis, & Pyræno, uti *Absinthii.* Idem præstat cum *Tinct. carui.*

\* *Tinctura Cochleariæ comp.* R. ♂ mund. ʒiv. Salv. rubræ, agrimon. ā miiij. cochlear. marin. fol. selectiss. ʒij. cochlear. hort. miiij. abs. com. rorism. ā mij. Rad. raphan. rustic. ʒiv. Incide minutis. & adde V. alb. & V. Cheriens. ā ʒiv. Infund. per ☉ 3, & f. colat. Dos. ad ʒ4 bis indies per ☉ 20, 30, 40. Ex deplorato hydropo cum scorbuto curati

*Dof. ʒi, ad ʒij, ℥c. in liquore conveniente.*

\* *Tinctura Asthmatica.* R Rad. Helen. irid. Florent. sem. anif. carui, glyc. ā ʒij. Fol. cardui ben. mij. uv. pass. exacin. tbi. Fol. Senæ mundat. ʒvi. ▽ Anisi, tbi. Digere ☉ 4, & f. colat. *D. coch. 2 h. somni, 3 vel 4 manē seq.*

\* *Tinctura Aurea.* R Pulp. colocynth. à femin. liberat. concis. & cras. ℥at. ʒiss. caryoph. n° vi. anif. ʒi. croc. ʒss. Sp. V. ʒxx. Digere ad mensem, & filtra. *Dof. ʒij ad ʒiss.*

*Tinctura Bezoartica.* R Rad. enul. angel. zed. serpentar. Virg. ā ʒiss. croc. opt. ʒi. myrrh. cinam. cort. citri sicc. ā ʒvi. Fol. scord. rutæ, ā mss. Theriac. Androm. ʒiij. opii Thebaïc. ʒij. Sp. ☐i rectif. ʒxv. Sp. ☉ li ʒiij. Sp. Bacc. sambuc. & Sp. Bacc. Junip. rectif. ā ʒxviij. Digere s. a. ac filtra. Tum adde ☉ succini ʒi. camphor. ʒij. Digere iterum ad usum. *Dof. ʒiij, ad ʒi, ℥c. in Peste, morbisq; omnibus malignis. Spiritus insigniter recreat, ℥c.*

\* *Tinctura Cardamomi.* R Sem. cardamom. min. excort. & contus. ʒ4. Alcoh. V. ʒxvi. Digere, exprime, ac filtra s. a. *Flatus*



tus potenter discutit, & cerebrum confortat. Dos. ʒi, ad ʒiij, &c. in vehiculo idoneo.

\* *Tinctura Carui.* f. è Sem. & Alcoh. V. omnino ut *Cardamomi.* Idem facit cum *priori.*

*Tinctura Cathartica Ridglei.* R. Senæ opt. ʒi. caryoph. ʒiss. croc. ʒi. V. Hispan. chalybeat. ʒiss. Infunde ☉ aliqr. exprime ac filtra. Dos. coch. 2. 3. 4. quotidie ad longum tempus, in febris obstinatis, &c.

\* *Tinctura Cerussæ.* R. Ceruss. Ven. ℥at. ʒiv. camphor. ʒss. ☉ ☐ p. d. ʒiij. ✱ ʒxvi. macer. in frig. filtra. In cutis sceditatibus, inflammationibus, ambustis, &c. usus est.

\* *Tinctura Chamemeli.* Extrah. ex Flor. siccis, & Pyræno, uti *Abfinthii.* Idem præstat cum *Tinct. carui.*

\* *Tinctura Cochleariæ comp.* R. ♂ mund. ʒiv. Salv. rubræ, agrimon. ā miiij. cochlear. marin. fol. selectiss. ʒij. cochlear. hort. miiij. abs. com. rorism. ā mij. Rad. raphan. rustic. ʒiv. Incide minutis. & adde V. alb. & V. Cheriens. ā ʒiv. Infund. per ☉ 3, & f. colat. Dos. ad ʒ4 bis indies per ☉ 20, 30, 40. Ex deplorato hydrope cum scorbuto curati

*fuere multi præter spem; alius plurimū frustra tentatis.*

*Tinctura Corallii.* Solve corall. r. in Sp. Panis, filtra & evapora: exinde Tincturam extrahe cum Sp. V. filtra & exhala ad debitam consist. s. a. *Cardiaca, diuretica, vermifuga, &c.* Dos. gut. 30, 40, &c. in liquore appropriato.

\* *Tinctura Ferri.* R Batituræ Ferri mundat. ʒvi. Absinth. Rom. mi. ras. eboris, santal. alb. ā ʒiss. V. Rubelli lbij. macer. ☒ 48. f. colat. quæ filtretur. *Longè efficacior habetur, quàm Vinum chalybeatum in omnibus obstructionibus, &c.* Dos. coch. 2, ad 5, &c. omni manè per longum tempus.

*Tinctura Guajaci.* R Cort. guajac. ℥at. lbj. Ambr. gris. gr. xv. sem. anis. glyc. ā ʒi. Sp. V. lbiv. Digere & cola ad usum. *Sudorem provocat. Optimè conducit in Lue Q̄rea curanda. Odontalgica est, pulmonica, & Catarrhalis.* Dos. ʒvi, ad ʒiss, &c.

*Tinctura Galbaneti.* Extrah. ex Galbaneto Senn. cum duplo Tincturæ de ☉ & ☐ ri, circulando, ac postea separando Oleum à Tinctura s. a. *Hysterica est, paralytica, scorbutica, emmenagoga, &c.* Dos. gut. 10, 20, 30, &c.

*Tinctura*

*Tinctura Hæmatitæ.* Elicitur ope Spts V. ex Lap. Hæmatit. cum \* ☿ ato. *Usus* in hæmorrhagiis omnibus sistendis. *Dos.* ʒi, ij, &c.

\* *Tinctura Hieræ.* R. Spec. Hier. simp. ʒi. coccinel. ʒi. V. Cherienst. ʒi. m. & digere sæpe agitando ad ☉ aliqt. deinde filtra ad usum. *Datur* in ventriculi dolore, cachexia, ructu, vermibus necandis, &c. *Ante paroxysmum Tertianæ, nec-non Quartanæ exhibita, sæpe curat post tertia vicem.* *Dos.* ʒij, ad iv.

\* *Tinctura Juniperi.* fit ex Rob de Baccis ʒi, Sp. de Baccis fermentatis ʒi, digestis & filtratis s. a. *D* coch. 2 *ter* in die. *In hydropo, calculo, colica, &c. singulare remedium.*

*Tinctura Lunæ.* v. Luna potabilis.

*Tinctura Martis.* Extrah. ex Flor. \* ci ☿ tiatis ope Alcoh. V. s. a. *Easdem vires obtinet, quas Tinctura Armoniaci.*

*Tinctura Martis Aurea.* R. Croc. ʒ ʒi. Sp. ☉ ʒiv. Infund. ☉ 2, sæpe agitando: dein adde pyrceni ʒiv. Digere tepide ☉ 3 vel 4 filtra, & erit Tinct. coloris aurei. *Dos.* ad gut. 20.

*Tinctura Martis Tartarifata.* R  $\square$  alb.  
 Cat.  $\text{lbij}$ .  $\text{♂}$  rubiginat.  $\text{libi. m.}$  & coq. in  
 vase ferreo in Font. cong.  $\text{ij}$  per  $\text{XX}$  12, agi-  
 tando subinde spatulâ ferreâ, & addendo pro  
 re natâ plus  $\nabla$ æ bullientis. Post resident.  
 debitam filtra liquorem, & exhala ad spissi-  
 tudinem convenientem  $\text{L. a.}$  Dos.  $\text{ʒi}$ , ad  $\text{ʒiij}$ ,  
 &c.

\* *Tinctura Melampodii.* R Rad. melam-  
 pod.  $\text{ʒiss.}$  calam. arom.  $\text{ʒij.}$  galang.  $\text{ʒss.}$  croc.  
 $\text{ʒiss.}$  cardamom. min.  $\text{ʒiij.}$  V. Hispan.  $\text{lbiv.}$   
 macer. (vase clauso)  $\text{XX}$  20 in loco tepido :  
 postea in frigido  $\text{O}$  4. 5. 6. f. expres. & fil-  
 tra. D. coch. 2.  $\text{h. somni}$ ,  $\text{E}$  3 manè, ad  $\text{O}$   
 aliqt. Usus est insignis in capitis intempe-  
 rie, cephalalgia, melancholia, asthma, &c.

\* *Tinctura Melissæ.* R V. Rubelli cong.  $\text{ij}$ .  
 meliss. rec.  $\text{mvij.}$  Qa in MB. ad ficit.  $\nabla$ æ  
 Qatæ adde Fol. melis. parùm ficit.  $\text{mvij.}$   
 Qa per  $\text{XX}$   $\text{lbiv.}$  in Recipientem lagenam  
 Foliis meliss. recentis. & selectis. integris re-  
 pletam. Postea colat. admisce sacch. opr.  
 $\text{ʒix.}$  suspendendo in nodulo Ambr. gris.  
 $\text{gr. v.}$  mosch.  $\text{gr. i.}$  Insigniter Cardiaca  
 est.

\* *Tin-*

\* *Tinctura Mellis.* R Mell. opt. ℥ij. .æ mund, siccat. ℥iij. Sp. V. ℥ij. Digere tepidè, filtra, & in MB. evapora ad Syr. consist. *Exhibetur phthisicis pro nutrimento. Dos. coch. 2 vel 3 pro vice.*

*Tinctura Myrrhæ.* R Aloës opt. myrrh. ā ʒi. Alc. V. ℥i. Digere & filtra. *Vulneraria est insignis. astringit, consolidat, extergit, putredinem arcet, & gangrænam præcavet.*

*Tinctura Oculor. Cancrorum.* R Oc. 69 Car. ʒiv. † opt. ʒxvi. extrah. Tinct. & filtra. *D. coch. 2 ter in die, ad ulcera, &c. curanda. K. D. E. A.*

*Tinctura Odontalgica.* R Guajac. ʒij. pyrethr. ʒi. malicor. gallar. sem. hyoscyam. staphidisagr. ā ʒss. caryoph. ʒz. piper. l. oliban. ā ʒij. opii, camphor. ā ʒi. peti Indici, salv. mentastr. ā ʒij. Sp. V. ℥iij. macer. & f. colat. *Tantillum de hac calidè in ore teneatur, postea iterum expuatur, & reiteretur. v. Mynsicht.*

\* *Tinctura Paralytica.* R Tris Cantharid. ʒij. Ammeos ʒvi. pyrœn. ℥iiss. extrahe tincturam, quam cola. *Pro membris paralyticis fricandis.*

*Tinctura Perlærum.* fit omninò ut Corallii.

\* *Tin-*

\* *Tinctura Piperis.* f. ex Pipere n. & Alc. V. uti *Cardamomi.* vires habet piperis.

*Tinctura Potentialis.* v. *Tinct. Paralytica.*

*Tinctura Proprietatis.* R Aloës opt. myrrh. elect. ā ʒvi. croc. opt. ʒss. in Trem redactis adde ol □ri. p. d. ʒij. Digere (vase clauso) ☒ 24. dein adde Alcohol V. ʒxvi. Digere ac filtra f. a. *Easdem vires obtinet quas Elix. Propriet. dulce.*

*Tinctura Regalis.* (i. e.) *Spir. Ambræ.*

\* *Tinctura Rhabarbari.* R Rhab. opt. glyc. ā ʒij. uv. pass. enucleat n° 60. anis. ʒi. sacch. cand. ʒvi. Sp. V. ʒij. Digere f. a. f. colat. D. coch. 2. 3. 4. manè. *In ventriculi cruciatibus, &c. mira præstat.*

*Tinctura Rhæados.* v. *Sp. Rhæad. crap.*

\* *Tinctura Rosarum.* R Fl. Ros. r. exungul. ʒss. ol. ☉ gt. 30. Font. calentis ʒiiss. macer. ad ☒ 3. colat. claræ adde sacch. cand. alb. ʒiij. *In febribus refrigerativa, hepaticq; confortativa. Coctionem iuvat. Diarrhæis, Mensium fluxibus, &c. succurrit. Dos. ʒij ad iv.*

*Tinctura Sacra.* v. *Tinct. Hieræ.*

*Tinctura Salutis.* v. *Elix. Salutis.*

\* *Tinctura Sassafras.* R Cort, sassafr. ʒiv. salu. sicc. ʒij. nuc. m. ʒi. cinam. ʒss. Ambr. grif.

gris. ℞s. extrahe tincturam cum Sp. V. ℥ij. f. a. Dos. coch. ij. Lenit arthritidem vagam.

*Tinctura Saturni.* R ℥ni laminat. q. v. extrahe tincturam cum Sp. ℥ni essentificato. filtra ac abstrahere f. a. Apprimè conducit maniae, melancholiae, quartanae, phthisi, &c. Dos. gut. i, ad 5, &c.

\* *Tinctura Scorbutica.* R Fol. cochlear. nasturt. aquat. ā mi. Rad. raphan. rustic. ℥ij. Rhab. ℥ss. polypod. qu. ℥ss. Senæ ℥i. Sp. V. ℥ij. Infund. O 2, & f. colat. Dos. ℥i, vel ij omni manè cum  $\nabla$  cochleariae. Mirum est quantum levaminis affert hydropicis ac scorbuticis.

\* *Tinctura Serpylli.* f. ex Herba floresc. sic. & Pyreno, eodem modo quo Absinthii. Diuretica, hysterica, stomachica, &c. Dos. gut. 5, ad 15, &c.

\* *Tinctura Stomachica.* R Spec. Hier. simp. ℥i. coccinel. ℥i. Sp. V. ℥ij. Digere ac filtra f. a. D. coch. i. 2. 3. ante pastum, in stomachi cruditatibus aut dolore. Si exhibetur ad ℥ij hora dimid. ante parox. per 3 vel 4 vi- ces efficacissime curat Tertianam: interdum & Quartanam.

\* *Tin-*



\* *Tinctura Succini* R Succin. alb. subt.  
Cat. ʒiv. Alc. V. ʒi. Digere ad solutio-  
nem succini. Decanta, filtra, & 3 tiam partem  
abstrahe in MB. *Cephalica est, hysterica, co-  
lica, nervalis, &c.* Dos. ʒi, ad ʒij, &c.

*Tinctura Sulphuris.* R Hepat. Δris ʒij.  
Sp. V. ʒi. Digere ac filtra. Extrahi etiam pt  
ope Spts V. ex Bals. Δris terebinthinato in  
MB. ad siccit. cocto. *Valde pector alis.* Dos ad  
gt. xij.

*Tinctura Veneris.* Extrah. ope Sp. V. ex  
Fl. Dis p. l. \* ʒi. in ʒbulo supra Δem  
mixtis l. a. *Præstantissima habetur in Epilep-  
sia, passione hysterica, &c. cum liquor. conven-  
exhibita.*

\* *Tinctura Virginiana.* R Rad. Serpentar.  
Virg. Cat. ʒij. Tinct. Dis ʒi. ʒxvi. ex-  
trahe Tincturam per digest. l. a. *Alexite-  
ria, cardiaca, sudorifica, scorbutica, &c.* Dos.  
ʒi, ad iij, &c.

\* *Torquis Infantum.* fit ex Rad. pæon. mar-  
& hyoscyam. recent. in frustula rotunda se-  
ctis, in medio perforatis, filoque seriatim ap-  
pensis: qui sindone circumvolutus, circa  
collum gestetur Dentitionis tempore. *Den-  
titionem faciliat, & convulsiones præca-  
vet.*

\* *Tra-*

\* *Tragæa Granor. Actes.* R Succ. Bacc. sambuc. matur. q. v. farina. secalin q. s. ut f. pasta : exinde f. panes exigui, quos coque in clibano ad duritiem Biscocti. Hos pulveratos cum rec. succo iterum impasta, atque (ut prius) coque. idque tertio repete. Tandem f. Pulv. subt. ejus sing. unciiis adde nuc. m. 3i. Dos. ad 3i cum vitello ovi, ad dysenteriam, menses immoderatos, &c.

\* *Trochisci Pectorales.* R Extract. glyc. ʒss. amyli ʒi ss. mosch. zibeth. ā gr. ij. ol. anis. gr. xij. sacch. alb. ʒxij. mucil. gum. tragac. q. s. f. Troch. *Titulus vires indicat.*

\* *Turundæ Acousticæ.* R Galb. pic. naval ā ʒij. helleb. alb. Cat. ʒv. zibet. gr. vi. m. divid. in part. 8, vel 10, formâ instar caryophyllorum, sindone rariss. involvendas ; filo ad extremitates majores appenso, ut ex aure avelli. pt. *In surditate optimum Remed.*

## V.

\* *Vinum Arthriticum.* R Saraparill. guajac. ā ʒi. Visc. querc. ʒvi. Fol. ficc. chamædr. chamæpit. salv. ā ʒiij. Fl. primul. veris, rorism. lil. conval. ā ʒss. hyperic. ʒvi. V. alb. ʒxx. infund. ☉ 3. f. colat. D. ʒij bis in die per ☉ 30 aut 40, post usum Vini seq.

\* *Vinum Arthriticum purgans.* R Chin. sarlap. ā ʒij. polypod. ʒiij. rhab. Senæ, ā ʒi. chelop. ʒvi. caryoph. ʒi. V. alb. ʒvi. Infund. f. a. & cola. D. ʒiv. quotidie per ☉ 8, Vere & Autumno.

\* *Vinum Chalybeatum.* R ♂ crud. ʒviij. Rad. eryng. enul. ā ʒiss. santal. citr. ʒi. coral. rub. ras. ebor. ā ʒvi. caryoph. mac. cinam. zz. ā ʒiij. ceterach, anth. Fl. genist. epithym. ā p. ij. Leuccen. opr. ʒvi. macer. in MB. ☉ 8, sæpe agitando. post residentiam filtra ad usum. Dos. coch. 3 ad 6, &c. omni manè ad dies 20, 30, &c. in Chlorosi, bydrope, ictero, mensibus obstructis, quartanis, &c.

\* *Vinum Ecphracticum.* R Lumbric. terr. vivent. circulis rubris in collo signatos n° 24. contund. in mortar. marmor. cum uv. corinth.

rinth. mund. ℥iv. addendo V. Rhen. ℥iij. crystal. mineral. (in V. Rhen. solut.) ℥ss. f. colat. limpidiss. sæpe trajiciendo per manic. Hip. D. ℥iij ter in die cum Aq. cinnam. bord. ℥i. *Diureticum est nobile.*

*Vinum Hippocraticum.* R. Caryoph. zz. ā ℥i. cinam. nuc. m. ā ℥ij. contusis adde Vin. Hispan. ℥xij. sacch. albis. ℥iiiss. m. cum lactis rec. ℥iiiss. stent  $\times$  24. f. colat. desuper limon. i incis. & roris. virgultas duas, sæpe per manic. Hip. trajiciendo ad claritatem. Dof. ℥iij vel iv in languoribus.

*Vinum Hydropicum.* R. Rad. irid. nostrat. ℥i. enul. scillæ præp. ā ℥ss. marrub. mi. cort. rad. sambuc. ebul. ā ℥i. Fol. senæ, ℥iss. agaric. ℥ij. zz, ℥i. vin. alb. ℥iv. infunde f. a. f. colat. *Aliter.* R. E rum genistæ & juniper. ā ℥i. Vin. Rhen. ℥iij. f. lixivium, cui adde Rad. ireos nostrat. ℥iss. cort. intern. sambuc. & ebuli, ā ℥i. cort. dulcamar. ℥ss. rhab. ℥ij. mechoac. ℥ss. Senæ, ℥i. sem. carui, ℥vi. cort. sassaf. & Winteran. ā ℥iv. infunde tepidè per noctem: colat. adde sacch. alb. ℥iv. fl. ros. Dam. mij. stent aliquantisper, & denuò cola. Dof. ℥iij, Ec. omni manè per dies aliquot.

\* *Vinum*

\* *Vinum Scelotyrbicum.* R. Fol. acetos. becabung. nasturt. aquat. cochlear. hort. ā miiij. Rad. enul. ireos nostrat. raphan. rustic. ā ʒiſs. sem. cochlear. ʒi. V. alb. t̄bi. macer. per ☉ 2, & f. colat. *Titulus monstrat vires.*

\* *Vinum Viperinum.* R. Viperas fæmellas vivas tempore verno collectas n° vi. V. Hispan. opt. t̄bi. macer. (vase opt. clauso) sine calore per menses 6. dein cola ad usum. Sunt, qui macerant viperas excoriatas (rejectis interaneis, cauda ac capite) in V. Hispan. per ☉ aliqt. *In Lepra Græcorum, Elephantiasi, sterilitate, Peste, &c. celeberrimum est. vitam pralongat, &c. Dos. ʒiij vel iv. bis in die, ad longum tempus.*

*Vitriolum Camphoratum.* R. ☉ calcin. ʒvi. Camphor. in Spir. Vini solut. ʒi. m. & lento Δe Spiritum indè abstrahere f. a.

*Vitriolum Lunæ.* fit ex ☾ in Sp. ☉ solut. coagulando & crySTALLISANDO f. a. Dicitur & *CrySTALLUM Lunare, & Magist. Lunæ.* Dos. gr. 2, ad 6, &c. *In hydrop. capitis morbis, ut Epilepsia, hemicrania. &c. proficuum. Leniter purgat, & nonnunquam vomitum ciet.*

*Ex*

*Ex hoc fieri solent cum micis panis mixto Pil. Lunares.*

\* *Vitriolum Martis.* R. Alcoh. V. ℥iv. ☉  
 ☿ li ℥ij. serva simul in vase ferreo ad  
 15, vel ad siccitatem. Dos. gr. 2., ad vi, &c.  
*in obstructionibus.*

*Vitriolum Veneris.* v. *Flores Viridis a-*  
*ris.*

\* *Unguent. Albuminum.* fit miscendo ex-  
 actis. ☉ Ros. ℥ij cum Album. ovor. ℥iv,  
 s. a. *Ad ambusta, inflammationes, &c. opti-*  
*um remedium.*

\* *Unguent. Antipyreticum.* R. Chenoco-  
 pri rec. ☉ oliv. ā ℥iv. ung. Dialth. ☉ Rosi  
 ā ℥i. ▽ nivis ℥viiij. coq. l. △. f. a. colat.  
 adde camph. ℥i. m. *Valeat opt in ambustis,*  
*&c.*

\* *Unguent. de Aurantiis.* R. Poma auran-  
 tia rec. sed immatura & viridentia in pul-  
 pam cum cortic. contusa n° vi. Fol. lauri  
 miv. salv. acetos. calend. ā mij. succi nasturt.  
 aquat. ℥ij. Butyr. rec. ℥ij coq. ad succor.  
 consumpt. f. expres. fortis; cui adde recen-  
 tia folia lauri, & salviae contusa, cinnam. ℥i.  
 nuc. m. ℥ss. coq. iterum ad herbarum pu-  
 trilag. & f. expressio. *In Scabie, pruritu, &c.*  
*insigne.*

\* Un-

\* *Unguent. de Betonica aquatica.* R Fol. beton. aquat. acetos. ā mvi. contusis adde Butyr. rec. ℥ij. coq. ad herbar. ficit. f. expressio Repet. coctio ter foliis rec. colat. adde  $\triangle$  viv. subt.  $\text{C}$ at. ℥iiss.  $\odot$  stil. cort. aurant. ℥i. m. f. Ung. f. a. *In pruritu, Scabie, &c.*

\* *Unguent Cephalalgicum.* R Ung. Alabastrin. Rosat. ā ℥ij. opii ℥i. croc. ℥ss. ol. nuc. m. ℥i. m. f. Ung. *Pro temporibus ac fronte inungendis.*

*Unguent. Criniscum.* R Labdan. ℥vi. Axung. ursin. ℥ij. mell. crud. ℥ss.  $\text{C}$ ris Abrotani ℥iij.  $\text{E}$ er. Rad. arundin. ℥iss.  $\odot$  nuc. m. ℥i. Bals. Peruan. ℥iij. m.

*Unguent. Depilatorium.* R  $\Psi$  ℥iv.  $\bigcirc$   $\bigcirc$  ℥iss. Rad. irid. Fl. ℥i.  $\bigcirc$ ,  $\triangle$ , ā ℥ss. Lixiv. fortiss. ℥ij. coq. ad consist. debitam : adde  $\odot$  caryoph. gt. xx. m. f. ung. seu Pulmentum.

\* *Unguent. Digitalis.* R Butyr. Maial. ℥iij. Flor. Digitalis rec. contus. quot infarciri pt. Insolentur  $\bigcirc$  30. deinde coq. f. a. & f. expressio. *Pro locis affectis scrophulosis inungendis. Nil equale.*

\* *Unguent. Faciale.* R Camph. Apyroth. ā ℥ij. Pomat. ℥ij. Diasinap. fortiss. colat. ℥i. ol.



ol. Rhodii gt. 4. m. f. Ung. *Ad faciei ruborem curandum, præmissis universalibus.*

\* *Unguent. Familiare.* R Butyr. Maial. ʒviij. ceræ, resin. ā ʒ4. mell. crud. ʒx. aleuri ʒvi. m. f. a. *Calfacit, humectat, laxat, emolli, discutit, absterget, lenit, concoquit & digerit. usus est familiaris in paronychiis, ac pernionibus subito curandis. Ulceribus pedum scorbuticis mirè auxiliatur.*

\* *Unguent. ad Fissuras.* R Myrrh. zz. lithargyri ʒæ, ā ʒi. mell. ʒiv. ceræ, ʒij. ☉ Rosat. ʒvi. m. f. a. Pro ditioribus addi pt, ☉ Rhodii, gt. xij. Fol. Auri n°x. *aliter.* R ʒB, myrrh. cerus. ā ʒij. cum Axung. anatis q. s. f. ung. *citò curat.*

\* *Unguent. ad Foveas.* R ☉ Amygdal. dulc. ʒij. Sperm. ceti ʒiij. ☉ stil. Rhodii, gt. iv. m. f. unguent. f. a. *Ad foveas Variolarum delendas præstantissimum est unguentum. Dolorem lenit, acrimoniam tollit, &c.*

*Unguent. Fuscum.* R Colcothar. & Phlegm. ☉ li, ā ʒi. Aceti chelidoniati ʒiss. Flor. ☉ ʒ. v. mell. despum. ʒiij. f. Ung. f. a. *Mundificativum optimum in vulneribus & ulceribus.*

\* *Unguent.*

\* *Unguent. Hæmorrhoidale.* R Butyr. Maial. rec. ℥iij. Flo. Sambuc. & genist. rec. qu. infarciri pt contusos. Insolentur per mensem. Dein agitentur, & sub ▽ â defossâ simul putrescant per mensem. Postea coq. f. a. & f. expressio. *aliter.* R Tris superis combusti 3i. camph. ℥ij. opii, gr. vi. Ung. Populn. 3iss. m. *pro loco affecto.*

\* *Unguent. Herpeticum.* R Ψ, ○, ā 3i. ☐, ☉. nig. sapon. com. ā 3ij. ☉ Sambucin. q. s. ut f. Unguent. f. a. *Inunge locum peroptimè, maneat desuper X 24: superueniet crusta, removenda Ungent. albo.*

\* *Unguent. ad Lumbricos.* R Fol. absinth. vulg. menth. tanacet. rutæ, porri, jugland. ā miiij. fabinæ, miv. helleboræstri, mvi. contunde probè cum Sem. Santon. 3ij. Rad. bryon. rec. 3iv. colocynth. aloës, ā 3ij. Fel. lis Taurin. ℥i. Butyr. rec. insuls. ℥v. V. alb. ℥ij. coq. l. △. ad Vini & succor. consumpt. f. expressio.

*Unguent. Ophthalmicum.* R Butyr. Maial. 3iv. ceræ alb. 3i. lique & lava sæpius cum Aq. Ros. dein (effusâ aquâ) adde Lap. Tutix præp. 3ss. camph. ℥ij. m. f. ung.

\* U

\* *Unguent. Paregoricum.* R Cera, ℥vi. tereb. ℥iv. Mell. ℥iij. Aleuri, ℥iss. ☉ Rosat. Unguent. Hæmorrhoidal. ā ℥iv. Liquefiant s.a. ut f. Unguent. *Ad Perniones curandas egregium.*

\* *Unguent. Piperinum.* R Tris Enul. Fl. △, ā ℥ij. piper. n. ℥iss. ung. Rosat. ℥xvi. ol. Rhodii, ℥ij. m. f. unguent. *Ad Scabiem, Pruritum, &c. Elegantissimum.*

\* *Unguent. Soleare.* R Rad. allii contus. ℥iv. Axung. ℥viii. coq. ad succi consumpt. f. expressio : adde croc. Trat. ℥i. Sp. ☉. ℥ij. m. f. Unguent. *Pro plantis Infantum inungendis, ad tussim, &c.*

*Unguent. Sympatheticum.* R Ol. Rosar. B, ā ℥i. ol. Lini ℥ij. Axung. humanæ, Usneæ cranii hominis interempti Trat. ā ℥ij. Mumia, Sanguin. human. ā ℥ss. f. Ung. f. a. *Unguento hoc sanantur omnia vulnera, ungendo telum, quo vulnus inflitum fuit quotidie semel, si vulnus sit magnum; alioquin 2do vel tertio quoq; die inunxisse sufficit. Telum servetur in linteolo mundo, & loco non nimis calido, nè damnum inferatur Patienti.*

\* *Unguent. Virilitatis.* R Anaphromel. ☉ nuc. m. per express. ā ℥ss. pyreth. piper. n. cubeb.

cubeb. ā ℥ss. zibet. ℥i. mosch. ℥ss. Bals. Peruvian ℥i. m. f. a.

*Vomitorium Aluminis. v. Serum Aluminatum.*

*Uvae passæ & corinth. purgantes. v. Passula Laxat.*

---

*Finis Pharmacop. Bateana.*

R

W

dan

sch

car

(ve

u

u

# Arcana Goddardiana:

Ex autographo

Autoris *Jonathanis Goddardi*,  
M. D. Celeberrimi Collegii Me-  
dicorum *Londonensium* nuper So-  
cii, Atq; in Collegio Greshamenfi  
*Medicinæ* Prælectoris, desumpta.

*Aqua Absinthii comp.*

R **C**Ort. extern. rec. limon. t̄b̄is. aurant.  
t̄bi. Summit. absinth. sicc. cort.  
Winteran. ā t̄b̄is. Flo. chamæmel ʒiv. Car-  
damom. min. in capsulis, caryoph. cubebar.  
schoenanth. ā ʒi. cinnamom. nuc. m. Sem.  
carui, ā ʒij. Sp. Vini, cong. iſs. Aq. font.  
(vel Aq. Absinth. 2dā ex aquā fœcibus affus.  
ſlat.) cong. iſs. Infund. per 3 dies, & dein  
ſla in MB, ad siccitatem.

K

*Aqua*

## Arcana Goddardiana.

### Aqua Alexiteria.

R Bacc. Junip. ℥iij. zed. myrrh. sem.  
angel. ā ʒix. Dictamn. Crer. Rad. serpen-  
tar. Virg. ā ʒvi. croc. ʒiiss. Sp. Vini, cong.  
iiss. Aq. Proalexiter. cong. 4ss. Infund. calidè  
per dies 3, dein Qla in MB, ad ficcitat. alexi-  
ter. 2dā ex facibus cum aqua simp. & po-  
stea Aq. Alexiter; part. æq. admisc.

### Aqua Chamæmeli comp.

R Summit. Absinth. ʒviij. Fl. chamæmel.  
N. M. ā ℥bi. Sp. v. cong. i. Aq. simp. cong.  
vi. Infund. per dies 3, & Qla in MB ad  
ficcitatem.

### Aqua Cochleariæ comp.

R Cochlear. hort. modios iij, vel ℥xxx.  
Rad. raphan. rustic. in taleolas ten. incis.  
℥vi. Aq. simp. cong. iij. Infund. calidè per  
hor. 24. & Qla ad extract. cong. iij Aq.  
quæ.

Aqua, &

*Aqua Cordialis.*

R Cort. ext. rec. limon. ℥iv. aurant. ℥iij.  
cinnam. ℥ij. nuc. m. macis, calam. arom.  
coriand. ā ℥i. cubeb. ℥vi. caryoph. Sem. ca-  
rui, cardamom. in capsulis, ā ℥ss. croc. ℥ij.  
Sp. v. ℥vi. Aq. font. ℥xij. Infund. ac ☞ la  
f. a.

*Aqua Lenitiva.*

R Ficum, Rad. Alth. ā ℥ij. glyc. irid.  
el. Flor. ā ℥i. Fl. sambuc. ficc. ℥iij. Infund. in  
g. Aq. font. cong. v. & adde styrac. cal. ℥iij.  
ad nuc. m. ℥ij. Sem. anis. fœnic. d. ā ℥ss, in Sp.  
V. ℥vi infusorum. Ol. Amygd. amar. ℥vi.  
Diger. & ☞ la in Alemb. f. a.

*Aqua Pectoralis.*

xx. R Ficum ℥vi. Rad. enul. glyc. ā ℥iij.  
cif. perid. Flor. ℥iiss. Sem. anis. fœnic. d. ā ℥i.  
Aq. V. cong. iiss. Aquæ Propectoralis (vel  
Aq. f. & postea Aq. Propector. æq. part. ad-  
miscend.) cong. ivss. Infund. calidè per dies  
Aquij, & dein ☞ la ad siccitatem.



*Aqua Propectoralis.*

R Botryos, tussilag. heder. terr. ā t̄vi.  
 marrubii, puleg. hyssop. rorismar. ā t̄iij.  
 Aq. s. cong. xij. Infund. calidē per dies iij,  
 & dein Œlentur in Alemb. s. a.

*Aqua Proalexiteria.*

R Jugland. virid. t̄xxxv, vel n° 400.  
 Rad. rec. Petasit. t̄xij. Imperator t̄iv. Va-  
 lerian. Helen. Flor. rec. calendul. Herb. rec.  
 scord. melis. centaur. min. ā t̄vi. absinth.  
 rutæ, ā t̄iis. Aq. simp. cong. xvij. Infund.  
 calidē per dies iij, & dein Œlentur in A-  
 lemb. cum rostro spirali ad omnimodam  
 virium extractionem, cavendo ab empyreu-  
 mate.

Aq. cong. xij, minimùm, }  
 cong. xv, plurimùm, } Prodeant.

*Balsam. magis-comp.*

R Bals. de Tolu, Cap iv. myrrh. croc. nuc.  
 m. ā 3ij. mastich. guajac. ammoniac. tac-  
 cam. caran. ā 3i. tereb. è Chio 3ss. cera  
 flav.

*Arcana Goddardiana.*

5

flav. ʒi. Ol. Hyper. ʒvi. Aq. Ros. r. ʒix.  
Liquetur primò cera cum Ol. dein addan-  
tur Tinctur. & exhaletur Sp. Vini, tandem  
adde Aq. Ros. quæ post refrigerationem,  
pertuso foramine, liquefiat & in aliud vas  
commodum effundatur, & usui servetur.

*Balsam. minùs-comp.*

R̄ Tereb. è Chio ʒij. Ol. Hyper. ʒiv. ce-  
ræ flav. ʒvi. Aq. Ros. r. ʒvi. f. Bals. eodem  
modo quo superius.

*Electuar. Antepidemicum.*

R̄ Rad. contrayerv. ʒiij Valerian. Impe-  
rator. zedoar. ā ʒiss. Sem. angel. excort. di-  
ctamn. Cret. myrrh. ā ʒi. Rad. serpentar.  
Virg. ʒss. croc. ʒiij. opii, ʒij. (vel ut ʒi con-  
tineat gr. ij opii.) Pulp. Bacc. junip. vino  
Hispan. extract. ʒxij. Vin. Hispan. q. s. ad  
solvend. myrrh. & opium. Syr. Antepide-  
mic. q. s. f. Electuar.

*Empl. de Minio comp.*

R̄ Minii t̄ss. ol. oliv. t̄bi. coq. ad nigred.  
continentur agitando, adde colophon. t̄ss.  
Fit etiam cum Ol. Lini.

K 3

*Empl.*

*Aqua Propeſtoralis.*

R Botryos, tuſſilag. heder. terr. ā t̄vi.  
 marrubii, puleg. hyſſop. roriſmar. ā t̄iij.  
 Aq. ſ. cong. xij. Infund. calidē per dies iij,  
 & dein ſlentur in Alemb. ſ. a.

*Aqua Proalexiteria.*

R Jugland. virid. t̄xxxv, vel n° 400.  
 Rad. rec. Petafit. t̄xij. Imperator t̄iv. Va-  
 lerian. Helen. Flor. rec. calendul. Herb. rec.  
 ſcord. meliſ. centaur. min. ā t̄vi. abſinth.  
 rutæ, ā t̄iſs. Aq. ſimp. cong. xvij. Infund.  
 calidē per dies iij, & dein ſlentur in A-  
 lemb. cum roſtro ſpirali ad omnimodam  
 virium extractionem, cavendo ab empyreu-  
 mate.

Aq. cong. xij, minimū, }  
 cong. xv, plurimū, } Prodeant.

*Baſam. magis-comp.*

R Baſide Tolu, Cap iv. myrrh. croc. nuc.  
 m. ā 3ij. maſtich. guajac. ammoniac. tac-  
 cam. caran. ā 3i. tereb. è Chio 3ſs. cera  
 flav.

*Arcana Goddardiana.*

5

flav. ʒi. Ol. Hyper. ʒvi. Aq. Ros. r. ʒix. Liqueatur primò cera cum Ol. dein addantur Tinctur. & exhaletur Sp. Vini, tandem adde Aq. Ros. quæ post refrigerationem, pertuso foramine, liquefiat & in aliud vas commodum effundatur, & usui servetur.

*Balsam. minùs-comp.*

R̄ Tereb. è Chio ʒij. Ol. Hyper. ʒiv. ceræ flav. ʒvi. Aq. Ros. r. ʒvi. f. Bals. eodem modo quo superius.

*Electuar. Antepidemicum.*

R̄ Rad. contrayerv. ʒiij Valerian. Imperator. zedoar. ā ʒiss. Sem. angel. excort. dictamn. Cret. myrrh. ā ʒi. Rad. serpentar. Virg. ʒss. croc. ʒiij. opii, ʒij. (vel ut ʒi contineat gr. ij opii.) Pulp. Bacc. junip. vino Hispan. extract. ʒxij. Vin. Hispan. q. s. ad solvend. myrrh. & opium. Syr. Antepidemic. q. s. f. Electuar.

*Empl. de Minio comp.*

R̄ Minii t̄bss. ol. oliv. t̄bi. coq. ad nigred. continentur agitando, adde colophon. t̄bss. Fit etiam cum Ol. Lini.

K 3

*Empl.*

*Empl. de Minio comp. aliud.*

R<sub>2</sub> Minii ℥iij. ol. oliv. ℥vi. coctis adde  
cinnabar. ℥i. m.

*Extract. Catarrhale.*

Fit ex Tincturis ad Extr. Panchymag.  
conficiend. eadem proportionē, commistis,  
quibus addit. Tinct. Opii ea proportionē,  
ut ℥ss. contin. Opii gr. i.

*Extract. Hypnotic. seu Laudan.*

R<sub>2</sub> Opii, p. x. nuc. m. croc. ā p. ij. ca-  
stor. p. i. Extr. cum Sp. Vini, f. a.

*Extract. Lenitivum.*

R<sub>2</sub> Aloës, Jalap. ā ℥vi. rhabarb. senæ, ā  
℥xij. extrah. Tinctur. cum Sp. V. rectif.  
quibus admisceantur centaur. min. gentian.  
absinth. myrrh. Fl. Chamæm. ammoniac.  
nuc. m. croc. ā ℥ij. castor. ℥i. asæ foetid.  
℥ss. extrah. ad debit. extracti consisten-  
tiam.

*Extract. Panchymagogum.*

R<sub>2</sub> Aloës, Jalap. ā ℥vi. rhab. senæ, ā ℥xij.  
Scammon. ℥i. helleb. n. turpeth. ā ℥iij. ex-  
trah.

*Arcana Goddardiana.*

7

trah. Tinctur. cum Sp. V. rectific. quibus  
adde gentian. centaur. min. absinth. myrrh.  
Fl. chamæmel. ammoniac. nuc. m. croci, ā  
ʒiij. castor. ʒiss. asæ foetid. ʒvi. extrah. ad  
debit. consist. s. a.

*Infusio Aperiens.*

R̄ Fl. sambuc. Summit. genist. ā p. iij.  
centaur. min. p. ij. Summit. absinth. vulg.  
Fl. chamæmel. ā p. i. Aq. Puleg. Hyssop.  
Menth. Raphan. comp. ā ʒiv. Infund. cali-  
dè per hor. iij. colat. adde Tinct. croci ʒss.  
Syr. de succo Aurant. ʒiss. m. *Dos. coch. vi  
bis in die.*

*Fulap. Aperiens minus-comp.*

R̄ Aq. Cinnam. Absinth. magis-comp.  
Cochlear. comp. Syr. de Ammoniac. ā ʒiiss.  
Aq. Amygdamar. ʒxx. m. & addit. Sal. Mar-  
tis ʒvi in Aq. Flor. Sambuc. triplo pondere  
solut. per residuum clarificetur.

*Fulap. Aperiens magis-comp.*

Superioribus addantur Absinth. Fl. cha-  
mæm. ā ʒx. nuc. m. croc. ā ʒvi. castor. ʒss.

*Laudan. v. Extr. Hypnoticum.**Laudan. liquid. v. Tinctur. Opii.**Spts Simples. v. Aq. Ratae cum Sp. Vini.**Spir. Salis Armoniaci.*

R<sup>x</sup> Solutionis Sal. Armon. Solutionis  
Tart. cum Nitro calcinat. ā p. æ. in Aq. Simp.  
Misceantur, & dlentur in MB, in vase vi-  
treis vel stanneis.

*Spir. Raphan. comp.*

R<sup>x</sup> Sal. Armon. Tart. cum nitro calcinat.  
ā p. æ. solvantur in Aq. Absinth. comp.  
fine Sp. V. dlat. & Aq. Cochlear. comp. ā  
p. æ. misceantur solutiones & dlentur in  
B. M. in yaf. vitreis vel stanneis.

*Syrup. Antepidemicus.*

R<sup>x</sup> Rad. rec. Petasit. ℥i. Fol. rec. Scord.  
℥vi. Rutæ, ℥ij. Infund. per triduum in Succ.  
Jugland. virid. ℥iv, adhibito leni calore :  
colat. per resident. claræ adde Sacch. albis.  
pondus duplum. F. syrup.

*Syrup.*



*Syrup. Guajaci comp.*

R̄ Guajac. ʒiv. nuc. m. ʒss. sassafr. ʒij. Sacch. alb. ʒiv in Aq. Guajac. ʒij solut. coq. leniter ad despumationem.

*Syr. Hypnotic. Pectoralis.*

R̄ Sacch. alb. ʒiv. Aq. Fl. Aurant. ʒxvi. Aq. Ros. Dam. ʒviij. liquentur in Syrup. cui adde nuc. m. croc. ā ʒij. Laudan. liquid. q. s. ut Syrupi ʒi opii puri gr. i contineat. miscantur & coq. leniter ad despumationem.

*Aliter*, cum Aq. Fl. Sambuci, & Ros. Dam. ā ʒij, & addit. castor. ʒi.

*Syr. Martis.*

R̄ Sal. Martis (in Aq. Amygd. amar. ʒij solut.) ʒi. adde Syr. Fl. Sambuc. ʒvi. miscantur, adde gum. ammoniac. ʒvi. Summit. absinth. Fl. chamæm. cinnam. nuc. m. croc. ā ʒij. castor. ʒiss. coq. leniter ad despumationem.

*Syr. Pectoralis Balsamicus.*

R̄ Myrrh. benz. styrac. taccamah. mastich. ammoniac. tereb. è Chio. olib. gum. elem.

Bals. de Tolu, capiv. ā ʒij. croc. ʒss. glyc. ʒvi. Aq. Pector. ʒiv. Sacch. albis. ʒviiij. Quibus in Aq. solutis addantur reliqua, permiscantur, & coq. leniter ad despumationem.

*Syr. Hypnotic. Balsamicus.*

Fit cum additione Laudan. liq. ea quant. ut Syrupi prædict. ʒi contineat Opii gr. i.

*Syr. Terebinthinæ comp.*

R̄ Tereb. ʒxiiij. mastich. ʒi. nuc. m. ʒss. Syr. Rosat. ʒvi. m. & coq. leniter ad despumationem.

*Tinctura Amara comp.*

R̄ Centaur. min. ʒv. gentian. ʒiv. Fl. chamæm. ʒiiij. absinth. ʒij. extrah. cum Sptu Vini.

*Tinctura Cordialis.*

Paratur ex Aq. Cordiali succo granor. Kermes saturè imprægnatâ.

*Tinctura Opii, seu Laudan. liq.*

R̄ Nuc. m. croc. ā p. ij. castor. p. i. Sp. V. q.s. dlentur. Spts tenuior sufficit, idēq; possunt duæ vel tres partes Aq. s. ad unam Spts  
pro

*Arcana Goddardiana.*

11

pro menstruo addi. Spts qui imprægnetur opio in eo soluto, ut saturè fieri potest.

*Unguent. Hemorrhoidale.*

R. Ol. Ros. ʒiss. Emp. de Minio ʒi. ceræ alb. ʒss. liquatis adde Æthiop. mineral. ʒij. opii, ʒss. cróc. nuc. m. Fl. chamæmel. ā ʒi. Syr. Rosat. ʒi. Leni calore exhaletur humiditas, & misce f. a.

*Aquæ Destillatæ Simples.*

Aq. Amygal. amar.	Aq. Pulmonar. Querc.
Bellid. major.	Rosar. Dam.
Euphragiæ	Rosar. rubr.
Pæon. ex toto.	Sambuc. Flor.
Papav. errat.	

*Aquæ dlatæ cum Sptu Vini, seu Spir. Simples.*

Aq. Anisi.	Aq. Menthæ.
Asæ foetidæ.	Nucis mosch.
Aurant. cort.	Opii.
Cinnamomi.	Papav. errat.
Fœnic. dulc.	Papav. alb.
Guajaci.	Papav. nigr.
Junip. Bacc.	Rutæ.
Lavend. Flor.	Sassafras.
Limon. Cort.	Succini.

*Tincturæ*

*Tincturæ cum Spirit. propriis, vel  
Sptu Vini paratæ.*

**Tinct. Absinthii.**

Amara simp. i. Absinthii.

Ambra griseæ.

Ammoniaci.

Angelic. Sem.

Antemetica. i. Mentha.

Antepileptica. i. Lavend. Flor.

Anticolica. i. Junip. Bacc.

Anti-hydrica. i. Jalapii.

Antimelancholica. i. Ellebor. utri-  
usq;

Antiscorbutica. i. Winterani.

Asæ foetida.

Aurant. cortic.

Balsam. Capivii.

Balsam. Tolutani.

Benzoïni.

Calefaciens. i. Caryophyllor.

Calida major. i. Cardamomi.

Calida minor. i. Cubebæ.

Carannæ.

Cardamomi.

Cardiaca. i. Croci.

Car-

Tinct. Cardiaca restring. i. Cinnamomi.  
Caryophyllorum.  
Castorei.  
Cephalica. i. Salviæ.  
Cephalic. Cordial. i. Nucis moschatae.  
Chamæmeli Flor.  
Chinae.  
Cinnamomi.  
Cœlestis. i. Angelic. Sem.  
Contra Iliacam. i. Chamæmel. Flor.  
Contrayerva.  
Cordial. Antepidem. i. Contrayerva.  
Corroborans. i. Limon. cort.  
Croc. i.  
Cubebæ.  
Ellebori utriusq;  
Exonerans. i. Scammon.  
Febrifuga. i. Schœnanthi.  
Galbani.  
Gambogiæ.  
Glycyrrhizæ.  
Gratissima. i. Thymi citrini.  
Guajaci.  
Hypnotica. i. Opii.  
Jalapii.  
Juniperi Bacc.  
Lavendul. Flor.

Limon.

**Tinct.** Limon. cort.  
 Mastiches.  
 Menthæ.  
 Moschi.  
 Myrrhæ.  
 Nucis moschatae.  
 Nutritiva. i. Chinæ.  
 Olibani.  
 Opii.  
 Papav. errat.  
 Pectoralis. i. Glycyrrhizæ.  
 Peruviana.  
 Quartanaria. i. Peruviana.  
 Rhab. Absinthit. fit cum Aq. Abs.  
 comp.  
 Rubra. i. Papav. errat.  
 Rutæ.  
 Salviæ.  
 Salv. Absinthit. fit cum Aq. Abs.  
 comp.  
 Scammonii.  
 Schœnanthi.  
 Senæ Absinthit. extrah. cum Aq.  
 Abs. comp.  
 Serpentar. Virgin.  
 Stomach. Cordial. i. Aurant. cort.  
 Styracis.

Succini.

Tinct. Succini.

Sudorifica. i. Serpentar. Virg.

Sudorif. min. i. Valerianæ.

Taccamahaccæ.

Terebinth. è Chio.

Thymi citrini.

Valerianæ.

Winterani.

*Syrupi Simples,*

*Quorum alii ex Tincturis parantur, alii ex  
Aquis dlatiis, cum Saccharo, s. a.*

Syr. Ammoniæ.

Anti-hydronicus. i. Jalapii.

Asæ fœtidæ.

Aurant. ex Aq. Flor. p. i. Sacch. opt.

p. ij.

Balsamic. min. i. Capivii, vel de Tolu.

Benzoïni.

Capivii.

Carannæ.

Contemperans. i. Mastiches.

Exonerans. i. Scammonii.

Fœtidus. i. Asæ fœtidæ.

Galbani.

Hystericus. i. Galbani.

Jalapii.



Syr. Jalapii.

Jovis. i. Ammoniacy.

Mastiches.

Myrrhæ.

Olibani.

Odorat. min. i. Benz. & Styracis.

Pectoral. simp, fit ex Aq. Pector. Flor.

Sambuc. Ros. Dam. & Saccharo s. a.

Rosar. Dam. ex Aq. dlat. 2 p. i. Sacch.

Rosar. rub. ex Aq. dlat. 3 opt. p. ij.

Ros. odorat. fit, addendo mosch. &

Ambr. grif.

Sambuc. Flor. ex Aq. dlat. p. i. Sacch.

opt. p. ij.

Sapientum. i. Myrrhæ.

Scammonii.

Styracis.

ad Tussim. i. Olibani.

Uterinus. i. Carannæ.

**F I N I S.**

Ab  
Ab  
Ach  
Acc  
Ad  
El  
E

*Orthotonia Medicorum*

**OBSERVATA**

In quibusdam Dictionibus,  
Apud Pharmacopœos plerôsq[ue]  
(Vele ex ignorantia, vel merâ consuetudine)  
Malè pronuciari solitis.

Carmina quæ interseruntur excerpta  
sunt è *Borrichio & Ricciolio*, quos videas  
citantes hâc in re Authores approbatos.

**A.**

*Abbātis* Diarrhodon.

*Abiētis* lignum.

*Achillēa* herb.

*Aconitum*.

*Adōnis* flos.

*Ælurōpus*. herb.

*Æthiōpis*. herb.

*Alabastrinum* ung.

*Alectorolophus*.

*Alcēa*. herb.

*Alcōhol Vini*.

*Alcephanginæ* Pil.

*Alypum*. herb.

*Amarācus*. herb.

*Am.*

*Ambārum.**Amōmi* Sem.*Amygdalīnum* ol.*Anacardīna* nux.*Anag̃yris.* herb.*Anātis* axungia.*Androsāce.* herb.*Anemōne.* herb.*Anethīnum* oleum.*Anīme* gum.*Anod̃ynum* Ung.*Anthēra* Rosarum.*Anthōre* Radix.*Antirrhīnum.* herb.*Apozēma.* ---εμα.*Apoz̃ynum.* herb.*Arbūtus.**Ardēa.* Avis.*Arēgon* ung. ηρόν.*Arisārum.* herb.*Aristolochīa.**Armēna* Bolus.*Armeniāca* mala.*Asbestīnum* linum.*Aspalātbum* lignum.*Asphodēlus.* herb.*Athanasīa.* herb.*Attāgen,* avis.

Nomina ad Abbatem Siculum transmittit, &amp; ille.

Solut *Achillēo* tollere more potest.Semper *Adoni,* mei*Æthiopum* populus nigum traxisse colorem.*Agaricūm*q; *asarūm*q; potens, aloē, *Aconitum.*

Τῶν ἄλλων οἶνων μετ' ἀμύμονα χῶν ἄλυτον.

*Idaliæ* lucos ubi mollis *Amaracus* illum.O Dea, & *Ambareos* mundus respirat odores.Pinguescat nimio madidus mihi crinis *Anemone.*Fertur *Amygdalinæ* succus nucis esse bibendus.Per cæcas latebras *Anagyris* mittit, & acri*Latipedēm*q; *Anatem* cernens excedere ponto.— Vasorum super hæc *Anemone.*Dulce satis humor, depulsis *Arbutus* hœdis.Urbis & ipsa suis deplangitur *Ardea* pennis.Herba puerperii vel *Aristolochia* secatur.

Daphnis

## Orthotonia Medicorum.

13

Daphnis & *Armenias* curru subungere tigris.  
*Aspalathum*, gallam, elleborum, nigrumq; bitumen.  
 Radix *Asphodeli* calefactat ———  
 Non *Attagen* Ionieus. *Iambic*.

### B.

*Bacchāris*. herb.  
*Balanium* ol.  
*Balsamine*. herb.  
*Barbarēa*. herb.  
*Bardāna*.

*Benzoinum*.  
*Bombācis* sem.  
*Bombycina* lana.  
*Bunias*... *adis*. Rad.  
*Byssinum* linum.

Errantes hederas passim cum *Bacchare* tellus.  
*Balsamines* folium committit glutine vulnus.  
 Nunc furtiva lucri fieri *Bombycina* possunt.  
*Bunias* & rapum decorantur viribus iisdem.

Τοσόν κ' γλυκερῆς σπέρματι Βενιάδος.

Vina, unguenta, leves tunicas, & *Byssina* Vela.

### C.

*Camphōra*. χαμφορέα.  
*Cancānum* gum.  
*Cannabinum* oleum.  
*Canthāri*, insecta.  
*Caphūra*. χαφερέα.  
*Capparinum* oleum.  
*Capreolus*, animal.  
*Carbasinum* linum.  
*Cardamine*. herb.  
*Carlina*. herb.  
*Caryinum* oleum.

*Caryocostinum*.  
*Castor*... *oris*.  
*Catheter*. ετηρ infum.  
*Caucalis*. herb.  
*Centaurium* herb.  
*Calcitis*. χαλκίτις.  
*Chamæmelinum* ol.  
*Chamæmōrtis*.  
*Chamæpitys*.  
*Chebula* myrob.  
*Cheirinum* oleum.

Cho.

Cholagōga potio.  
*Chrysolitibus.*  
*Chrysoprāsus*, lapis.  
*Chrysomelinum* ol.  
*Cināra* radix.  
*Cinnabāris.*  
*Citrīna* cera.  
*Clemātis* daphnōides.  
*Clystēres.* --- ἡρες.  
*Coccīna* vestis.  
*Colchīcum.* herb.  
*Colcōthar.*  
*Colutēa.* πᾶ. herb.  
*Corallīna.*  
*Corallīnum* Arcanum.  
*Coronōpis*, Rad.

*Costīnum* oleum.  
*Cotylēdon.* herb.  
*Cratægōnon.* --- γονον.  
*Crocīnum* oleum.  
*CrySTALLINUM* sacchar.  
*Cumīnum.* *Cymīnum.*  
*Curcūma.* κέρκυμα.  
*Cuscūta.* *Calsūtha.*  
*Cyani.* flores.  
*Cyclāmen.* --- īnis. Rad.  
*Cynorrhōdi* conf.  
*Cynobāti* conf.  
*Cypēri* Rad.  
*Cyprīnus* lapis.  
*Cyīni* flores.

*Cannabinas* nutrit sylvas, quam commodο nostro.

*Carbasinum*, ac spatiiis geminata monilia colli.

*Castoreas* filiquas bis sex perquirere cura.

*Καυκαλίδας*, σὺν δ' αἰδὰ βάλοις φεμωδέα μύρτα.

*Abrotanique* graves & tristia *Centauria.*

*Cadmia*, *Cbalciti*, chalcantio, chasco & adusto.

*Ardua Morus* erat gelido contermina fonti.

*Artemidisq;* *Chamæpityósque*, atq; *achrados* herbæ,

Per juga *Chrysolitibi*, positæq; ex ordine gemmæ.

*Chrysopraso*, & sidus saxi stellantibus addit.

*Hispida* ponatur *Cināra*, & quæ dulcis *Jaccho.*

Ἄλλοτε κληματοέσαν ἐν ὄξει ρύπλεο πέφρω.

*Coccina* famosæ donas, & *Janthina* *Mœchæ.*

Et posuere inter virgulta *Corallina* cippos.

# Orthotonia Medicorum.

5

Porrò *Coronopodis* radix astringit & aret.

Friget & abstergit *Cotyledon* atq; resolvit.

Et *Crocino* nares myrrhinus ungat onyx.

Sic Aretinæ violant *Crystallina* testæ.

Ordine subprimo *Cuscuta* calefcit & aret.

Transcat instabiles strenua *Cyaneas*.

*Cyperum*, ladanum, sagapenũmq; & tragacanthum

## D.

*Daphnĩnum* oleum.

*Diacrocũma*.

*Dianũcum*.

*Diaphenĩcum*.

*Diaphorẽsis*. *nots*.

*Diarrhõdon* Abbācis.

*Diospýros*. herb.

*Dipbrýges*.

*Dropax-ũcis*.

*Dryoptẽris*. *elis*.

Corpore de patrio parvum *Pbænica* renasci.

At *Dipbryges* valde desiccatur — — —

*Philothro* faciẽmq; lavas, & *Dropace* calvam.

## E.

*Ebẽnum* lignum.

*Empyẽma*. *ημα*.

*Enẽma*. *εμα*.

*Epilĩnum* herb.

*Epũlis*. *επαλĩς*.

*Eranthẽnum*. *εραν*.

*Erica*. herb.

*Errhĩnum*.

*Erythrodānum*.

*Exostõsis* *ωσις*.

Fert *Ebenum* : Solis est thurea virga Sabæis.

Calfacit & siccatur, seu clamat amaror, *Erica*.

Ἀμύγησις καὶ πῖνα ἐκείνη δὴ καὶ φέρεται.

*Fagĩnus*.

## F.

*Faginus.*

Febrifuga potio.

| Figulinum Vas.

| Formica.

Post vario nitens sub pondere *Faginus axis*.Parvula nam exemplo est magni *Formica* laboris.

## G.

*Gagates.**Glaucinus* color.

| Glottides, aves.

| Gratiola. herb.

Nascitur in Lycia lapis, & propè gemma *Gagates*  
Pallida donabit, *Glaucina*, Cosme, tibi.

## H.

*Halimus.* herb.*Hedychroi Troch.**Hedysarum* herb.*Heliochryson.* herb.*Helleborine.* herb.*Herba Paridis.**Hierobotane.* herb.*Hippolichus* lapis.*Hippopotami* dens.*Hippuris.* ἵππυρις.*Horminum.**Hydragogus.* ὡγός.*Hypocoum.* herb.*Hypericum.**Μάγμα* ὁ Ἡδυχρὸς τοῦτον ἐφελκομένον.*Horminum* siccatur mediocriter atq; calescit.

Ὁυρίσω Ὑπέρεικον, ὅθ' ὑσώπευ δευδάμνης.

## I.

*Jacea.* herb.*Janthinus* color.*Jasminum* oleum.| *Illecebra.* herb.| *Intibus.* *Intubum.*| *Irinum* oleum.

Isatis.



*Isatis*. herb. *Jujubinus* Syr.  
*Jujuba*. *Juniperinum* ol.  
*Goccina* famosæ donas, & *Janthina* mœchæ.  
*Mecebris* erat, & gratâ novitate morandus.  
*Intuba*, jam teneris frondens lactucula fibris.  
*Nectit Isatis* agrum, vel florea regna Priapi.

L.

<i>Labdānum</i> . <i>Ladānum</i> .	<i>Lentiscinum</i> lign.
<i>Lagopus</i> . herb.	<i>Leucolium</i> .
<i>Lampsana</i> . herb.	<i>Leucolium</i> . ol.
<i>Lapis Armenus</i> .	<i>Leucographis</i> . herb.
<i>Lapis Lazuli</i> .	<i>Libanotis</i> . <i>ωλις</i> .
<i>Lathyrus</i> . herb.	<i>Litbanthraeces</i> .
<i>Laurinum</i> Ung.	<i>Lumbrici</i> .

*Cyperum*, *Ladanū*, *sagapenumq;* & *tragacanthum*.  
 Si mens auritâ pendet *Lagopede* Flaccus.  
 Aut herbæ succum, *Lathyrus* quæ nomine fertur.  
*καὶ ῥόδον, ἢ δ' ἰα λεπτόν ἀεὶ σπέρμοτον αἰεῖται.*

*Λιδανθεαυγας αἰδομένοιο.*

*Lumbrici* quoque terrestres miscentur olivo

M.

<i>Macropiper</i> .	<i>Melōnum</i> sem.
<i>Malabathrum</i> .	<i>Melopēpo</i> . <i>πέπον</i> .
<i>Martagon</i> . herb.	<i>Melopepōnis</i> sem.
<i>Mastiche</i> .	<i>Miclēta</i> . <i>έτα</i> .
<i>Mastichinae</i> Pil.	<i>Mumia</i> .
<i>Melia</i> terra.	<i>Myosotis</i> . <i>ωλις</i> .
<i>Melicratum</i> .	<i>Myrrhinum</i> ol.
<i>Melinum</i> oleum.	<i>Myrtinum</i> ol.

*Mastichis*.

## 8 *Orthotonia Medicorum.*

*Masticbis* addentur fractæ jam molliæ farra.  
Rugarum sulcos lentisci *Masticbe* tendens.

### N.

Narcissinum ol.	Nenupharinum ol.
Nardinum oleum.	Nepeta. herb.
Nenuphar.	Nervinum Ung.

Sive apio *Nepetas* tereti cum *Mastiche* junges.

### O.

Ocytmum, ocymum.	Ornithogalon. herb.
Oesypus.	Opopanax-acis.
Omphacinum ol.	Orig anum.
Onobrychis. herb.	Osyris. herb.
Opalus, lapis.	Oxalis. idis.
Ophioscorodon. herb.	Oxycratum.
Ophthalmia. morb.	Oxyrrhodinum.

*Ocyima* præterea, bulbive linuntur amari.  
*Oesyra* quid redolent, quamvis mittantur Athenis  
Βεβρύχως, κόνις

Expirant autem *Panaces*, absinthia tetra.  
Cumque hoc absumi debet *Origanus* herba.  
Sistrâq; erant, nunquâmq; satis quæsitus *Osyris*.  
Ἀρκίον, Ὁξάλιδας τε καὶ ὁρμενόεντα λύχαλον.

### P.

<i>Pampini</i> folia.	<i>Pardicis</i> Fel.
Papaverinum ol.	<i>Periclymenum</i> . herb.
<i>Parulis</i> . morb. ουλεις.	<i>Periplōca</i> . herb. οχα.
<i>Pepōnis</i> Sem. ον.	<i>Petroselinum</i> .

Pen

# Orthotonia Medicorum.

9

*Peucedanum.*

*Phellodrys.* ὀδρυσ.

*Philanthrōpus.* ὠπός.

*Phyllitis.* herb.

*Platanus.* arbor.

*Piperinum ol.*

*Polygala.* herb.

*Polygonatum.*

*Polygonum.* herb.

*Polytrichum.*

*Pompholyx-ÿgos.*

*Potamogiton.* εἶπων.

*Prasīnus color.*

*Priapus.*

*Propolis.* ♂.

*Psilothrum.*

*Ptisana.*

*Pylorus.* πυλωρός.

*Pyrëthrum.* σθερά.

Heu malè tum mites defendat *Pampinus* uvas.

Lepra elephantiasis, cancer, gangræna, *Parulis.*

Seu fel *Perdicis* parili cum pondere mellis.

ἡ ἅλλα τε καὶ ἡντα Περικλυμένοιο φέρουσα.

*Peucedanumq;* sonat flammis, *Erycināq;* thapfos.

*amq;* ministrantem *Platanum* potantibus umbram.

Ἡλασε τὴν δ' αὐτὴν λύτο γένατα, καὶ φίλον ἦτορ.

*Hellespontiaci* seruet tutela *Priapi.*

*Psilothro* nitet aut acidā nitet oblita cretā.

Frumentum, milium, *Ptisana*q; fabāq; solebas.

## R.

*Raphanus.*

*Resina.*

*Ricinus.* com.

*Rubrica.* ocra.

Semine vel *Raphani* permisto dulcia melle.

*Resinā,* Veneto nec resicare luto.

Sanguine seu *Ricini,* quem bos gestaverit ante.

Calfacit & siccāt bina sub classe *Ricinus.*

Excepto siquid Masuri *Rubrica* notavit.

## L

Sambu-

## S.

Sambucīnus Syr.  
*Sampsūchum.*  
 Sampiluchīnum ol.  
*Sandarācha.*  
*Sandŷcis emp.*  
*Sanguisūgæ.*  
 Santalīnum cerat.  
 Sapphirīna Aqua.  
 Sardōnyx. *ὀνυξ.*  
*Saxifrāga.*  
*Scariōla.*  
 Schoenoprāson.  
 Securidāca. herb.  
*Scordium.*

Serapīnum gum.  
 Sefamīnum ol.  
*Sesāmum.*  
 Sinapīnum oleum.  
*Sisāri Radix.*  
*Smilax-ācis.*  
*Sophia chirurgorum.*  
*Storax-ācis.*  
 Strobīlus.  
 Strobilīna resina.  
*Styrācis Pil.*  
 Styracīnum ol.  
 Sycomōrus arbor.

Nataq; iam veniant hilari Sampsūcha canopo.  
 Galbana, *Sandaracham*, Sampiluchum, ———  
 Interdum Lybico fucantur *Sandyce* pennæ.  
 Marte fatos scires, timor abfuit ubera *Sugunt.*  
 Cunctæ *Saxifragæ* deficcant atq; calefcunt.  
*Σκόρδιον, καὶ κείνον ὅππὸν μίσγῃσι συνάδῃ.*  
*Sesamon* at leviter calet : occluditq; meatus.  
 Ductor cujus erat præfectus *Sisara* turmis.  
 Et crocon in parvos versum cum *Smilace* flores.  
 Cum tibi sit *Sophiæ* par fama & cura Deorum.  
 Aut *Styracem* torres, aut diri vulturis alam.  
 Non *Storace* Idæo flagrantcs picta capillos.

Taraxā.

T.

Taraxācum.

Tetānus. morb.

Tbalassīna vestis.

Tragopōgon. ὄζων.

Tribūlus aquat.

Trichomānes.

Tripōlis. τριπολις.

Tryphēra. -εξ.

Hinc tussis, spasmus, Tetanus, dyspnœa, catarrhus.

Auro includuntur, teriturq; Tbalassīna vestis.

Semina jacta legunt, lolium, Tribuliq; fatigant.

V.

Vagina.

Venētus sapo.

Vernix-īcis.

Veronīca.

Vesīca.

Vicia.

Umbilīcus.

Vomīca morb.

Urāchus.

Urēter-ēris.

Urēthra. ---ηθρα.

Usnēa.

Vagina tectus, quem cur distringere coner.

De prasino conviva meus, Venetūq; loquetur.

Calfacit & siccāt Veronīca, fugatq; tumores.

Nam, displosa sonat quantum Vesica, pepedi.

Aut tennes foetus Viciæ, tristēsque lupini.

Et phthisis, & Vomica putres, & dimidium crus.

Z.

Zeop̄rum.

Zibēchum.

Zizypha. Jujubæ.

Zythogila.

Περὶ ἐρεπτομένους παρὰ πύλον ἢ παρὰ σφ.

ἢ δ' ὀπθρομωθῇ νεαλὲς γάλα τῶ χεῖ γαστρός.

Non fuerit hîc forsan supervacaneum, Regulis duabus generalibus, quam plurimis, in pronuntiandis dictionibus, difficultatibus mederi.

*Regula prima generalis.*

Adjectiva in *inus* à rebus animatis sensitivis deducta ; item, Nomina Cognationum, item, Propria & Gentilia penultimam producant : ut, Caro *agnina* ; pinguedo *anatina* ; sterqus *equinum* ; Syr. *Byzantinus* ; sena *Alexandrina* ; manna *Calabrina*, &c.

*Regula secunda generalis.*

Adjectiva in *inus* à Rebus non-animatis, (viz.) à plantis, lapidibus, aliisq; materialibus ; (qualia sunt permulta à Græcis vocibus formata : ) item, Adjectiva ab Adverbiis temporalibus, aut Substantivis quatuor Anni tempora notantibus, derivata, penultimam corripunt : ut, *Acanthinus*, *amaracinus*, *cedrinus*, *cypressinus*, *faginus*, *glaucinus*, *adamantinus*, *amethystinus*, *hyacinthinus*, *diutinus*, *crastinus*, *pristinus*, *perendinus*, *hornotinus*, *serotinus*, *earinus*, *tberinus*, *oporinus*, *chimerinus*, &c. *Matutinus* autem & *vespertinus*, quia à nominibus *Matutâ* & *Vespero* flectuntur, penultimam habent longam.

F I N I S.

# TABULA POSOLOGICA.

Dosibus Pharmacorum quorundam

(Quæ in *Pharmacop. Lond. novis. Edit.* occurrunt)

Expeditiùs computandis

Accommodata.

In nonnullis ad amussim usque, in aliis  
quàm proximè, Ingredientium purgan-  
tium, &c. calculantur Quantitates.

Continentur in

*Arom. Caryophyllat.* { Ambr. gris. gr. 4.  
Div, { Moschi gr. i.

*Arom. Rosat.* 3i, { Ambr. gris. gr. i.  
gr. xii, { Moschi, gr. ss.

*Bened. Laxat. Spec.* { Diagrydii,  
Div, gr. vij, { Esulæ,  
{ Hermodact. ā gr. xv.  
{ Turpeth. ʒss.



## Continetur in

*Caryocostini* Zfs, {Diagrydii,  
Hermodact. ā gr. xv.

*Catholici* 3vij, } Puly. Senæ, 3i.  
Polypod.  
Rhab. ā 3s.

*Confect. Hamech, Zi* { *Diagryd. gr. viiſs.*  
*Pulv. Senæ,*  
*Agar. ā 3i.*  
*Epithym. 3ſs.*  
*Colocynth. indto gr. xv.*

Confect. Alkerm. { Ambr. gris.  
3ij, ʒij, { Margarit. ā gr. i.

Conf. de Hyacinth. } Ambr. gris.  
Spec. 3xi, } Moschi, ā gr. i.

<i>Decoſt. Epithymi,</i> 34,	Epithym.
	Senæ, ā ðiv.
	Helleb. n. gr. xv.
	Turpeth.
	Myrob. chebul.
	Indar. ā ðij.
	Agaric. gr. v.
	Polypod. 3i.

*Десоя.*

# Tabula Posologica.

3

Continentur in

*Decoct. Senæ Gere-* { *Senæ*, ʒij.  
*on.* ʒiiij, { *Polypod.* ʒss.

*Diacarthami* ʒi, { *Diagrydii* gr. ix.  
 { *Turpeth.* gr. xviiij.  
 { *Carthami*,  
 { *Hermodact.* ā gr. xij.

*Diacodii* ʒix      *Cap. Pap.* ʒiiiiis in *Dcto.*  
*Diachyl. Ireat.* ʒiss, -- *Pul. Irid. Florent,* ʒi.

*Diacinnam. Spec.* { *Moschi* gr. i.  
 ʒiss, {

*Diaprun solut.* ʒviis, --- *Scammon.* ʒi.

*Diaphænic.* ʒss, gr. { *Diagryd.* gr. xij.  
xiv. { *Turpeth.* gr. xxxij.

*Diarrhod. Abbat.* { *Sem. frig. maj.* ʒss.  
 ʒiiij, ʒi, { *Moschi* gr. ss.

*Diasatyr.* ʒx. { *Moschi* gr. i.  
 { *Ambr. gris.* gr. ss.

*Diascordii* ʒv, gr. { *Opii* gr. i.  
xij, {

Continentur in

*Diaturb. cum Rh.* } *Hermodaet.*  
 ʒij, gr. xvij. } *Turpeth. ā gr. xij.*  
 } *Diagryd. gr. vi.*  
 } *Rhabarb. gr. xv.*

*Elect. Amar. major.* } *Aloës ʒij.*  
 ʒi, } *Turpeth.*  
 } *Rhabarb. ā gr. xv.*

*Elect. Amar. min.* } *Epithym. gr. v.*  
 ʒvss, } *Aloës ʒi.*

*Elect. è Citro solut.* } *Diagryd. gr. vi.*  
 ʒiij, } *Turpeth. gr. viiis.*  
 } *Senæ, gr. ix.*

*Elect. Lenitiv.* ʒi, } *Pulv. Senæ, ʒi.*  
 } *Polypod. &*  
 } *Sen. in decoct. ā ʒi.*

*Elect. è Sassafras* } *Ambr. grif. gr. i.*  
 ʒi, } *Mosch. gr. ʒi.*

*Elect. à Succo Ro-* } *Diagrydii gr. xij.*  
*sar. ʒiiis,*

*Empl. Barb. magn.* } *Opii, gr. i.*  
 ʒiis,

*Emp.*

# Tabula Posologica.

5

Continentur in

*Emp. Cephalic. fort.* } *Piper. nigr.*  
*3i,* } *Euphorb.*  
 } *Pyrethi, ā gr. vi.*

*Emp. Diacalcit. 3viis.* - *Vitriol. ust. 3i.*

*Emp. Epispastic. 3iij.* - *Cantharid. 3ij.*

*Emp. Hysteric. 3ij,* } *Gall. Moschat.*  
*3iis* } *Alipt. Moschat. ā gr. i.*  
 } *Moschi, gr. is.*

*Emp. Oxycroc. 3iij.* - *Cróci, 3i.*

*Emp. de Ranis, 3i,* - *Hydrargyri 3is.*

*Hier. Diacolocynth.* } *Colocynth.*  
*Spec. 3i,* } *Agaric. ā gr. vi.*

                                  } *Colocynth.*  
                                   } *Opopanax.*  
                                   } *Sagapen.*  
                                   } *Polypod. ā 3i.*  
*Hier. Logadii, sc.* } *Diagryd.*  
*Elect. 3vij,* } *Agaric. ā 3is.*  
                                   } *Helleb. alb. & n. ā gr. i.*  
                                   } *Sem. Thymel.*  
                                   } *Euphorb. ā gr. vi.*  
                                   } *Aloës opt. gr. v.*

Continentur in

*Mithridatii* ℥iv, ℥ij, -- *Opium* gr. i.

*Moschellæ* ℥i, *Moschi* gr. i.

*Philon. Magistral.* ℥ss, -- *Opium* gr. iv, vel v.

*Philon. Roman.*

℥iss,

{ *Opium* gr. iiss.

{ *Sem. Hyoscyam.* gr. v.

*Philon. Persic.* ℥iv, { *Opium* gr. iiss.

{ *Sem. Hyoscyam.* gr. v.

*Pil. de Agarico* ℥i, { *Colocynth.* gr. iv.

{ *Turpeth.* gr. x.

{ *Agaric.* gr. vi.

{ *Hier. picr.* gr. viij.

*Pil. Aggregativ.* ℥i, { *Diagryd.* gr. v.

{ *Colocynth.*

{ *Agaric. ā* gr. ij.

{ *Turpeth.*

{ *Aloës, ā* gr. vi.

*Pil. Aureat.* ℥i, { *Diagrydii,*

{ *Aloës, ā* ℥ss.

{ *Colocynth.* gr. ij.

# Tabula Posologica.

7

Continentur in

*Pil. coch. major.* ʒi. { Diagryd. gr. iʒss.  
Turpeth. gr. ix.  
Colocynth. gr. viʒs.

*Pil. coch. min.* ʒi, { Scammon.  
Colocynth.  
Aloës, ā gr. xiiij.

*Pil. de Cynogloss.* ʒss, { Sem. Hyoscyami,  
Opii, ā gr. i.

*Pil. Diambrae* ʒi, --- Ambr. gr̄s. gr. i.

*Pil. de Eupator. maj.* ʒi, { Rhabarb. gr. viij.  
Aloës ʒss.

{ Colocynth.  
Opopanax.  
Sagapen.  
Epithym.

*Pil. Fætidar.* ʒi, { Aloës, ā gr. iv.  
Turpeth. gr. iʒss.  
Scammon. gr. iʒss.  
Esulæ Rad.  
Hermodact. ā gr. iʒs.

*Pil. de Gutta Ga-* { Gutt. Gamandr. gr. ix.  
*mand,* ʒi, { Scammon. gr. vi.  
Aloës, gr. xv.

*Pil.*

Continentur in

<i>Pil. de Hermodaët.</i> ፻ij,	{ Colocynth. Turpeth. Hermodaët. Sagapen. Aloës, ā gr. iij. Opopanac. gr. iſs. Euphorb. gr. ſs.
<i>Pil. Hier. cum A-</i> <i>gar. 3i,</i>	{ Aloës ፻i. Agaric. gr. viij.
<i>Pil. Imperial. 3i.</i>	{ Agaric. Senæ, ā gr. v. Aloës ፻ſs. Rhabarb. gr. viij.
<i>Pil. de Lap. Laz.</i> ፻ij, gr. v,	{ Epithym. Agaric. ā gr. iv. Lap. Lazul. gr. iſs. Helleb. nigr. Scammon. ā gr. iſ.
<i>Pil. Mechoacanæ</i> 3i,	{ Mechoacan. gr. viij. Turpeth. gr. vi. Eſulæ gr. iij. Fol. Thymel. Sem. Ebuli, Agaric. ā gr. iv.

*Pil.*



# Tabula Posologica.

09

Continentur in

*Pil. de Oponan.* ʒiiss, { Colocynth.  
Hermodact.  
Sagapen.  
Opopanac, ā gr. v.  
Turpeth. gr. iv.  
Scammon. gr. ij.  
Aloës, gr. xij.

*Pil. sine Quibus* ʒi, { Scammon. gr. vi.  
Agaric.  
Rhabarb.  
Senæ, ā gr. iv.  
Aloës gr. xiv.

*Pil. de Styrace* gr. vi, - *Opī* gr. i.

*Pulv. Diasenæ* ʒi, { *Diagryd.* gr. vi.  
gr. vi, { *Senæ,* gr. xxiv.

*Pulv. Haly* ʒi, Sem. frigid. gr. vi.

*Pulv. Senæ comp.* { *Senæ* ʒss.  
*maj.* ʒi.

*Pulv. Sen. comp.* { *Senæ,* gr. xxxii.  
*min.* ʒiiss,

*Pulv. Warvicens.* gr. ʒi, - *Scammon.* gr. xij.

*Pil.*

*Sach.*

Continentur in

*Sacch. Perlat.* ʒi, *Margarit. præp.* ʒi.*Sief de Plumbo* ʒiʒs, - *Opii*, gr. i.*Sief de Thure* ʒiʒs, - *Opii* gr. vi.

<i>Spec. cord. temperat.</i>	{	<i>Ambr. gris.</i>
ʒiʒs,		<i>Mosch. a</i> gr. i.
		<i>Margarit.</i> gr. xij.

<i>Spec. Diamarg. frig.</i>	{	<i>Sem. frig. maj.</i> gr. viij.
ʒiʒs,		<i>Pap. alb.</i> gr. ij.

<i>Spec. Diambrae</i> ʒi,	{	<i>Ambr. gris.</i> gr. iij.
gr. vij,		<i>Moschi</i> gr. i.

*Spec. Diamosch. d.* ʒiʒs, - *Mosch.* gr. i.

<i>Spec. Diamosch. am.</i>	{	<i>Mosch.</i> gr. i.
ʒiʒs,		

<i>Spec. Diatrag. frig.</i>	{	<i>Sem. frigid.</i> gr. viij.
ʒiʒs,		<i>Papav. alb.</i> gr. iij.

<i>Spec. Diatri. Sant.</i>	{	<i>Sem. frig.</i> gr. xij.
ʒi, gr. 4,		

Spec.

# Tabula Posologica.

11

Continentur in

*Spec. Liberant.* 3vss, - Ambr. gr. Mosch. ā gr. ss.

*Syr. Cic. cum Rhab.* 3vi, - Rhab. infus. ʒi.

<i>Syr. de Epithym.</i>	$\left\{ \begin{array}{l} \text{Epithym. ʒi} \\ \text{Myrobal. ʒij.} \\ \text{Polypod.} \\ \text{Agar. ā gr. vi.} \end{array} \right\}$	$\left\{ \begin{array}{l} \text{Infus.} \end{array} \right\}$
3i,		

*Syr. de Mecon.* 3ix, --- Cap. pap. coct. 3iiiss.

*Syr. Papav. comp.* 3ix, -- Cap. pap. coct. 3iiij.

<i>Syr. de Pomis ma-</i>	$\left\{ \begin{array}{l} \text{Senæ, 3i.} \\ \text{Epithym. ʒi.} \\ \text{Rhabarb.} \\ \text{Agaric. ā gr. v.} \end{array} \right\}$	$\left\{ \begin{array}{l} \text{Coct.} \end{array} \right\}$
<i>gistr.</i> 3i,		

*Syr. de Pomis purg.* 3vi, - Senæ infus. ʒi.

<i>Syr. de Rhab.</i> 3vi,	$\left\{ \begin{array}{l} \text{Senæ infus. \&} \\ \text{Rhabarb. ā gr. xxv.} \end{array} \right\}$
ʒij,	

<i>Syr. Ros. cum Agar.</i>	$\left\{ \begin{array}{l} \text{Agaric. infus. ʒi.} \end{array} \right\}$
3vi,	

*Syr.*

Continentur in

*Syr. Ros. cum Helleb.* { Myrobal. ʒi, ʒij.  
 ʒi, { Senæ,  
 Polypod.  
 Epithym. ā ʒss.  
 Rhabarb. ʒss.  
 Helleb. n. gr. iiii ss.

*Syr. Ros. cum Sena,* { Senæ, ʒi,  
 ʒvi,

*Theriac. Androm.* { Opii, gr. i.  
 ʒiv,

*Theriac. Londin.* ʒi, --- Opii, gr. i.

*Troch. Alipt. Mos-* { Ambr. grif. gr. iij.  
*schat.* ʒiiss, { Moschi, gr. ss.

*Troch. de Carabe* ʒi, --- Opii gr. i.

*Troch. Gall. Mos-* { Ambr. grif. gr. iij.  
*schat.* ʒss, { Mosch. gr. ss.

*Troch. de Lign. aloës,* { Ambr. grif. gr. iij.  
 ʒv, { Moschi gr. ss.

*Troch. de Terra* { Opii gr. i.  
*Lemn.* ʒij,

*Troch.*

# Tabula Posologica.

13

Continentur in

*Trech. & Viola solut.* { Scammon. gr. iv.  
*Diis,* { Turpeth. gr. xxiv.

*Trypher. maj. 3vi,* { Scor. ferri,  
 { Myrobal. ā ʒi.  
 { Moschi gr. i.

*Trypher. solut. ʒss,* { Diagryd. ʒss.  
 { Turpeth. gr. xii.

*Ung. alb. Campho-* { Camphor. gr. vij.  
*rat. 3vi,*

*Ung. Enulat. cum* { Hydrargyr. ʒij.  
*Merc. ʒi,*

*Ung. Neopolitan. ʒi,--Hydrargyr. ʒi.*

*Ung. Tutia, ʒiij,* { Lap. Tutia ʒi.  
 { Lap. Calaminar.

Cathar-

Continentur in

*Syr. Ros. cum Helleb.* { Myrobal. ʒi, ʒij.  
 ʒi, { Senæ,  
 Polypod.  
 Epithym. ā ʒss.  
 Rhabarb. ʒss.  
 Helleb. n. gr. iiiss.

*Syr. Ros. cum Sena,* { Senæ, ʒi,  
 ʒvi,

*Theriac. Androm.* { Opii, gr. i.  
 ʒiv,

*Theriac. Londin.* ʒi, --- Opii, gr. i.

*Troch. Alipt. Mo-* { Ambr. grif. gr. iiij.  
*schat.* ʒiiss, { Moschi, gr. ss.

*Troch. de Carabe* ʒi, -- Opii gr. i.

*Troch. Gall. Mo-* { Ambr. grif. gr. iiij.  
*schat.* ʒss, { Mosch. gr. ss.

*Troch. de Lign. aloës,* { Ambr. grif. gr. iiij.  
 ʒv, { Moschi gr. ss.

*Troch. de Terra* { Opii gr. i.  
*Lemn.* ʒij,

Troch.

# Tabula Posologica.

13

Continentur in

*Troch. è Viola solut.* { Scammon. gr. iv.  
 Diils, { Turpeth. gr. xxiv.

*Trypher. maj. 3vi,* { Scor. ferri,  
 { Myrobal. ā ʒi.  
 { Moschi gr. i.

*Trypher. solut. 3ss,* { Diagryd. ʒss.  
 { Turpeth. gr. xii.

*Ung. alb. Campho-  
 rat. 3vi,* { Camphor. gr. vij.

*Ung. Enulat. cum  
 Merc. 3i,* { Hydrargyr. ʒij.

*Ung. Neopolitan. 3i, -Hydrargyr. 3i.*

*Ung. Tutia, 3iij,* { Lap. Tutia ʒi.  
 { Lap. Calaminar.

**Cathar-**



# *Cathartorum Simplicium Doses*

## In Substantia.

**A**garicus. ʒi. ʒi. ʒij.  
 Aloë. ʒi. ʒi. ʒij.  
 Bryon. Rad. ʒi. ʒss. ʒi.  
 Carthamus. ʒi. ʒss. ʒvi.  
 Casia fistula. ʒss. ʒi. ʒij.  
 Cataputia minor. Bacc. n° x. Fol. 4. 5.  
 Colocynthis. gr. vi. ʒss. ʒi.  
 Ebuli Sem. ʒi. ʒij. ʒi.  
 Ebuli Succus. ʒss. ʒv. ʒvi.  
 Ebuli cort. ʒi. ʒiss. ʒij.  
 Elaterium. gr. i. 2. 3.  
 Epithymum. ʒi. ʒij. ʒss.  
 Esulæ cort. gr. vi. xij. xv.  
 Euphorb. gr. iij. 6. 12.  
 Frangul. cort. intern. ʒi, ʒiss. ʒij.  
 Gratiolæ Fol. ʒi. ʒij. ʒi.  
 Gutta Gamandræ. ʒss. ʒi. ʒss.  
 Helleb. nigr. gr. xv. ʒi. ʒij.

Hermo-

*Catharticoꝝ. ſimp. Doſes.* 15

Hermodaſtyl. ʒij. ʒiv. ʒij.  
Jalapium ʒi. ʒi. ʒiv.  
Ireos Succus. ʒſs. ʒij. ʒiij.  
Lap. Armen. ʒſs. ʒi. ʒiſs.  
Lap. Lazuli. ʒſs. ʒi. ʒiſs.  
Manna. ʒi. ʒij. ʒiij.  
Mechoacana. ʒij. ʒiſs. ʒij.  
Mezerei Fol. cort. gr. vi. xij. xv.  
Myrobalani. ʒij. ʒvi. ʒi.  
Opopanax. ʒſs. ʒij. ʒi.  
Polypod. ʒij. ʒvi. ʒi.  
Rhabarb. ʒi. ʒiſs. ʒij.  
Ricini nuclei. n° 4. 8. 12.  
Roſar. Dam. Succus. ʒſs. ʒiſs. ʒij.  
Sagapenum. ʒſs. ʒij. ʒi.  
Scammonium. gr. vi. xij. ʒi.  
Sena. ʒij. ʒiſs. ʒij.  
Soldanella. ʒſs. ʒij. ʒi.  
Spina Cervina. Baccæ, n° 30. 40. 50. Succ. ʒj,  
ʒſs, ʒvi.  
Tamarindi. ʒi. ʒij. ʒiij.  
Turpethum. ʒij. ʒi. ʒiv.

Hiſce addi pt.

Aquæ Mineraleſ. ʒbiiij ad ʒbviiij.  
Braſſicæ juſ. ad ʒbi.

Crem.

16 *Cathartica simp. Doses.*

Crem. Tartari. ʒij. ʒiij. ʒss.

Genistæ Flores. Succus. ʒss. ʒvi. ʒi.

Gum. Guajaci. ʒi. Div. ʒij.

Lac Ebutyratum. lbij. lbij.

Lac recens mulctum. ad lbj.

Mercurialis. Mi coctum in brodio.

Ol. Sem. Lini. ʒiij. iv. vi.

Perfici Flores. Succus. ʒss. ʒvi. ʒi.

Pruna Damasc. macerata. n° 12. 16. 20.

Pruni Sylv. Flores. Succus. ʒss ad ʒi.

Sambuci turiones pulv. ʒi. ʒij.

Serum Lactis. lbij. iij. iv.

Terebinth. Venet. ʒij. ʒss. ʒvi.

Violarum Succus. ʒi. ʒiss, ʒij.

---

**F I N I S.**

# I N D E X

## Morborum, Curationum, &c.

### A.

*Abortum prohibentia, Fatum roborantia, &c.* Aq. Embryon. A. Horm. c. A. Lamii c. | Caudel. Nenuph. | Cerev. Embryon. | Emp. Smeēt. | Emulf. Dactyl. | Sacch. Torma. | Sp. Embryon. | Tab. Embryon. |

*Alexiteria, Bezoartica, &c.* Aq. Epidem. A. Laēt. Alexit. Aur. potab. Aur. Vitæ. | Bez. Animal. Bez. min. | Bolus Alexiter. | Emulf. expulſ. | Enem. Alex. | Flor. Salis | Infuſ. Sanct. | Lap. c. yerv. L. de Goa. | Mixt. Simp. | Pulv. Albus. P. Cantian. P. Pannon. rub. P. Purpur. | Sal Tart. Volat. Sal Viper. | Sp. Sal Arm. Sp. Sambuc. Sp. Ther. camph. Sp. Viper. Sp. Vitriol. diaph. | Sulph. Aurat. | Tab. de Angel. | Tinct. Bez. T. Virgin. | Aq. Alex. & Proalex. D. G. |

*Alopecie cura.* Aq. Crinal. | Ol. Chartæ. | Ol. *τριχοεις*. | Pul. Crinal. | Ung. Crinific.

*Alvi fluxibus, Diarrhæe, &c. Remedentia.* Alum. dulc. Alum. Febrif. | Bez. Animal. B. Mart. | Caudel. Amygd. | Laudana. | Sal Litharg. Tinct. Ros. | v. *Astringentia, Opiata, &c.*

*Aluminata. ex Alum. preparata, &c.* Alum. dulc. Alum. Febrif. | **Alumina**tum. | Aq. Alumin. Aq. fort. aluminata. Aq. Herpet. | Arc. Alum. | Lac Alum. | Lap. Medicam. L. Salut. | Pul. fine pari. P. Uvular. | Sal Alum. | Serum Alum. | Sp. Alum. d. | Suppos. Aluminof. |

*Ambusta, Inflammationes, &c. Sanantia.* Balf. Magistr. B. Lucat. | Magist. Saturni. | Mel Sapon. | Ol. Cremor. Ol. Pomof. | Tinct. Ceruſſ. | Ung. Albumin. Ung. Antipyret. |

*Analeptica. v. Restaurantia.*

*Angine, oris & faucium Ulceribus, &c. Medentia.* Catapl. Cynanch. | Emp. Synanch. | Garg. Synanch. | Linct. Synanch. | Tab. Antisyanch. | v. *Aphthæ.*

*Animi*

# I N D E X.

*Animi deliq. & Syncopes remedia.* Aq. Cinnam. cardiac. | Julap. perlat. Jul. Vitæ. | Sp. Alk. Sp. Ambra. Sp. Embryon. | Tab. grif. v. *Cardiaca.*

*Anodyna, Paregorica, &c.* Aq. Pneumon. | Balf. Anod. B. Magistral. B. Nucist. B. Sulph. Rul. B. Tartari, | Bez. Lunar. | Butyr. Amygd. | Cerat. Alb. | Crystal. min. | Dec. Pacific. | Emp. Diagalb. Emp. Opiat. Emp. Smeēt. | Ens Vener. | Extr. Paregor. | Inject. alb. Inject. ben. | Laudana omnia. | Liquor Limac. | Nitr. fixat. Nitr. sulph. | Ol. Chartæ. Ol. Herac. Ol. Sapon. Ol. Tabac. | Pil. Pacif. | Sal Urin. Volat. | Sp. Camph. | Sulph. Vitriol. narcot. | Ung. Paregor. |

*Antimoniata. ex Antim. &c. præp.* Antihect. Poter. | Ant. diaph. Ant. diaph. fix. Ant. medicam. Ant. refuscit. | Aq. Scim. sulph. | Balf. sulph. antim. | Bez. Jov. B. Lunar. B. Mart. B. miner. B. Solar. | Cerev. Catapf. | Ceruff. Antim. Ceruf. Mart. | Cinnab. Antim. | Dec. Antim. | Elect. alb. | Febrif. Riv. | Fl. Antim. Fl. Ant. diaph. | Magist. Ant. diaph. | Merc. Vitæ corr. & purg. Nitrum Antim. | Ol. Ant. saccharat. | Oxyfacc. emet. | Panac. aur. Pan. cathart. Pan. Hartm. | Pil. Antim. Pul. Basil. P. Cantian. P. Cornach. P. Liliac | Regul. Jov. Reg. Lun. Reg. Mart. Reg. Solar. Reg. Vener. | Sulph. Antim. Sulph. Ant. Comb. Sulph. aurat. | Tab. Antim. | Tart. Ant. Tart. Emet. Tart. vitriolat. antimoniale. Tart. Vitriolat. Emético-purg. | Tinct. Ant. Emet. T. Ant. purg. |

*Aperientia v. Ecphrastica.*

*Aphthas, ulcera oris, &c. Sanantia.* Aq. Mellum. | Dec. Ulmi. | Garg. alb. G. synanch. | Linum. Mellum. | Tab. Antisy-nanch. | v. *Plura inter Aluminata, Vitriolata, &c.*

*Apoplectica, Apoplexia, &c. remed.* Balf. Apop. | Bez. Lunar. | Calx Lunæ. | Catapl. Apop. | Elix. Vitæ. Elix. Vitriol. | Garg. Apoplect. | Pom. Ambra. | Sp. Sal. coag. Sp. Sang. | v. *Cephalica, Epileptica, &c.*

*Apostemata Curantia.* Aq. Chalybeat. | Balf. Sulph. Anisar. & Terebinthinat. | Pil. Matth. | v. *ulcera.*

*Appetitum Juvantia, &c.* Aq. Pneumon. | Elect. Caryophyl-lat. | Nitrum Cachect. | v. *Stomachica.*

*Arthritica. Arthritidis, Podagra, &c. remed.* Allium condit. | Aq. Hungar. Aq. Omn. flor. | Balf. Anod. B. Sulph. miner. B. Tartar. | Catapl. Podagric. | Cicer. Tartari. | Cinnab. Antim. | Dec. Ambros. Dec. Pacific. | Diatart. | Elect. Duc. Sab. | Emp. Opiat. Emp. Podagric. Emp. Smeēt. Emp. Solean. | Fetus Arthrit. | Infus. Arthrit. Infus. sancta. | Jup. diaph. Jup. nitrat. | Laudana. | Li-quor Limac. | Magnes præp. | Mel Sapon. | Ol. Sapon. Ol. Ta-bac. | Pedilav. Podagric. | Pil. Antipodagr. Pil. Matth. Pil. Paci-fic. | Pul. Arthrit. Pul. Hermod. c. Pul. Lateral. Pul. Solean. Pul. Sternutat. | Sal Ann. volat. Sp. Salis coag. | Vinum Arthrit. Vin. Arthrit. purg. | v. *Anodyna, Opiata, &c.*

Asth

# I N D E X.

*Asthmatica. Asthmatis, Dyspnæa, &c. remed.* Allium condit |  
Aq. Bechic. Aq. Bened. c. Aq. Cinnam. cum Ox. Sq. Aq. Digita-  
lis. Aq. Pector. | Balsama Sulphurata. | Cerev. Butl. | Conf. Ni-  
cot. | Elect. Asthmat. | Elix. Salutis. | Extr. Petic. | Flor. Benz.  
Fl. Sulph. alb. | Infus. Cachect. Julap. Asthmat. | Lac Ammon.  
Lac Benz. Lac Sulph. | Liquam. Sulph. | Nitr. Saturn. | Ol.  
Sacch. simp. & c. | Pasta Hippatri | Pil. Sinap. Pil. Styracin. |  
Pul. Asthmat. Pul. Epidem. aur. | Serum Sinap. | Sp. Hyssop. Sp.  
Milleped. Sp. Nitri d. | Syr. Balsam. S. de Myrrh. S. de Peto. S.  
Sulph. S. Tolut. magist. | Tab. Divin. T. Helen. T. Sapon. |  
Tinct. Asthmat. T. Melamp. T. Sulph. | Vin. Hydrop. | Ung. Solear  
v. *Pectoralia. Pulmon, &c.*

*Astringentia, Styptica, &c.* Aq. Styptica. | Bez. Martial. |  
Chalcanth. rubef. | Ol. Mart. | Pil. restring. | Pul. Uvular. |  
Stypt. Regis, | Syr. Chalyb. corallat. | Terr. Vitriol. d. | v. *Alu-  
minata, Vitriolata, &c.*

*Atrophie Conducentia.* Emuls. Dactyl. | Liq. Limac. | Dec.  
Limac. Syr. Lumbric. | v. *Restaurantia.*

*Auditum Juvantia.* Aq. Crinal. | Inject. Auricul. | Mastichat. |  
Ol. Balsamic. | Pil. Mastichat. | Sp. Milleped. | Turund. acou-  
stic. |

*Aurium Dolores, Tinnitus, &c. sedantia.* Balf. Sulph. Ruland. |  
Inject. Auricul. | Ol. Balsamic. Ol. Chartæ. Ol. Heracl. |

## C.

*Cachectica. Cachexie cura.* Antim. diaph. Ant. diaph. fix. Ant.  
Medicam. | Dec. amar. | Cerev. Butl. | Elect. alb. | Essent. Mart. |  
Extr. Diateff. Infus. cachect. | Magist. Ant. diaph. | Mars potab. |  
Nitr. cachect. | Panis de Viper. | Pil. de Ammon. mag. | Pul.  
Martial. c. | sal. Urin. Volat. Syr. Jovial. | Tab. Antim. | Tart.  
Chalybeat. | Tinct. Antim. purg. T. Armon. T. Hieræ. T. Mar-  
tis. | v. *Antimoniata, Martiata, Hepatica, &c.*

*Calculi renum ac Vesicæ remed.* Aq. Omn. flor. Aq. Persic. c. |  
Balf. Lucar. B. Magistr. B. Tart. | Enem. colic. Enem. oleos. E-  
nem. terebinth. | Nitr. Hermaphrod. | Ol. Ludi. Ol. Vitriol. d. |  
Pul. ad Calcul. | Sal Viper. | Testes Apri præp. | v. *Nephri-  
tica.*

*Camphorata, ex Camphora, &c. præp.* Aq. Camphorat. | Balf.  
Anodyn. | Elix. Camph. | Emp. Camph. | Enem. Hyt. | Front. ce-  
phalalg. | Julap. Hyt. camph. | Liq. Cephalalg. | Mixt. simp. |  
Pil. Castitat. Pil. Hyster. | Sp. Camph. Sp. Theriac. camph. |  
Tinct. Cerus. | Vitriol. Camph. | Ung. Antipyr. Ung. Facial.

*Cancris remed.* Arc. Corall. | Balf. Saturn. | Cerev. Scroph. |  
Croc. Jov. Linim. simp. Magist. Saturn. | Merc. sublim. rub. &  
flav. | Ol. Bufon. Cl. Ranar. |

*Capitis*

# I N D E X.

*Capitis Ulcera, v. Tinea.*

*Cardiaca. Spiritus Reficientia, & Aq. Caryoph. Aq. Cinnam. Cardiac. Aq. Cordium c. Aq. La& card. | Cardiac. celest. | Etheosacch. card. | Elix. Vitæ. | Flos Cordial. & Cardiac. magn. | Jul. perlat. Jul. Vitæ. | Lap. de Goa. | Miv. Borrag. | Nitr. Corall. Nitr. perlat. | Pul. Cardiac. corallar. Eborat. & perlat. Pul. Pannon. rub. Pul. Purp. | Rosa Solis. | Sacch. Ambarat. & Caryoph. | Sal Corall. | Sp. Alk. Sp. Corall. | Syr. Cardiac. aurat. Syr. Sambuc. c. | Tab. de Angel. T. de Aurant. T. Diamb. T. gris. T. de styrac. | Tinct. Bezoart. T. Corall. T. Melis. T. Perlar. T. Virgin. | Vin. Hippocrat. | Aq. Cordial. & Tinct. Cordial. D.G. | v. *Alexiteria, &c.**

*Cardialgia cura.* Diacreta | Emuls. Cretac. | Jul. Cretac. | Pul. Anticardialg. Pul. Griseus. Pul. Cardiac. rub. | Tab. Cardialgic.

*Carminativa. Flatus discutientia, &c.* Aq. Chamæm. c. | Conf. Aurant. | Elæosacch. Carmin. & Fœnic. | Elix. Salur. Elix. Vitæ. | Ol. Balsam. | Pul. Lateral. Pul. Peptic. | Rosa Solis. | Sp. Ceraf. Sp. Embryon. Sp. Junip. | Tab. de Aurant. T. Carmin. T. Fœnic. T. de Piper. | Tinct. Asthmat. T. Cardam. T. Carui. T. Chamæm. T. Piper. T. Rhab. | Aq. Abs. c. & Aq. Chamæm. c. D. G.

*Catarrhalia. Catarrhi, &c. Remed.* Bals. Sulph. anisat. Benzoinat. &c. | Cashew. | Dec. Antim. | Elix. Vitriol. | Emp. Burgund. Emp. catarrhal. Emp. nachal. | Extr. Paregor. | Flo. Benz. Fl. Sulph. alb. | Lac Sulph. | Laudana omnia. | Mag. Penz. | Mixt. Tubul. | Ol. Vitriol. d. | Pil. Catarrh. P. Matth. P. Pacif. P. Styracin. | Pul. Cucuph. Pul. epidem. aur. Pul. Pe&t. | Sulph. Vitriol. narcot. | Syr. de Croco. S. de Rapis. S. de Sulph. S. Tolut. mag. | Tab. Amygd. T. Ros. T. de styrac. | Tinct. Amygd. T. Guajac. T. Sulph. | Extr. Catarrhal. D. G. | v. *Opiata, Sulphurata, &c.*

*Catarrhi suffocativi Remed.* Conf. Nicot. | Pil. de styrac. | Syr. de Peto. | v. *Asthmatica, &c.*

*Cephalica. Capitis morbis proficua.* Aq. Cephal. | Bals. Apople&t. | Bez. Vener. | Catapl. Cephal. | Cerev. Butl. | Emp. Catarrhal. | Pil. Vatican. | Sacch. Ambarat. Sacch. Caryoph. Sp. Ceraf. Sp. Vini succinat. Sp. Vitrioli Philos. | Tab. Diamb. Tab. de Piper. | Tinct. Succin. | T. Melamp. T. Serpyll. Vitriol. Lunæ.

*Cephalalgia remed.* Aq. Cephal. | Bals. Magistr. | Emp. Burg. | Frontal. Cephalalg. | Liq. Cephalalg. | Ol. Sapon. | Pil. Matth. & Pacific. | Pul. Cucuph. Pul. Sternut. | Ros Vitrioli. | Rosa Solis. | Tab. Diamb. | Tinct. Melamp. Ung. Cephalalg. | v. *Cephalica, &c.*

*Chalybeata. v. Martiata.*

*Ch. prof.*



# I N D E X

*Chlorosi remediencia.* Elect. Chalybeat. | Essent. Martis. | Infus. Cachect. | Sp. Vitriol. Martial. | Syr. Jovial. | Tinct. Antim. purg. T. Armon. T. Martis aur. | Vin. Chalyb. v. *Antimoniata, Cache-Martiata, &c.*

*Clavorum, & Verrucarum cura.* Balf. magistr. | Cauter. Lunar. | Emp. Diagalb. | Liquor Limac. | Ol. virid. æris. |

*Colica. Colica, Iliaca, &c. remed.* Allium. condit. | Aq. Chamæm. c. Aq. Pneum. | Balf. magistr. B. Sulph. anifat. & succinat. | Cathart. Cæsar. | Conf. Aurant. Croc. Ven. Elect. Piper. | Enem. colic. & oleos. | Fl. Sulph. alb. | Lac Sulph. | Mag. Saturn. Mixt. Anticolic. | Ol. Balsam. | Pil. Anticol. Pil. de Sagap. | Pul. Anticol. Pul. Lateral. | Sacch. Samb. | Sal Arm. volat. oleos. | Sp. Nitri d. Sp. Sal. coag. | Suppos. alumin. | Test. equi præp. | Tinct. Junip. T. Succin. | v. *Anodyna, Carminativa, Opjata, &c.*

*Columella relaxata conducit* Pulv. Uvularis.

*Contractura.* v. *Spasmus.*

*Contusivum remedi.* Aq. Chalyb. | Balf. Lucatel. Balf. magistr. | Emp. smect. | Ol. Sapon. | Pul. ad casum. |

*Convulsiva.* v. *Epileptica.*

*Cordis Palpitationis & Tremoris medela.* Pul. Griseus | Cardiac. Coelest. | Elect. Caryoph. | Sal Arm. volat. oleos. | Tinct. Meliss. v. *Cardiaca.*

*Cosmetica, Cutanea, &c.* Aq. Cosmet. Aq. Venust. Arc. Cosmet. | Cerat. alb. | Flo. Bismuthi & Zinci. | Lac Merc. | Mag. Bismuth. | Mel Sapon. | Ol. Cosmet. Ol. Talch. Ol. Tritic. Ol. Viper. | Pilæ odor. | Savan. osmet. | Sp. Benz. | Tinct. Cerus. | v. *Tartarea, Nitrata, Aluminata, &c.*

*Crapula, Ebrietatis, &c. cura.* Pil. crapular. P. Matth. P. Pacif. | Sp. Rhœad. erapular. | Tinct. Absinth. |

*Cuprea, Venerea. Ex cupra, &c. præp.* Balf. Vener. | Bez. Ven. | Croc. Ven. | Flo. virid. æris. | Ol. Virid. æris. | Regul. Ven. | Sp. Ven. | Tinct. Veneris. |

*Cutis Scabritiem emendantia.* Ol. Tritic. Ol. Viper. | Pilæ odor. v. *Cosmetica.*

*Cynanchica.* v. *Angina curantia.*

## D.

*Dentes candidos reddit* Dentifric. Dominar.

*Dentitionem facilitant* Dentifric. Infant. & Torquis Infant.

*Dentium Dolores sedantia.* Alum. dulc. | Arc. Alum. | Emp. Nuchal. | Mastichat. | Ol. Chartæ. Ol. Heracl. Ol. Tabac. | Pil. Matth. P. Pacif. P. Mastichat. | Sp. Tabacc. | Tinct. Guajac. Tinct. Odontalg. | Torq. Infant. | v. *Anodyna, Opjata, &c.*

## M

*Depila*

# I N D I E M X

*Depilatorium.* Ung. Depilatorium.

*Diabeticæ cura.* Aq. Bened. simp. & comp.

*Diaphoreticæ.* v. *Sudorifica.*

*Diarrhœa.* v. *Alvi Fluxus.*

*Diuretica.* *Urinam Ciesita,* &c. Alkek. cond. | Aq. Cicut. comp. Aq. Cynob. c. Aq. omni. Flor. Aq. Stim. sulph. | Balf. Lusat. Balf. Succin. | Conf. Hepar. corallit. | Crem. Hord. | Croc. Ven. Dec. Diuret. Auger. | Elect. Junip. | Flo. Sal. Arm. | Jul. Fragon. Mars diaph. Mars Fulm. | Nitr. Hermaph. | Pil. Matth. Pil. Pacif. Sal. Diuret. S. Martis Cathart. S. Polychr. S. Tart. S. Tart. Volat. filic. præp. | Sp. Alum. d. Sp. Ceraf. Sp. Junip. Sp. Milleped. Sp. Nitri. Sp. Nitri. duc. Sp. Sal. Arm. Sp. Sal. Arm. succinat. tartarifat. & Chalybear. Sp. Sal. Coag. Sp. Sal. Mart. | Syr. Lumbric. | Tinct. Antim. T. Coral. T. Junip. T. Serpyll. | Vin. Ephract.

*Dorsi doloris & infirmitatis remedia.* Aq. Lamii comp. | caud. N. nuph. | Emp. Smeft. | Emulf. Dactyl.

*Dysentericæ remedia.* Butyr. Ceræ. | Chalcant. rubef. | Dec. dysenteric. | Enem. Dysenteric. Enem. Balsamic. | Pil. Matth. Pil. Pacif. | Sal. Litharg. | Terr. Vitriol. d. | Tinct. Ros. | Trag. gran. Actes | v. *Opiata,* *Astringentia,* &c.

*Dyspnœa remed.* v. *Asthmatica.*

## E

*Eccrotica.* v. *Laxantia aluum.*

*Ecpkractica,* *Aperientia,* &c. Ens Vener. | Extr. Ecpkract. Infus. Sancta. | Nitr. Cathart. Nitr. Hermaph. | Sp. Alum. d. Sp. Millep. Sp. Nitri d. Sp. Sal. Arm. Chalybear. Sp. Sal. Martial. Sp. Viperar. Sp. Vitriol. Diaph. Sp. Vitriol. Mart. Sp. Vitriol. Philosoph. Sp. Vitriol. Tart. | Sulph. Vitriol. Martial. | Syr. Lumbric. Syr. Sider. Tart. Antim. Tart. Chalybear. | Tinct. Antim. purg. T. Arm. T. Ferri. T. Mart. | Vin. Ecpkract. | Vitriol. Mart. | v. *Martiatæ.*

*Elephantiasis.* v. *Lepra.*

*Emetica,* v. *Vomitoria.*

*Emmenagoga.* *Menses moventia,* &c. Aq. Chamæm. comp. Essent. Mart. | Extr. Fellis. | Mars fulm. | Pedilav. emmenag. Pul. Oxytoc. | Sp. Junip. Sp. Sal. Arm. chalyb. | v. *Flora hister*

*Chalybeata.* *Hysterica,* &c.

*Emphyemati proficua.* Aq. Bened. Aq. Tussil. c. | Tab. Saponat. v. *Pectoralia,* &c.

*Ephelides maculas curant* Aq. Bened. | Savan. Cosmet.

*Epileptica.* *Epilepsia,* *Convulsionum,* &c. *Remedia.* Aq. Hirsundin. Aq. Picar. c. | Balf. Succin. Balf. sulph. anisat. | Bez. Lagnar. | Calx Lunæ. | Cinnab. Antim. | Corv. Epilept. | Dec. Digital.

# I N D E X.

sal. | Elect. Epilept. | Elix. Vitriol. Elix. Vitr. | Exulsi. Peon. |  
Luna potab. | Ol. Heracl. Ol. Milvin. Ol. sapon. | Pul. Cinnab. c.  
Pul. Epilept. | Ranar. Hepat. præp. | Regul. Lunar. | Secundin.  
præp. | Sp. Ceraf. Sp. c. c. succinat. Sp. Embr. Sp. Sang. Sp. Ve-  
ner. Sp. Vini succinat. | Sulph. Vitriol. Sulph. Vitriol. narcotic. | Syr. de  
Peto. | Testes Apri. & Equi præp. | Tinct. Succin. Tinct. Ven. |  
Vitriol. Lunæ. | v. *Antimoniata, Vitruolata, Cephalica, &c.*

*Epiphora oculorum cura.* Aq. Camphorat. v. *Ophthalmica.*

*Equos asthmaticos curat, & macilentos impinguat* Pasta Hip-  
piatri.

*Erysipalatis, Rosa, &c. remed.* Bez. Lunar. | Lap. Medicam.  
Lap. Salutis. | Linim. simp. | Ol. cremor. Ol. Ranar. | Ung. Hæ-  
morrhoid. |

*Expectorantia, Bechica, &c.* Apoz. potenter Expector. | Aq.  
Digital. | Balf. Sulphuris Knæph. | Linct. Bened. Linct. expect. |  
Loh. alb. Loh. Domest. | Mixt. Tubular. | Pil. de Pice. | Syr. de  
Myrrh. | Tab. Saponac. | Masticator. | Pil. Masticator. | v. *Asth-  
matica, Peccoralia, &c.*

## F.

*Faciei Ruboris, Pustularum, &c. remed.* Acet. Litharg. | Alu-  
minat. | Aq. Bened. Aq. Mercur. | Cerev. Catapf. | Dec. Rubiz.  
Tinctor. | Lac. Mercur. | Mag. Saturn. | Ol. Ranar. | Ung. Faci-  
al. | v. *Cosmetica.*

*Febrifuga. Februm & Febricitantium remed.* Alum. Febrif. |  
Antifebr. Conchar. | Aq. Febrif. Aq. Formicar. | Arcan. dupl. |  
Dec. Bez. Jov. Bez. Solar. | Catapl. Solec. Croc. Ven. |  
Ambros. | Diatesis. potab. | Emp. Febrific. | Epicarp. febrif. |  
Extr. febrif. | Febrifug. River. | Flo. sal. Arm. Martiat. | Lac A-  
lum. | Lap. C. yerv. Lap. de Goa. | Merc. præcip. per se. | Mixt.  
simp. | Nitr. Antim. Nitr. Corallat. Nitr. Hermaph. Nitr. Perlat.  
Ol. Antim. saccharat. Pil. Antim. Pil. Matth. Pil. Pacif. Pil. de  
Sagap. | Potio febrif. | Pul. Antipyr. Pul. Febrif. certus. Pul. Pan-  
non. rub. | Sal Alum. Sal Diuret. Sal. Febrif. Sal Litharg. Sal Vi-  
perar. | Sedativ. Arch. | Serum Alum. | Sp. Alum. Sp. Camph.  
Sp. Mann. Sp. Nitri. Sp. Nitri d. Sp. Sal. Arm. Sp. Sal. coag. Sp.  
Saturn. Sp. Viper. Sp. Vitriol. coag. Sp. Vitriol. Philosoph. | Sulp.  
Aurat. | Tartar. Antim. T. Chalyb. T. Vitriolat. Antimoniale.  
T. Vir. Emetico-purg. | Tinct. Cathart. T. Hierz. T. Rosi. T.  
Saturn. T. Stomach.

*Fissuras, Rhagades, &c. Sanantia.* Ol. Tritic. | Syr. ad Fissu-  
ras. | Ung. ad Fissuras. |

*Fistulas, Ulcera, &c. curantia.* Aq. Alum. Aq. chalyb. | Balf.  
Saturn. Balf. Sulph. Antim. Balf. Vener. | Croc. Jov. | Magist. Sa-  
turn. | v. *Ulcera.*

# I N D E X.

*Fistula lachrymali* conducit Aq. Ophthalm. Sapph. v. *Ophthalmica*.

*Flatus discutientia*. v. *Carminativa*.

*Fœtum Roborantia*. v. *Abortum prohibentia*.

*Fœtum mortuum & Secundinas expellunt* Bals. Nucist. | Testes equi præp. | &c. v. *Emmenagoga fortiora*.

*Fontanellas apertas servant* Emp. Adhæsiv. | Pissa Lutea, rubra, & Viridia. |

*Furunculus*. v. *Paronychia*.

## G.

*Gangrenas præcurrentia*. Ol. Ranar. | Tinct. Myrrhæ. |

*Gonorrhœæ Remedia*. Caudel. Nenuph. | Emuls. de Avellan. Emuls. Daçyl. | Gelat. Ichthyoc. | Insect. alb. Insect. ben. | Lac Alum. | Merc. præcip. virid. | Pil. Castitat. P. cretac. P. de creta Palm. P. Restrict. | Potio alba. | v. *Siphylia Mercuriata*, &c.

## H.

*Hæmoptica*. Linct. hæmopt. | Miv. Consolid. | Pul. hæmopt. | Syr. hæmopt. | Tab. hæmopt. | Tinct. Hæmatit. | v. *Astringentia*.

*Hæmorrhagia Narium*, &c. *remed.* Bals. magistr. | Chalcant. rubef. | Stypt. Regis. | Terr. Virrioli dulc. | Tinct. Hæmatit. | v. *Astringentia*.

*Hæmorrhoidalia*. Aq. Chalyb. | Bals. Momord. | Emp. Hæmorrh. | Ol. crenor. | Suppos. hæmorrh. | Tab. Divin. | Ung. Hæmorrh. & Ung. Hæmorrh. D. G. |

*Hæctica*. v. *Phthisis*.

*Hepatica, Splenetica*, &c. Bals. Splenet. | Cerev. Burl. Cerev. Jov. | Conf. hepatic. corallit. | Elect. Diarrhod. | Extr. Diates. Extr. Fcphract. | Pil. de Ammon. Mag. Pil. Tartar. Bont. | Serum hepatic. | Sp. Cochlear. | Tab. Abf. | Tinct. Abf. Tinct. Rosar. | v. *Chalybeatis, Tartarea*, &c.

*Hernia remed.* Miv. Consolid. | Sp. Sal. coagul. | v. *Astringentia*.

*Herpetis, Serpiginis*, &c. *cura*. Aq. Bened. Aq. Herpet. | Ol. Chartæ. Ol. Tritic. | Ung. Herpet. |

*Hydropica. Hydrops*, &c. *remed.* Æthiop. miner. Antimon. diaph. Ant. d. fix. Ant. Medicam. | Aq. bened. Aq. Ceraf. c. | Ant. can. Corallin. Eez. Solar. | Cerev. Butleri. C. Hydrop. C. Vern. Dec. Ambros. | Elect. alb. El. Chalyb. Enem. Urinos. | Essent. Mart. | Extr. Alhand. Extr. Diates. | Infus. Ireat. Infus. sanctæ Luna potab. | Mag. Aut. diaph. | Mag. Git. Mars potab. Merc. præcip.

# I N D E X.

præcip. alb. &c. Nitr. Antim. Ol. Bufon. Pil. Pil. Æthiop. Pil. Hydrop. | Potio Hydrop. | Pul. Æthiop. | Sacch. sambuc. | Sal. diuret. Silic. præp. | Sp. Sal. coag. | Syr. Lumbric. | Tab. Antim. | Tinct. Cochlear. c. T. Junip. T. Mart. aur. T. Scorbut. | Vin. Chalyb. Vin. Hydrop. Vin. Hydrop. purg. | Vitriol. Lunæ. | v. *plura inter Chalybeata, Diuretica, Purgantia, &c.*

*Hypnotica, Somnum inducentia, &c.* Laudana omnia. | Nitr. cachectic. | Pedilav. hypnot. | Sulph. Vitriol. narcot. | Syr. de croco. | v. *Opiata.*

*Hypophyma Oculorum curat.* Aq. Ophthalm. Sapph. v. *Ophthalmica.*

*Hysterica, Uterina, &c.* Balf. Succini. | Bez. Jov. Bez. Saturn. | Calx Jovis & Lunæ. | Cerev. Jovial. | Cliss. Vitriol. | Croc. Jov. Croc. Ven. | Elix. Camph. El. Prop. dul. El. prop. Pestilent. & Tartar. | Emp. Camph. Emp. Diagalb. | Enem. Hyster. | Ens Vener. | Flor. Jovial. | Jul. Hyft. camphorat. farinae. foetid. mithridatic. moschat. | Junip. Bacc. candef. | Jup. diaph. Jup. nitrat. | Mag. Jov. | Nod. Hyft. | Ol. Camph. | Pil. Hyft. | Pul. Hyft. | Regul. Jov. Reg. Solar. | Sal c.c. succinat. Sal Jov. | Secundin. præp. | Sp. ceras. Sp. c.c. Sp. Succin. Sp. Samb. Sp. Ven. | Suffim. Hyft. | Syr. Samb. c. | Testes ei ui præp. | Tinct. Asæ foet. T. Galbanet. T. Propriet. T. Serpyll. i. Succin. T. Veneris. |

## I.

*Ictericæ. Ictericæ remed.* Dec. Icteric. | Elect. Alb. | Extr. Icteric. Infus. Icteric. | Jul. Tart. | Pul. Icteric. | Sal. diuret. Sal. Urin. | Sp. Sal. coag. | Syr. Jov. Syr. Lumbric. | Tab. Antim. | Tart. chalyb. Tart. Vitriolat. antim. | Vin. Chalyb. | v. *Martiana, Tartarea, &c.*

*Iliaca. v. Colica.*

*Impetigines curantia.* Bez. Ven. | Flo. Bismuth. & Zinci. | Magist. Bismuth. | Ol. Chart. Ol. Ranar. Ol. Viper. | v. *Tartarea, Nitrata, Aluminata, &c.*

*Impotentia virilis remed.* Miva Satyr. | Sacch. Ambarat. | Testes Apri præp. | Vin. Viper. | Ung. Virilit. | v. *Prolifica.*

*Inflammationes, v. Ambusta sanantia.*

*Ischiadis, Sciaticæ, &c. remed.* Aq. Hungar. v. *Arthritica.*

*Ischuria. v. Urina suppressa.*

*Joviata. ex Stanno, &c. præp.* Antihect. Poter. | Arcan. Jovial. | Aur. Mosaic. | Bez. Jov. | Calx. Jov. | Cerev. Jov. | Croc. Jov. | Dec. ad morf. canis rab. | Flor. Jov. | Jup. diaph. Jup. Nitrat. | Mag. Jov. | Regul. Jov. | Sal Jov. | Syr. Jov. |

# I N D E X.

## L.

*Lac coagulatum solventia.* Emp. Diagalb. Emp. mammill. | Ung. Famil. Ung. Paregoric. |

*Laseris dolorum remed.* Bal. Magistr. | Emp. Lateral. | Pul. Lateral. v. *Pleuritica.*

*Laxantia Aluum, Eccoprofia, &c.* Bal. Tart. | Dec. Rhab. | Elix. Salur. | Ol. Aloët. | Pass. Laxat. | Pil. Catarrh. | Prisc. cathart. Sacch. Perlic. | Sal Polychr. | Suppos. Alum. | Tart. Laxat. | Tinct. Hier. T. Prop. T. Rhab. T. Storfi. | v. *Purgantia.*

*Lentiginum. Macularum, &c. remed.* Aq. Bened. | Ol. Talch. | v. *Cosmetica, Tartarea, &c.*

*Lepa, Elephantiasis, &c.* R. Bez. Ven. | Dec. Ulmi. | Ol. Viper. Pan. de Viper. | Pil. Balsamic. | Vin. Viperin. v. *Scabiem curantia.*

*Lethargo subvenit* Pul. Sternutat. v. *Cephalica.*

*Libidinum restringunt* Elect. Castit. | Pil. Castit. | v. *Camphe-rata.*

*Lingua & Faucium asperitati* Medetur Dec. Ulmi. v. *Aph-thæ.*

*Lingue Paralytica remed.* Catapl. Apoplect. C. Cephal. | v. *A-peplectica, Cephalica, &c.*

*Lithonriptica.* v. *Nephritica.*

*Lochia suppressa.* v. *Emmenagoga.*

*Luis Venereæ Remed.* v. *Siphyltica.*

*Lunaria. ex Argento præp. &c.* Bez. Lunar. Calx Lunz. | Caustic. Lunar. | Luna potab. | Regul. Lunar. Vitriol. Lunz. |

## M.

*Mammarum Cancer. v. Cancri Remedia.*

*Mammarum Tumores solvunt* Emp. Diagalb. & Emp. Mam-mill.

*Mania Remedia.* Elleb. alb. præp. | Extr. Melamp. | Pul. co-ronat. | Tinct. Saturni. v. *Melancholia Rem.*

*Martiatæ. Chalybeata. Ex chalybe. ferro, &c. præp.* Aq. Cha-lyb. | Bal. Mart. | Bez. Mart. | Cerus. Mart. | Chalyb. fine Acid. Chal. Tart. | liss. Vitriol. | Elect. chalyb. | Ens Ven. | Ess. Mart. | Extr. chalyb. E. Ecphr. E. Icter. | Flo. Sal. Arm. Martiati. | Julap. Antiscorb. | Mars diaph. Mars potab. | Nitr. cachect. | Ol. Mart. Pil. Pavii. P. Restring. | pul. Icter. Pul. Mart. c. | Regul. Mart. | Sal Chalyb. Sal. Mart. Cathart. Sp. Vitriol. Mart. | Sulph. Vitrioli Mart. | Sulph. Vitr. narcot. | Syr. chalyb. S. chal. corallat. S. Jovial. S. Sider. Tart. chalyb. Tinct. Armon. T. Ferri. T. Mart. T. Mart. aur. T. Mart. tartarifat. | Vin. Chalyb. Vin. chal. purg. | Vitriolum Martis. |

*Delan*

# I N D E X

*Melancholia remedi.* Arcan. dupl. | Cardiac. coelest. | Extr. Melamp. | Mars diaph. | Miv. Borrage. | Pil. Melanch. Pil. Pavii. | Pul. Coronat. | Sal Viper. | Sp. Saturn. | Syr. Jov. | Tart. chalyb. | Tinct. Armon. T. Mart. T. Melamp. T. Saturn. | v. *Martialis*, *Jovialis*, &c.

*Menstruantia recreantia*, &c. Pul. citar. Pul. Crinal. |

*Menses moventia*, &c. v. *Emmenagogia*.

*Mercuriata. Ex Hydrargyro*, &c. præp. Ath. miner. | Arc.

Corallin. Arc. Jov. | Aur. Mollic. Aur. porab. Aur. Vitæ. | Bez.

Merc. Bez. min. Bez. Solar. | Cinnab. Ant. | Croc. Jov. | Emp. o-

piat. Emp. ad Scrum. Emp. Tibial. | Inject. ben. | Lac Merc. |

Mag. Turpeth. | Merc. præcip. alb. &c. Merc. sublim. sub. &c.

Ray. Merc. Vitæ. Cor. Merc. Vitæ purg. | Panac. aur. Panac. cath. |

Pil. Aethiop. Pil. Balsam. Pil. de creta Palm. | Pil. Hydrop. | Pul.

Basil. | Tab. Infant. |

*Miscis cruentis remedi.* Aq. Chalyb. | Conf. Hep. Corallit. | Te-

stes Apri. |

*Morbili. v. Variola.*

*Morphæam curantia.* Balf. Saturn. | Aq. Merc. | Lac Merc. |

*Morsum canis rabidi curat* Dec. ad mors. can. rab.

## N.

*Nephritica, Lithontriptica, Calculi, &c. remedi.* Alkek. cond. | Aq. Cucum. c. Aq. Cynosb. c. Aq. Lact. nephrit. Aq. Persic. c. Aq. Senel. c. | Conf. Hep. corallit. | Elect. Lithontript. | Liguam. filic. | Miv. Dialth. | Nitrum cachect. | Pil. Lithontrip. P. Matth. P. Pacific. | Sacch. Samboc. | Sal Spong. Vol. Sal. Utin. | Silie. præp. | Sp. Alum. Sp. Corall. Sp. Junip. Sp. Sponga. Sp. Ven. | Tinct. Junip. | Syr. Tereb. comp. D. G. |

*Nitrata. ex Nitro*, &c. præp. Aq. fort. dupl. Aq. fort. aluminat. Aq. Reg. | Arc. dup. | cryst. miner. | Efs. Mart. | Nitr. Antim. Nitr. Cachect. N. Cathart. N. Coral. N. fixat. N. Hermaph. N. Jov. N. Nitrat. N. Perlat. N. Saturn. N. Sulph. N. Vitriolat. | Reg. Mart. Reg. Ven. | Sal Alkal. Sal Polychr. | Sp. Nitri. Sp. Nitri Bez. Sp. Nitri d. Tab. Prunell. | Ung. depilator.

*Nodos venereos solvit* Emp. Tibiale.

*Nutritiva. v. Restaurantia.*

## M

G.



# I N D E X

*Odontalgica. v. Dentium dolores sedansia.*  
*Odorifera.* Aq. Odorif. | Bals. Apop. | Caryoph. odor. | Corp. fine Anima. | Diachyl. Odor. | Diapalm. odor. | Pilæ odorat. | Pom. Ambr. | Pul. odorat. | Sp. Ambraz. Sp. Benz.  
*Ophthalmica. Oxydortica. Oculorum morbos curantia.* Aq. Camph. Aq. Ophth. Aq. Ophth. sapphirin. | Cerev. Oxydorc. | Elect. Oxydorc. | Emp. Burgund. Emp. Nuchal. | Ol. Linteor. | Pul. eibar. Pul. ophth. | Sp. Millep. | Syr. de Peto. | Vitriol. camph. | Ung. Ophthalm.  
*Opiata. ex Opio. &c. præp.* Bals. Anodyn. | Emp. Opiat. Emp. Podagric. | Extr. Paregor. | Laudana. Pil. Catarrh. Pil. Marth. Pil. Pacif. | Syr. de croco. | Tinct. Bez. | Ung. Hæmorrh. | Extr. Hypn. D.G. | Syr. Hypn. pect. D. G. | Syr. Hypn. Balsamic. D. G. | Tinct. Opii. D. G. | Ung. Hæmorrh. D. G.  
*Oris & Nasi fetorem emendant* Cathart. Cæsar. & Corp. fine anima.  
*Oris ulcera. v. Aphtha.*  
*Oxytocia. Partum facilitantia.* Bals. Foeminar. Bals. Nucist. | Pul. Oxytoc. | Secundin. præp. | Testes equi præp.

## P.

*Paralytica. Paralyticos &c. Juvantia.* Bals. Apop. B. Paralyt. B. Succin. | Cinnab. Ant. Elect. Paralyt. | Emp. Paral. | Extr. Diatels. | Galbanet. | Mastichat. | Nitr. cacheet. | Ol. Balsam. Ol. Lumbr. Ol. Paralyt. | Pil. Mastichat. | Sp. Sang. | Tinct. Galbanet. T. Paral. T. Succin.  
*Paronychiam curant* Catapl. ad Paronych. | Ung. Familiar. Ung. Paregor.  
*Partum facilitantia. v. Oxytocia.*  
*Pectoralia. Pulmonica. &c.* Aq. Bechic. Aq. Caryoph. Aq. Lactis pect. Aq. Pector. Aq. Tussil. c. | Dec. ad Tussim. | Elect. Pector. | Extr. Malt. c. Extr. Pector. | Liquam. Sulph. | Pil. Marth. Pil. Pacif. | Pul. Pect. | Sp. Hyssop. | Syr. Bals. S. Limac. S. de Rapis. S. Tolut. mag. | Tab. Burg. T. Dialth. T. Diatrag. Tab. Farfar. T. Lenth. T. de styrac. | Tinct. Sulph. | Troch. Pector. | Aq. Lenit. D. G. Aq. Pect. & Propect. D. G. | Syr. Pect. Balsam. D. G.  
*Pectoris vulneribus Medetur.* Dec. astacor.  
*Pediculos necat* Ol. Heraclein.  
*Perniones curant* Ung. famil. & Ung. paregor.  
*Pestifuga. Pestis Antidota.* Acet. Pestil. | Amul. pestil. Bals. Sulph. | Bez. Jov. miner. B. solar. | Catapl. pestil. Dec. præserv. | Elect. Ma-

cis.

# I N D E X.

eis | Elix. Camph. Elix. Prop. | Lap. c. yerv. | Orviet. | Pul. Cant. |  
 Sal Viper. | Sp. Saturn. Sp. Ther. camph. Sp. Viper. | Syr. de  
 Sulph. | Tinct. Bez. T. Prop. T. Virgin. | Elect. Antepidem. &  
 Syr. Antepid. D. G. | v. *Alexiteria, Camphorata, &c.*

*Phibis, Haëtica, Tabis, &c. Remed.* Aq. Antiphth. Aq. Ben.  
 Aq. Lact. pect. | Balf. Sulph. anif. | Dec. Antiphth. Dec. Limac. |  
 Extr. Malt. c. | Flo. Sulph. alb. | Lac Sulph. | Liguam. Sulph. |  
 Mag. Saturn. | Pil. de Pice. | Rosa solis. | Syr. Balf. S. Limac. S.  
 de Rap. S. Pepon. S. de Peto. S. Tolut. mag. | Tab. Sapon. | Tinct.  
 Amygd. T. Saturn. | v. *Pectoralia.*

*Pilos ut decidant facit* Ung. Depilat.

*Piscibus capiendis inserviunt* Ol. Polypod. | Pasta Halieut. |

*Pleuritica. Pleuritisidis remed.* Aq. Animal. Aq. Tussil. c. | Balf.  
 Sulph. | Emp. Lateral. | Ens Ven. | Liq. Sulph. | Nitr. Sulph. | Po-  
 tio Pleurit. | Pul. Lateral. Pul. Pleurit. | Sp. Nitri. Sp. Rhoad.  
 crap. | v. *Pectoralia.*

*Podagrica. v. Arthritica.*

*Profluuii albi remedia.* Aq. Bened. Aq. Horm. c. Aq. Lam.  
 c. | Caudel. nenuph. | Gelat. Ichthyoc. | Lac Alum. | Pil. cretac.  
 Pil. de Cret. Palm. |

*Prolifica.* Aq. Prolif. | Cliss. Vitriol. | Gelat. c. c. | Miv. Satyr. |  
 Sp. Ambræ. Sp. Junip. | Test. equi præp. | Tinct. Sassafr. | Vin.  
 Viper. | Ung. Virilitat. | Ol. Formicar. |

*Priapismi remed. v. Libidinem restinguentia.*

*Pruritus. v. Scabies.*

*Purgantia. Eccoprotica, &c.* Cath. Cæsar. | Cerev. Catapf. Ce-  
 rev. Vern. | Dec. Amar. D. Polychr. D. ad strum. | Diatart. | E-  
 muls. cath. | Extr. Alhand. E. Draft. E. Fell. E. Melamp. | Infus.  
 ben. | Lac Scam. | Mag. Git. M. Tart. | Merc. præcip. alb. & c. M.  
 sublim. rub. & flav. M. Vitæ purg. | Mixt. Anticolic. | Nitr.  
 Cath. | Panac. Cath. | Pil. Ammon. mag. P. Angel. P. Balf.  
 P. Crapul. P. de Cret. Palm. P. Hydrop. P. marocost. P. Melanag.  
 P. Pavii. P. de Sagap. P. Tart. Bont. P. Vatic. P. Vermif. | Potio  
 alb. Potio hydrop. | Ptiif. cath. | Pul. Arthr. Turn. P. Asthm. P.  
 Basil. P. Cornach. P. Cöronat. P. Herm. c. | Sal Marr. Cath. | Scam.  
 cydon. Limon. Rosat. | Syr. bened. Syr. de Scam. Tab. Cathara.  
 Tinct. Antim. purg. T. asthmat. T. aurea. T. Cath. R. T. Scorb. |  
 Vin. Arthrit. purg. Vin. Hydrop. | Ung. ad Lumbric. | v. *Laxan-  
 tia alvum.*

*Fustularum Cura.* Aq. Mellum. Aq. Opth. Sapphir. | Ol. Bu-  
 fon. | v. *Faciei rubris remedia.*

# I N D E X.

Q.

*Quartana, Tertianæ, &c. remedi.* Aur. Vitæ. | Emp. febrif. | Epicarp. febrif. | Flo. Sal. Arm. martiat. | Lac Alum. | Mag. Saturn. Mars diaph. | Ol. Antim. facch. | Pil. de Armon. mag. Pil. de Sagap. | Pul. Antipyr. Pul. febrif. cert. | Ranar. Hepat. præp. | Sp. Camph. Sp. Viper. | Sulph. aurat. | Tart. chalyb. | Tinct. Armon. T. Hier. T. Mart. T. Saturn. T. Stom. | Vin. chalyb. | v. *Febrifuga*,

## R.

*Rabiei cura.* Dec. ad mors. can. rab. | Extr. Diatessar. *Rachitidis remedi.* Balf. Spinal. | Dec. ad Rachit. | Ens Ven. | Jul. ad Rachit. | Pul. ad Rachit. | Regul. Ven. | Sp. Millep. Sp. Vitriol. Mart. |

*Raucedinis R.* Pil. Styracin. | Emp. Solec. | Pul. Solec. | v. *Catarrhalia.*

*Refractantia, Nutritiva, &c.* Aq. Cordium c. Aq. Lact. pect. Crem. Hord. | Dec. Analept. Dec. Limac. | Gelat. c.c. Jul. Vitæ | Jusc. Galli. | Pul. Cardiac. perl. | Syr. Limac. S. Pepon. | Tinct. Mellis. | v. *Cardiaca, Pectoralis, &c.*

*Rheumatismi remedi.* Aq. Animal. Aq. Omn. flor. | Dec. Rhab. Pan. Diarsf. |

*Ructus & Rugitus cura.* Aq. Pneum. | Elæos. Fœnic. | Sp. Ambra. | Tinct. Hier. | v. *Carminativa.*

## S.

*Salivalia.* Aq. Salival. | Mastichat. | Mixt. Tubul. | Panac. aur. | Pil. Mastichat. | v. *Mercuriata.*

*Sanguinem Coagulatum solventia.* Aq. Chalyb. | Cryst. miner. | Nitr. fix. | Sp. Vitriol. tart.

*Sanguinem Rectificantia.* Antim. diaph. &c. | Cath. Cæsar. | Cerev. Cutl. C. Catapf. C. Vernal. | Cerus. Antim. | Dec. Ant. Dec. Polychr. | Elect. alb. | Infus. sant. | Mag. Ant. diaph. | Merc. vitæ corr. | Nitr. Sulph. | Panac. Hartm. | Sal. Corall. Sal. Tart. | Sp. Corall. Sp. Vitr. diaph. | Tab. Antim. | Tinct. Corall. | v. *Plura inter Antimoniata, Mercuriata, Tartarea, Purgantia, Scorbutica, &c.*

*Saturnina. ex Plumbo, &c. præp.* Balf. Saturn. | Calx Sat. | Bez. Sat. | Emp. Sat. | Mag. Sat. | Nitr. Sat. | Pil. Castitat. | Sal. Sat. | Sp. Sat. | Tinct. Sat. |

*Scabiem, Pruritem, &c. Curantia.* Aq. Camph. | Arc. Coral. lin. | Cerev. Catapf. C. Scrophul. C. Vernal. | Dec. Antim. | Lap. Salut. & Medicam. | Mag. Git. | Merc. præc. alb. &c. Merc. sublim. |

# INDEX

lin. | Panac. Hartm. | Sal Tart. Sal Tart. Volat. | Sp. Vitriol.  
diaph. Sp. Vitr. tart. | Tab. Diata. | Ung. de Aurant. Ung. de Bo-  
ton. aq. Ung. Piperin. | v. *Climphoraceae*, *Salplurata*, *Tartarum*,  
*Orz.*

*Sciastica v. Isehiar.*

*Scorbutica. Scorbust. Orz. Remed.* Acetar. scorb. | Antihect. Pe-  
ter. | Antim. diaph. Ece. | Aq. Antiscorb. Aq. Lact. scorb. | Arcan.  
dupl. | Bez. Jovial. | Cerev. Butl. C. scorb. | Ceras. Ant. | Conf.  
hepat. corallit. | Dec. Scorb. | Dentif. scorb. | Elect. alb. | Emp.  
Scorb. | Extr. Eosph. | For. scorb. | Garg. scorb. | Insuffrent. Inf.  
sanct. | Jul. Antiscorb. | Malt. potab. | Nitr. cachect. | Ol. scorb.  
Pedil. scorb. | Pil. Aethiop. | Sal diuret. Sal trins. Vol. | Senter.  
scorb. Ser. de Seda. | Sp. Coch. Sp. Corall. Sp. Vin. tart. | Sosa  
scorb. | Syr. Antiscorb. Syr. samb. c. | Tab. Antim. | Tinct. Ar-  
mon. T. Coch. e. T. Mart. aur. T. Scorb. T. Virgin. | Vin. sea-  
losyrb. | Aq. Coch. e. & Sp. Raph. c. D.G. | v. *Antimonia*,  
*Martiana*, &c.

*Scrophularum, Strumarum, Orz. Remed.* Aq. Bened. | cerev.  
scrophul. | Dec. ad Strum. | Emp. Diagolb. Emp. ad Strum. | Mag.  
Turpeth. | Pul. ad Strum. | Sal Spong. | Ung. Digital. | v. *Anti-*  
*monia*, *Mercuriana*, &c.

*Singulis cura. Elix. Prop.* | Landana. | Sal Armon. vol. | Tab.  
Diambr. | Tinct. Hier. T. Stomach. | v. *Stomachica*.

*Siphylis. Lais Venerea, Orz. Remed.* Aeth. min. | Antih. Poth.  
Aq. Sarsa c. Aq. Siphyl. | Arc. corallit. | Aur. Vitr. | Bez. Merc.  
Bez. Sol. | Cerev. Antim. | Cinnab. Ant. | Croc. Jov. | Elect. alb.  
Emp. Tibial. Emp. Opiat. | Infus. sanct. | Jup. diaph. Jup. Nitrat.  
Mag. Saturn. M. Turpeth. | Merc. precip. alb. Merc. subl. | Nitr.  
Antim. Nitr. Cachect. | Panac. Aur. P. Cath. P. Hartm. | Panis  
Diarsif. & de Viper. | Pil. Aethiop. Pil. Balsam. | Pol. Liliat. Res-  
gul. Mart. | Sp. Saturn. | Sulph. aurat. | Tab. Antim. | Tinct.  
Guajac. | v. *Antimonia*, *Mercuriana*.

*Sitim Extinguentia. Bez. Animal.* | Crem. Hord. | Crys. mi-  
ner. | Dec. alb. Dec. ad Sitim. | Jul. Frag. Jul. Idatum. Jul. purp.  
Nitr. fixat. Nitr. sulph. | Serum de Seda. | Sp. Viriol. coag. | Tab.  
Fronel. Tab. Tart. |

*Solaria ex Auro, Orz. prop.* Aur. Fulm. Aur. potal. Aur. Vitr. ||  
Bez. Solar. | Regul. Solar. |

*Spasmi, Contractura, Orz. remed.* Balf. Paralyt. | Emp. spasm.  
Lap. de Goa. | Nitr. Cachect. | Ol. Balsamic. Ol. Lumb. chym. | A  
Sp. Vitr. diaph. | Syr. Lumbic. | v. *Paralytica*, *Convulsiva*, &c.

*Spiritus Resicientia. v. Cardiaca.*

*Splenetica. v. Hepatica.*

*Sterilitatis remed. v. Profligia.*

*Stomachica, Stomachi, Ventriculi, Orz. nervis conducuntia.* Aq.  
Pacumon. | Cerev. Butl. | Dec. Antim. | Elect. Caryoph. Elect.  
Junip.

# INDEX DEVI

Junip. | Elz. Prop. | El. Vitæ. El. Vitriol. | Extr. Diatels. | Flo. Sal. Arm. mart. | Pil. de Ammoni mag. | P. Angel. P. Crapular. P. Marcorst. P. Vartic. | Pleres Arch. | Pul. Stom. | Rosa Solis. Sacch. Caryoph. | Sal Arm. Vol. Oleof. | Sal Philos. | Sedat. Arch. | Sp. Junip. Sp. Ven. Sp. Vitri. coag. | Tab. Abs. Tab. de Aurant. Tab. Diamb. Tab. de Piper. | Tinct. Abs. T. Hier. T. Prop. T. Ros. T. Serpyll. T. Stom. | Aq. Absc. & Tinct. Amar. D.G. v. *Carminativa*.  
*Styptica. v. Astringentia.*  
*Sudorifica. Diaphoretica.* Alum. febrif. | Antifeb. Coneh. | Antitimi. diaph. & c. | Aq. Stim. sulph. | Arc. Jov. | Aur. fulm. Mos. & potab. | Bez. Animal. B. Jov. B. Lun. B. min. B. Sol. | Cerus. Ant. & Mart. | Cinab. Ann. | Croc. Jov. | Dec. Ambros. D. Ulmi. | El. Ant. El. Benz. Fl. sal. Arm. | Jup. diaph. & nitrat. | Lap. c. yerv. L. de Goa. | Mars diaph. | Merc. præc. rub. | Mixt. simp. | Nitr. Gacheft. | Ol. Camph. | Panac. Hartm. | Phosph. | Pil. Matth. & Pacif. | Pul. alb. P. Cant. | Sal Acer. essent. S. Alum. S. Arm. Vol. S. Philos. | Sedat. Arch. | Sp. Camph. Coch. c. c. Dracunc. Mann. Nitr. Sal. Arm. Samb. Saturn. Succin. Ther. Camph. & Vitriol. diaph. | Sulph. aurat. | Tart. Antim. | Tinct. Bez. Guajac. & Virgin. |  
*Sulphureta. Ex Sulphure. &c. præp.* Bals. Sulph. anifat. &c. | Elect. Asthmat. | Emp. Diaph. Rul. Emp. Lateral. | Fl. Sulph. alb. | Hæp. Sulph. | Lac. Sulph. | Liquam Sulph. | Pil. Stryacin. | Pul. Asthmat. P. Pect. P. Pleurit. | Sal Polychrest. Sal. Sulph. | Syr. de Sulph. | Tab. Amygd. Dialth. Divin. & Sapon. | Tinct. Sulph. | Ung. depilat. Facial. de Beton. aq. & Piperin. |  
**T.**  
*Tabidis remediis.* Aq. Lact. Pect. | Dec. Limac. | Emuls. Da. syl. | Gelat. &c. | Jusq. Galli. | Pul. Card. perlat. | Rosa Sol. | Syr. Limac. & Pepon. | *Restaurantia. Phthisis remedi. &c.*  
*Tartarea. ex Tartaro. &c. præp.* Bals. Tart. | Cicer. Tart. | Dec. Pacif. | Jul. Tart. | Mag. Tart. | Mel Sapon. | Mix. simp. | Nitr. Herm. | Ol. Cosm. | Pil. Matth. & Pacif. P. Tart. B. | Pul. Basil. Cornach. & Icter. | Sal Arm. Vol. Sal Tart. | Sapo Tart. | Sav. Cosm. | Sp. Sal Arm. tart. Sp. Vitri. diaph. Sp. Viti. tart. | Sulph. Vitriol. | Tab. Cath. & Tart. | Tart. Ant. T. chalyb. T. Emet. T. Laxat. T. Vitrioli antim. T. Vitri. Emetico-purg. | Tinct. Bez. T. Cerus. T. Mart. tart. |  
*Tertiana cura.* Emp. febrif. | Epicarp. febrif. | Lac. Alum. | Pul. Antipyr. P. febrif. &c. | Sp. Camph. Sulph. aurat. | Tinct. Hier. T. Stom. |  
*Tinea. capitis ulcrum. &c. remedi.* Lap. Medicam. L. salut. | Mag. Turpeth. | Ol. Sapon. |  
*Tophos, Nodos. &c. solvant.* Emp. Diagalb. | Ol. Viper. |  
*Tormina à partu mitigat.* Aq. Chamæm. c. v. *Carminativa.*  
*Traumatica, Vulneraria. &c.* Aq. chalyb. Aq. Vuln. | Bals. Lucet. B. Magist. B. Sulph. Antim. B. Sulph. Bar. | Cerev. scrophul.

# I N D E X

phul. | Dec. Antiphth. Dec. Asfac. Dec. Traum. | Pil. Matth. | Tab.  
de Angel. | Tinct. Asæ fort. T. Ocul. cancer. |  
*Tussis Remedia.* Aq. Béch. Aq. Pect. | Balf. Sulphanif. & tereb. |  
Dec. ad Tussim. | Elect. Pect. | Laudan. | Liq. Limac. Loh. alby  
&c. | Mixt. tub. | Ol. Sacch. | Past. Hypoglot. | Pil. Catarrh. P.  
Matth. & Pacif. P. Sinap. | Serum sinap. | Syr. de rapis. & de  
Sulph. | Tab. Amygd. Dialth. Diatrag. Farf. Lenth. & Ros. | Troch.  
pect. | Ung. Solec. | v. *Pectoralia*, &c.

*Tympanitidis cura.* Aq. Ceras. c. | sp. Sal. coag. |

## V.

*Variolarum, Morbillorum, &c. remedia.* Dec. rubicund. Emulf. ex-  
puls. | Lap. c. Yery. L. de Goa. | Pul. Ethiop. P. Alb. P. Cantian.  
P. purp. | Sulph. aur. | v. *Alexiteria.*

*Variolarum foras valentia.* Balf. verum. | Cerat. alb. | Nod.  
facial. | Ung. ad toveas. |

*Veneræ. ex cupro præp. v. Cuprea.*

*Ventriculi doloris remedia.* Elect. Caryoph. | El. Piper. | Pul.  
Stom. | Syr. de Peps. | Tinct. Hier. T. Rhab. T. Stom. |

*Ventris Terminum, & Inflationis remedia.* But. Amygd. | Elæos.  
Nucist. Enem. Vinof. |

*Vermifuga.* Æth. min. | Aq. Vermif. | Aur. Vitæ. | Balf. ma-  
gist. | Bez. Animal. | Elect. Vermif. | Elix. Prop. | Emp. Vermif. |  
Ens Ven. | Merc. præcip. | Ol. Aloë. Ol. Heracl. Ol. Tabac. | Pil.  
Vermif. | Pul. Vermif. | Sacch. Perfic. | Sal Sulph. | Syr. Vermif. |  
Tab. Infant. Tab. Vermif. | Tinct. Abs. T. Corall. T. Hier. T. Prop. |  
Ung. ad Lumbric. |

*Verruca. v. Clavi.*

*Vertiginis Remedia.* Elect. Epilept. | Emp. Camph. | Emulf. Pæ-  
on. | Sacch. Caryoph. | Sulph. Vitriol. | v. *Epileptica.*

*Vigiliarum R.* Laudan. | Hypnotica. | Opiata. | Pedil. Hypnot. |  
*Vitriolata. ex Vitriolo, &c. præp.* Aq. fort. dupl. Aq. Herpet. |  
Arc. Dupl. | Chalc. rubef. | Clif. Vit. | Elix. Vit. | Ess. Mart. | Flo.  
Vitr. | Gil. Theoph. | Jul. purp. | Lap. Medic. & Salur. | Mixt.  
simp. | Nitr. Vit. | Ol. Vit. d. | Panac. H. | Pil. Vom. | Pul. sine  
pari. P. Sympath. | Ros. Vit. | Sp. Vit. Coag. & diaph. & tart. |  
Stypt. Reg. | Sulph. Vit. & S. Vit. narcot. | Tart. Vitriolat. An-  
tim. | Tern. Vit. d. | Tinct. Antim. purg. T. Bez. | Vitriolum  
camph. | Ung. Fuscom. |

*Ulcera, Vulneta, Fistulas, &c. Curantia.* Aq. Alum. Aq. Ben.  
Aq. Camph. Aq. Vulner. | Arc. Corallin. | Balf. Lucat. B. Mag. B.  
Mart. B. Momord. B. Saturn. B. Sclop. B. Sulph. Ant. & Bar. B.  
Ven. | Bez. Ven. | Croc. Jov. | Elix. Prop. | Emp. Diasulph. R.  
Emp. Saturn. | Merc. præc. & sublim. Ol. Tritic. | Pil. Matth. |  
Pul. sine pari. P. Sympath. | Sal Litharg. Sal Tart. & Tart. Vol. |

Tinct.



# INDEX DEUX

Junip. | Elitz. Prop. | El. Vitæ. El. Vitriol. | Extr. Diatessa. | Flo. Sal. |  
Arm. mart. | Pil. de Almonh. mag. | P. Angel. | P. Crapular. | P.  
Marceff. | P. Varic. | Pleres Arch. | Pul. Stom. | Rosa Solis. | Sacch.  
Caryoph. | Sal Arm. Vol. Oleof. | Sal Philof. | sedat. Arch. | Sp.  
Junip. Sp. Ven. Sp. Vitæ. coag. | Tab. Abf. Tab. de Aurant. Tab.  
Diamb. Tab. de Piper. | Tinct. Abf. T. Hier. T. Prop. T. Ros.  
T. Serpyll. T. Stom. | Aq. Abfc. & Tinct. Amar. D. G. | *v. Carminativa.*

*Styptica. v. Astringentia.*

*Sudorifica. Diaphoretica.* Alum. febrif. | Aniseb. Conch. | An-  
tim. diaph. | Aq. Stim. sulph. | Arc. Joy. | Aur. fulm. Mos. &  
potab. | Bez. Animal. B. Joy. B. Lun. B. min. B. Sol. | Ceruf. Ant.  
30 Mart. | Cinhab. Ant. | Croc. Joy. | Dec. Ambros. D. Ulmi. | El.  
Ant. El. Benz. El. sal. Arm. | Jup. diaph. & nitrat. | Lap. c. yerv.  
L. de Goa. | Mars diaph. | Merc. præc. rub. | Mixt. simp. | Nitr.  
Gacheft. | Ol. Camph. | Panac. Hartm. | Phosph. | Pil. Matth.  
& Pacif. | Pul. alb. P. Cant. | Sal Acet. essent. S. Alum. S. Arm.  
Vol. S. Philof. | Sedat. Arch. | Sp. Camph. Coch. c. c. Dracunc.  
Mann. Nitr. Sal. Arm. Samb. Saturn. Succin. Ther. Camph. & Vitriol.  
diaph. | Sulph. aurat. | Tart. Antim. | Tinct. Bez. Guajac. & Virgin.  
*Sulphurata. Ex Sulphure. C. c. præp.* Bals. Sulph. anisat. &c. |  
Elect. Asthmatic. | Emp. Diaph. Rul. Emp. Lateral. | Fl. Sulph.  
albo. | Hep. Sulph. | Lac. Sulph. | Liguam. Sulph. | Pil. Stryacin. |  
Pul. Asthmatic. P. Pect. P. Pleurit. | Sal Polychrest. Sal. Sulph. | Syr.  
de Sulph. | Tab. Amygd. Dialth. Divin. & Sapon. | Tinct. Sulph. |  
Ung. depilat. Facial. de Beton. aq. & Piperin. |

**T.**

*Tabidis remedienda.* Aq. Lact. Pect. | Dec. Limac. | Emuls. Da-  
styl. | Gelat. &c. | Jusq. Galli. | Pul. Card. perlat. | Rosa Sol. | Syr.  
Limac. & Pepon. | *Restaurantia, Phthisis remedi. C. c.*

*Tartarea. ex Tartaro. C. c. præp.* Bals. Tart. | Cicer. Tart. |  
Dec. Pacif. | Jul. Tart. | Mag. Tart. | Mel Sapon. | Mix. simp.  
Nitr. Herm. | Ol. Cosm. | Pil. Matth. & Pacif. P. Tart. B. | Pul.  
Basil. Cornach. & Ictur. | Sal Arm. Vol. Sal Tart. | Sapo Tart. | Sav.  
Cosm. | Sp. Sal Arm. tart. Sp. Vitæ. diaph. Sp. Viti. tart. | Sulph. Vitriol.  
Tab. Cath. & Tart. | Tart. Ant. T. chalyb. T. Emet. T. Laxat. T. Vitrioli  
antim. T. Vitæ. Emetico-purg. | Tinct. Bez. T. Ceruf. T. Mart. tart. |

*Tertiana. C. c. præp.* Emp. febrif. | Epicarp. febrif. | Lac. Alum. | Pul.  
Antipy. P. febrif. C. c. Sp. Camph. Sulph. aurat. | Tinct. Hier. T. Stom.

*Tenax, capitis ulcerum. C. c. remedi.* Lap. Medicam. L. salut.  
Mag. Turpeth. | Ol. Sapon. |

*Tophos, Nodos. C. c. solvant.* Emp. Diagalb. | Ol. Viper. |

*Tormina à partu mitigat.* Aq. Chamæm. c. v. *Carminativa.*

*Traxmatica, Vulneraria. C. c.* Aq. chalyb. Aq. Vuln. | Bals.  
Lucet. B. Magutr. B. Sulph. Antim. B. Sulph. Bar. | Cerev. scro-  
phul.



# I N D E X

phul. | Dec. Antiphth. Dec. Astac. Dec. Traum. | Pil. Matth. | Tab.  
de Angel. | Tinct. Afæ fort. T. Ocul. cancer. |  
*Tussis Remedia.* Aq. Béch. Aq. Pect. | Bals. Sulph. anis. & tereb. |  
Dec. ad Tussim. | Elect. Pect. | Laudan. | Liq. Limac. Loh. alb.  
&c. | Mixt. tub. | Ol. Sacch. | Past. Hypoglot. | Pil. Catarrh. P.  
Matth. & Pacif. P. Sinap. | Serum sinap. | Syr. de rapis, & de  
Sulph. | Tab. Amygd. Dialth. Diatrag. Farf. Lenth. & Ros. | Troch.  
pect. | Ung. Solar. | v. *Pectoralia*, &c.

*Tympanitidis cura.* Aq. Ceraf. c. | sp. Sal. coag. |

## V.

*Variolarum, Morbillorum, &c. remedia.* Dec. rubicund. Emulf. ex-  
puls. | Lap. c. Yery. L. de Goa. | Pul. Ethiop. R. Alb. P. Cantian.  
P. purp. | Sulph. cur. | v. *Alexiteria.*

*Variolarum foras dolentia.* Bals. verum. | Cerat. alb. | Nod.  
facial. | Ung. ad luecas |

*Veneræ. ex cupro præp. v. Cupræ.*

*Ventriculi doloris remedia.* Elect. Caryoph. | El. Piper. | Pul.  
Stom. | Syr. de Peon. | Tinct. Hier. T. Rhob. T. Stom. |

*Ventris Terminum, & Inflationis remedia.* But. Amygd. | Elæos.  
Nucist. Epem. Vinof. |

*Vermifuga.* Æth. min. | Aq. Vermif. | Aur. Vitæ. | Bals. ma-  
gift. | Bez. Animal. | Elect. Vermif. | Elix. Prop. | Emp. Vermif. |  
Ens Ven. | Merc. præcip. | Ol. Aloët. Ol. Heracl. Ol. Tabac. | Pil.  
Vermif. | Pul. Vermif. | Sacch. Perfic. | Sal Sulph. | Syr. Vermif. |  
Tab. Infant. Tab. Vermif. | Tinct. Abf. T. Corall. T. Hier. T. Prop. |  
Ung. ad Lumbic. |

*Verruca. v. Clavi.*

*Vertiginis Remedia.* Elect. Epilept. | Emp. Camph. | Emulf. Pæ-  
on. | Sacch. Caryoph. | Sulph. Vitriol. | v. *Epileptica.*

*Vigiliarum R.* Laudan. | Hypnotica. | Opiata. | Pedil. Hypnot. |  
*Vitriolata. ex Vitriolo, &c. præp.* Aq. fort. dupl. Aq. Herper. |  
Arc. Dupl. | Chalc. rubef. | Clif. Vit. | Elix. Vit. | Ess. Mart. | Flo.  
Vitr. | Gil. Theoph. | Jul. purp. | Lap. Medic. & Salut. | Mixt.  
simp. | Nitr. Vitr. | Ol. Vitr. d. | Panac. H. | Pil. Vom. | Pul. sine  
pari. P. Sympath. | Ros Vitr. | Sp. Vitr. Coag. & diaph. & tart. |  
Stypt. Reg. | Sulph. Vitr. & S. Vitr. narcot. | Tart. Vitriolat. An-  
tim. | Terr. Vitr. d. | Tinct. Antim. purg. T. Bez. | Vitriolum  
camph. | Ung. Fuscom. |

*Ulcera, Vulnèra, Fistulas, &c. Curantia.* Aq. Alum. Aq. Ben.  
Aq. Camph. Aq. Vulner. | Arc. Corallin. | Bals. Lucat. B. Mag. B.  
Mart. B. Momord. B. Saturn. B. Sclop. B. Sulph. Ant. & Bat. B.  
Ven. | Bez. Ven. | Croc. Jov. | Elix. Prop. | Emp. Diafulph. R.  
Emp. Saturn. | Merc. præc. & sublim. Ol. Tritic. | Pil. Matth. |  
Pul. sine pari. P. Sympath. | Sal Litharg. Sal Tart. & Tart. Vol. |

Tinct.

# I N D E X.

Tinct. Myrrh. T. Ocul. c. T. Propriet. | Ung. Fufe. U. fam. U.  
Pareg. Ung. Sympath. |

*Pemitoria, Emetica, &c.* Antim. resusc. | Apoz. potent. ex-  
pest. | Aq. Formic. | Dec. Digital. Dec. Regul. | Extr. Petic. | Mag.  
Git. | Merc. præc. per se. Merc. præc. rub. | Oxyfacc. Emet. |  
Pil. Antim. Pil. Vom. | Serum Alom. | Sp. Tabac. | Sulph. Ant. &  
Ant. combust. | Tab. Emet. | Tart. Antim. Tart. Emet. | Tinct.  
Antim. Emet. |

*Urina Suppressa, ardoris, stranguria, &c. remedi.* Emulf. de  
Avell. | Mucil. nephrit. | Pul. Liliac. | Aq. omn. flor. | v. *Nephriti-  
ca, Diuretica, &c.*

*Vulnera curant* Pul. Sympath. & Ung. Sympath. v. *Ulcera.*



F I N I S.

## E R R A T A.

**P**Age 2. l. 3. lege ♀. p. 69. l. *penult.*  
lege *morsus.* p. 92. l. 13. lege *finis.*  
p. 122. l. 22. lege *coræ* 3vj.

# *Clavis ad paucula referenda*

## IN PHARMAC. BATEANA.

Album Canis —————	Stercus album canis.
Anaphromeli. —————	Mel spumæ expers.
Apyrothium —————	Sulphur Vivum.
Chenocoprus —————	Stercus Anseris.
Cynocoprus. —————	Stercus canis.
Draconthæma —————	Sanguis draconis.
Hagiospermus —————	Serp. Santonicum.
Hydrocrithe —————	Aq. Hordei.
Hydropege. —————	Aq. Fontis.
Leptopityron —————	Furfur macer.
Leucelectrum —————	Succinum album.
Leucoenus —————	Vinum album.
Medulla Lactis —————	Butyrum.
Melanosmegma —————	Sapo niger.
Neogala. —————	Lac recens.
Oenogala —————	Vini & Lactis, $\bar{a}$ p. æ.
Palætyrus —————	Caseus vetus.
Physalus. —————	Bufo.
Pyroenus —————	Alcohol vini.
Sulphur Cœleste —————	Alcohol vini.
Xylagium —————	Lignum sanctum.
Zibach, vel Ziabach —————	Mercurius.

( )

*Catalogus Librorum Medicorum impressorum, &c. qui prostant Venales Londini apud Sam. Smith, ad insignia Principis in Cœmiterio D. Pauli. 1691.*

**M**Ich. Ettmulleri opera Omnia: viz. Institutiones Medicinæ: Collegium Chirurgicum; Notæ in Morelli Methodum, &c. In Ludovici Dissertat. Pharmaceuticas; & in Schroderi Pharmacopeiam. Chymia Rationalis, &c. In Folio. Tomi II. 1688.

Johannis Michaelis (Viri Clarissimi Michaelis Ettmulleri præceptoris) Opera omnia Medico-Chirurgica. 4°. 1688.

Mart. Listeri. M.D. Historia Conchyliorum cum fig. Æneis. fol. 1690.

L. Plukenetii Stirpium illustr. & minus cognitarum Icones, cum 800 fig. Æneis. fol. 1691.

Theod. de Mayerne Equit. Aurati, &c. Præxeos in morbis internis præcipuè gravioribus & Chronicis Syntagma, ex adversariis, Consiliis ac Epistolis ejus summâ curâ ac diligentia concinnatum. In 8°. 1690.

Rich. Morton M. D. Phthisiologia seu Exercitationes de Phthisi tribus libris comprehensæ. To-

Totumq; opus variis Historiis illust. In 8°. 1689.

Gualt. Harris De Morbis acutis Infantum. 8°. 1689.

Fr. Willoughbeii Hist. piscium cum fig. à Jo. Raio. 1686.

Joannis Raii Historia Plantarum, de plantis in genere, earumq; partibus, accidentibus & differentiis, &c. Vires etiam & usus recepti compendio traduntur. Folio. Tomi II. 1686.

Synopsis Methodica Stirpium Britannicarum, in qua tum Notæ generum Characteristice traduntur, tum Species singulæ breviter describuntur: cum indice & Virium Epitome Auctore Jo. Raio è Societate Regia. 8°. 1690.

Osteologia Nova, or some New Observations of the Bones, &c. 1. Of the Structure of the Bones. 2. Of Accretion and Nutrition, of the Rickets and Venereal Nodes. 3. Of the Marrow. 4. Of the Mucilaginous Glands, of the Causes of a Rheumatism, and the Gout. 5. Of the Cartilages. By C. Havers. M.D. In 8°. 1691.

Pharmacopœia Coll. Regal. Londini remedia omnia succinctè descripta; atq; serie alphabetica ita digesta, ut singula promptius primo intuitu investigari possint. Huic Editioni annexus est Catalogus Simplicium, nec non Manuale ad forum, & Pinax Posographicus. Curâ Ja. Shipton Pharmacop. Lond. 12°. 1689.

Pharmacopœia Leovardensis Galenico-Chymica, Colleg. Med. ejusdem loci operâ odorata. 12°. 1688.

Phar-

( )  
Pharmacopeia Amstelredamensis, senatus  
Auctoritate munita & recognita. 24°. 1690.

Jo. Schroderi Pharmacopeia Medico Chy-  
mica. 8°. 1672.

Mosis Charas Pharmacopœa Regia Galeni-  
ca & Chymica. In 4°. 1684.

Pharmacopœia Augustana Reformata cum  
ejus Mantissa & Appendice simul cum Animad-  
versionibus, cui annexa est ejusdem authoris  
Pharmacopeia Regia ut & mantissa spagyrica,  
2 Vol. 8cc. Fol. 1675. Id. in 4°.

Barth. Castelli Lexicon medicum renovatum.  
Curâ & studio iterato Jac. Panc. Brunonis, priori  
Edit. Longè Auctor & emendatior. In 4°.  
1688.

Fr. Ruyschii Observat. Anatom. — Chirur-  
garum centuria. Accedit Catalogus Rariorum  
in Museo Ruyschiano. Cum Iconibus Æneis.  
4°. 1691.

Alph. Borellus de motu Animalium, cum  
multis figuris. 4°. 1685.

———Ejusd. De Vi percussione & motionibus  
naturalibus à gravitate pendentibus. 4°. 1686.

Jo. Dolæi Encyclopædia Medicinæ Theore-  
tico-practicæ qua tam Veterum, quam recen-  
tiorum, Paracelsistarum, nempe Helmontia-  
norum, Willisianorum, Sylvianorum, Cartesia-  
norum de causis & curationibus morborum sen-  
tentia exhibentur. In 4°. 1688.

———Ejusd. Encyclopædia Chirurgicalis  
rationalis, &c. 4°. 1689.

Tho.

The Willis Opera omnia à Ger. Blasio. In 4°. 1682.

Collectanea Chymica Leydensia, id est Martiana, Margraviana, Le Mortiana, &c. In 4°. 1684.

Lindenius renovatus sive Vand. Linden de Scriptis Medicis ab Abr. Mercklino auctus. In 4°. 1686.

The Philosophical Transactions of the Royal Society, giving some account of the present Undertaking, Studies, and Labours of the Ingenious in many considerable parts of the World, begun by Henry Oldenburg, An. 1665, and continued to 1691. In 4°. 8 Vol.

—Ejusd. The Continuations of Mr. Oldenburg's Transactions, beginning Jan. 1683. N. 143. continued till 1691, are sold separately.

Acta Eruditorum Lipsiæ, begun An. 1682. Published monthly, and continued to Anno 1691.

Th. Bartholini Acta Medica & Philosophica Hafniensia, ab Anno 1671. ad An. 1680. 4 Vol. 4°.

Nic. De Blegny Zodiacus Medico-Gallicus, sive Miscellaneorum med. Phys. Gallicorum Anni quinq; viz. A Januario. 1679. ad Januarium 1684. in 4°. 2 Vol.

Miscellanea Curiosa Medico-physica Academiae naturæ curiosorum, sive Ephemeridum Medico-Physicarum Germanicarum Anni 18.

cum



( )

cum figuris Æneis. 15 Vol. in 4°.

Miscellaneorum Decuria 2da. viz. An. 11, 12, 13, 14, 15, 16, 17, 18. seperatim.

Franc. Piens de febribus in genere & Specie ex Veterum ac recentiorum Scriptis perpenſus. 4°. 1689.

Bibliotheca Anatomica. 2 Vol. Fol. 1689.

Lar. Riverii opera omnia. Fol. 1679.

Dan. Sennerti opera omnia. 3 Vol. Fol. Lugduni. 1676.

Malpighii opera omnia Fol. cum figuris. 1685.

Theop. Boneti Anatomia practica. Fol. 2 Vol. 1680.

—— Medicina Septentrionalis. 2 Vol. Fol. cum 1685.

—— Mercurius compitalitius. Fol. 1683.

Fabr. Hildani opera cum Severino. 1682. Fol.

Vieuffens Neurographia cum fig. 1685. Fol.

Fr. de le Boe Sylvii opera medica 4°. 1680.

Plateri Praxis Med. 4°. & Observat. 8°.

Diemerbroeck opera omnia. Fol. 1685.

—— Ejusd. Anatomia 4°.

Malpighii de structura Glaudularum Conglobatarum consimiliūmq; Partium Epist. 4°. 1689.

Theod. Craanen Praxis Medica. 4°. 1689.

—— Ejusd. De Homine cum fig. 4°. 1689.

Theoph. Bonetus de vitandis Erroribus in Praxi Med. 4°. 1687.

Laur. Bellinus de Urinis & pulsibus. 4°. 1685.

Munick Praxis Chirurgiæ. 4°. 1689.

Ch.

( )

Ch. Margravii materia medica contracta. 4°. 1682.

—Prodromus Medicinæ pract. 8°. 1685.

Blancardi Anat. Reformata cum 51 fig. Æneis. illustr. 8. 1687.

—Ejusd. Anatom. Practica rationalis. 12°.

—Ejusd. Praxeos Medicinæ. 1689.

—Ejusd. Lexicon Medicum. 8°. 1690.

Th. Bartholini Anatomia. Edit. opt. in 8°. 1686.

R. De Graaf opera omnia. 8°. 1677.

Lyseri Culter anatomicus. 8°. 1679.

Lower de Corde &c. 8°. 1680.

P. Hermannii Catalogus Horti Acad. Lugduno-Bat. cum fig. 8°. 1687.

—Ejusd. Schola Botanica. sive Catal. Plantar. in Horto Reg. Paris. & Paradisi Batavi prodromus. 12°. 1690.

Sculteri Armament. Chirurg. cum Append. 8°. 1672.

Bohn Examen Vulnerum Lethalium. 8°. 1689.

Catalogus Plantarum circa Monspelium nascent. cum fig. 8°. 1686.

Fr. Zypæi Fundamenta Medicinæ reform. Physico Anat. 8°. 1687.

Le Mort. Pharmacia & Chimia. 8°. 1685.

Macasii promptuarium materiæ med. 12°.

Glisson de Ventriculo, de Rachitide, Anat. Hepatis. 12°. 3 Vol.

Harvey de Generat. Animal. & de motu cordis. 12°. 2 Vol.

Jac.

( )  
Jac. Waldschmidt Institutiones Medicinæ  
Rationalis. 8°. 1689.

—Ejusd. Praxis Medicinæ. 12°. 1691.

Bontekoe Fundamenta Medica. 8°. 1688.

Th. Burnetti Thesaurus Medicinæ Practicæ.  
12°. 2 Vol. 1678.

Praxis Barbettiana cum notis Deckers. 12°.

Tho. Guidott de Thermis Britannicis. 4°. cum  
fig. 1691.

Casp. Porta Medicina Brevis. 8°. 1688.

Riverius Reformatus, sive praxis Med. Me-  
thod. Riverian. 8°. 1688.

Morelli Methodus præscrib. formulas reme-  
dior. 12°. 1680.

Fr. Geuderus de fermentis, &c. 8°. 1689.

Corn. Celsus de Medicina. 12°. 1687.

Jac. Barneri Chymia Philosophica cum figu-  
ris. 8°. 1689.

H. Tencke Instrumenta curationis morbo-  
rum, deprompta ex Pharmacia, Chirurgia, &  
Diæta. 12°. 1684.

C. Stalpartii Observat. Medic. Chirurg. Ana-  
tom. 2 Vol. cum fig. 1687. 8°.

N. Tulpii Observationes Med. cum fig. 8°.  
1685.

L. Botalli opera Medica & Chirurgica cum  
fig. 8°.

Ammanni Praxis Vulnerum Lethalium. 8°.

Jo. Hartmanni Praxis Chymiatica. 8°. 1682.

Dan. Ludovicus de Pharmacia. 8°. 1688.

Jo. Goedartius de insectis cum fig. per M.  
Lister. 8°. 1685. Nich.

( )  
Nich. Chesneau Observat. Medicinæ 8°. 1683.

Juncken medicus presentī seculo accomod. 8°. 1682.

——— Ejusd. Praxis Medica. 8°. 1690.

Meekren. Observat. Med. Chirurg. 8°. 1683.

Wiseman's Chirurgical Treatises. Fol.

T. Gibson's Anatomy of Humane Bodies. Third Edition. 1688. 8°.

Read's whole Practice of Chirurgery. 8°. 1687.

Floyer's Virtues of Minerals, Animals, Plants, &c. known by their Tasts and Smells. In 2 Vol. 8°. 1690.

Yong's admirable Vertues of Oleum Terebinthina, especially in Recent Wounds. 8°.

——— Ejusd. Wounds of the Brain proved curable, &c. 8°. 1682.

Lemery's Course of Chymistry. Second Edit. 1686.

Aphorismi Urbigerani, being 100 Chymical Aphorisms, &c. 8°. 1690.

W. Cole's Method of Preventing and Curing of Apoplexies, 8°. 1689.

W. Salmon's Translation of the London Dispensatory. 8°. 1691.

——— Doron Medicum, or Supplement to the London Dispensatory. 8°. 1688.

——— Physical and Chirurgery Observations. 8°. 1687.

——— Method of curing the French-Pox. 12°. 1690. R.

( )  
R. Boyle's *Medicina Hydrostatica*, or Hydrostaticks applied to the *Materia Medica*, &c. 8°. 1690.

— New Experiments Physico-Mechanical touching the Spring and Weight of the Air, and its effects, 4°. compl.

— Usefulness of Experimental Philosophy compl. 4°.

— Eiusd. Second Tome alone. 4°.

— Experimental History of Cold. 4°.

— Tracts about the Saltiness of the Sea. 8°.

— Natural History of Humane Blood. 8°.

— Experiments about the Porosity of Bodies. 8°.

— Experiments of Mineral Waters. 8°.

— Reconcilableness of Specifick Medicines to the Corpuscular Philosophy, with the advantages of the use of Simple Medicines. 8°.

— Of the Veneration that Mans Intellect owes to God. 8°.

— An Essay of the great Effects of Languid and Unheeded Motion, and some Unheeded Causes of the Salubrity and Insalubrity of the Air, &c. in 8°. 1690.

— The Sceptical Chymist. 8°.

— Experiments, Notes, &c. about divers Qualities, &c. 8°.

— Tracts about the hidden Qualities of the Air. 8°.

— Of new Experiments of Flame and Air, and about Explosions. 8°.

F I N I S.

o.  
c.

al  
r,

y

r

o.

o.

of

es

n-

a

n-

n-

ry

rs

of

id

i

7